

ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled
DISCOUNT DRUG MART, INC.

Drug Facts

Active ingredient (in each capsule)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Heart alert: Taking more than directed can cause serious heart problems or death

Do not use

- if you have bloody or black stool
- in children under 12 years of age

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

Ask a doctor or pharmacist before use if you are

taking prescription drug. Loperamide may interact with certain prescription drugs.

When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea.**
- **not for use in children under 12 years of age**
- adults and children 12 years and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

Other information

- store at 20°-25°C (68°-77°F). Protect from Light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

Inactive ingredients

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

Questions or comments?

call toll free **1-888-235-2466**

†All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Imodium® A-D.

THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by:

Discount Drug Mart

211 Commerce Drive, Medina, Ohio 44256

www.discount-drugmart.com

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA OHIO 44256

L0000110

Rev#03/19

Principal Display Panel

Compare to Imodium® A-D active ingredient†

NDC 53943-176-12

Anti-Diarrheal

Loperamide HCl Soft Gelatin Capsules, 2 mg

Suitable for adults and children 12 years and over

Controls the symptoms of diarrhea

24 Softgels*

*Each Liquid-filled capsule contains 2 mg loperamide HCl

COATING FREE AREA

01066620

COATING FREE AREA

COATING FREE AREA

COATING FREE AREA

Drug Facts
Active ingredient (in each capsule) Loperamide HCl 2 mg.....Ant-diarrheal
Purpose

Use controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings
Do not use if you have ever had a rash or other allergic reaction to loperamide HCl
Allergy alert: Taking more than directed can cause serious heart problems or death
Heart alert: Taking more than directed can cause serious heart problems or death
Do not use if you have bloody or black stool or in children under 12 years of age
Do not use if you have fever, mucus in the stool, or a history of liver disease
Ask a doctor before use if you have a history of abnormal heart rhythm
Ask a doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.
Stop use and ask a doctor if symptoms get worse or diarrhea lasts for more than 2 days
If pregnant or breast-feeding, ask a health professional before use.
If you get abdominal swelling or bulging, these may be signs of a serious condition.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
Drink plenty of clear fluids to help prevent dehydration caused by diarrhea.
Adults and children 12 years and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool, but no more than 4 softgels in 24 hours
Children under 12 years of age: not for use

Other Information
Store at 20°-25°C (68°-77°F). Protect from Light.
Avoid excessive heat above 40°C (104°F).
Do not use if carton or blister unit is open or torn
See side panel for lot number and expiration date

Inactive ingredients butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxy 40 hydrogenated castor oil, purified water

Questions or comments? call toll free 1-888-235-2466

Anti-Diarrheal
Loperamide HCl
Soft Gelatin Capsules, 2 mg

Compare to Imodium® A-D
active ingredient*

Anti-Diarrheal
Loperamide HCl
Soft Gelatin Capsules, 2 mg
Suitable for adults and children 12 years and over

Drug Mart
FOOD FAIR

Drug Mart
FOOD FAIR

L0000110
Rev # 03/19

Distributed by:
Discount Drug Mart
211 Commerce Drive, Medina, Ohio 44026
www.discount-drugmart.com

SATISFACTION GUARANTEED
IF PACKAGED, RETURN UNUSED BOTTOM AND BACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44026

THIS PRODUCT CONTAINS SODIUM

09335102888 5

All trademarks are property of their respective owners. makers/owners of Imodium® A-D

MG
REA



ANTI-DIARRHEAL

loperamide hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-176
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	10mm
Flavor		Imprint Code	LP2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-176-12	2 in 1 CARTON	11/01/2018	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	11/01/2018	

Labeler - DISCOUNT DRUG MART, INC. (047741335)

Registrant - Bionpharma Inc. (079637826)

Establishment

Name	Address	ID/FEI	Business Operations
Patheon Softgels Inc.		002193829	manufacture(53943-176)

Revised: 6/2019

DISCOUNT DRUG MART, INC.