

**ANTIPERSPIRANT ABOVE NEYMAR JR WOMEN- antiperspirant above neymar jr
women aerosol
BASTON INDUSTRIA DE AROSSOIS LTDA**

ANTIPERSPIRANT ABOVE NEYMAR JR WOMEN

ALUMINUM SESQUICHLOROHYDRATE

ALUMINUM SESQUICHLOROHYDRATE 16 %

deodorant antiperspirant

deodorant antiperspirant

**SHAKE WELL AND APPLY TO THE ARMPITS FROM A DISTANCE OF ABOUT 15
CM. PROTECT YOUR EYES DURING APPLICATION**

SHAKE WELL AND APPLY TO THE ARMPITS FROM A DISTANCE OF ABOUT 15 CM.
PROTECT YOUR EYES DURING APPLICATION

APPLY TO UNDERARMS ONLY

APPLY TO UNDERARMS ONLY

BUTANE
PROPANE
ISOBUTANE

CYCLOPENTASILOXANE
ISOPROPYL MYRISTATE
C12-15 ALKYL BENZOATE
PARFUM
QUATERNIUM-18 HECTORITE
CYCLOHEXASILOXANE
PROPYLENE CARBONATE
ALUMINUM STARCH OCTENYLSUCCINATE
2-METHYL 5-CYCLOHEXYLPENTANOL
TOCOPHERYL ACETATE
AQUA
GOSSYPIUM HERBACEUM SEED OIL
ALLANTOIN
BUTYROSPERMUM PARKII BUTTER
MACADAMIA TERNIFOLIA SEED OIL
COCOS NUCIFERA FRUIT EXTRACT
CHAMOMILLA RECUTITA FLOWER EXTRACT
ALOE BARBADENSIS LEAF EXTRACT
CAMELLIA SINENSIS LEAF EXTRACT

CINNAMOMUM ZEYLANICUM BARK EXTRACT
 ACORUS CALAMUS ROOT EXTRACT
 COMMIPHORA MYRRHA RESIN EXTRACT
 OLEA EUROPAEA FRUIT OIL
 ARGANIA SPINOSA KERNEL OIL
 LECITHIN
 POLYGLYCERYL-3 DIISOSTEARATE
 GLYCERIN
 GLYCERYL STEARATE
 E-MAIL : SAC@BASTON.COM.BR

**FLAMMABLE PRODUCT.
 CONTENTS UNDER PRESSURE.**

FLAMMABLE PRODUCT.
 CONTENTS UNDER PRESSURE.

KEEP OUT OF REACH OF CHILDREN

ETIQUETA

ANTIPERSPIRANT AEROSOL ABOVE NEYMAR JR WOMEN

Drug Facts

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (16%)	antiperspirant

Uses Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application.

Directions
 apply to underarms only

Inactive Ingredients

BUTANE / PROPANE / ISOBUTANE / CYCLOPENTASILOXANO / ISOPROPYL MYRISTATE / C12-15 ALKYL BENZOATE / QUATERNIUM-15 HECTORITE / CYCLOHEXASILOXANO / PROPYLENE CARBONATE / ALUMINUM STARCH OCTENYLSUCCINATE / 2-METHYL-5-CYCLOHEXYLPENTANOIL / TOCOPHERYL ACETATE / AGUA / GOSSYPIUM HERBACEUM SEED OIL / ALLANTOIN / BUTYROSPERMUM PARKII BUTTER / MACADAMIA TERMINIFOLIA SEED OIL / Cocos nucifera fruit extract / CHAMOMILLA RECUTITA FLOWER EXTRACT / ALBE BARBADENSIS LEAF EXTRACT / CAMELLIA SINENSIS LEAF EXTRACT / CINNAMOMUM ZEYLANICUM BARK EXTRACT / ACORUS CALAMUS ROOT EXTRACT / COMMIPHORA MYRRHA RESIN EXTRACT / OLEA EUROPAEA FRUIT OIL / ARGANIA SPINOSA KERNEL OIL / LECITHIN / POLYGLYCERYL-3 DIISOSTEARATE / GLYCERIN / GLYCERYL STEARATE / PARFUM (AALPHA-ISOMETHYLIONONA / BENZYL SALICYLATE / CITRONELLOL / COUMARIN / D-LIMONENE / LINALOOL).

Questions?
 e-mail support@myspraygroup or call +1 (805) 677-5030

MADE IN BRAZIL - DISTRIBUTED BY:
 SPRAY INTERNATIONAL LLC - 11401 NW 134TH STREET SUITE 107, MEDLEY, FL 33178.

CLINICAL 72h CLINICAL 72h CLINICAL 72h CLINICAL 72h CLINICAL

ABOVE
 WOMEN

72h
 Neymar Jr.

MODE DE USAR: AGITE BEM A EMBALAGEM E APLIQUE NAS AXILAS A UMA DISTANCIA APROXIMADA DE 15 CM. PROTEJA OS OLHOS DURANTE A APLICACAO.

INSTRUCCIONES DE USO: AGITE BIEN EL ENVASE Y APLIQUE EL PRODUCTO EN LAS AXILAS A UNA DISTANCIA APROXIMADA DE 15 CM. PROTEJASE LOS OJOS DURANTE LA APLICACION.

HOW TO USE: SHAKE THE PACKAGE WELL AND APPLY TO THE UNDERARMS APPROXIMATELY 15CM AWAY. PROTECT THE EYES DURING THE APPLICATION.

COMPOSICAO / COMPOSICION / INGREDIENTS

BUTANE (BUTANO) / PROPANE (PROPANO) / ISOBUTANE (ISOBUTANO) / ALUMINUM SESQUICHLOROHYDRATE (SESQUICHLOROHIDRATO DE ALUMINIO) / CYCLOPENTASILOXANE (CICLOPENTASILOXANO) / ISOPROPYL MYRISTATE (MIRISTATO DE ISOPROPILA) / C12-15 ALKYL BENZOATE (BENZOATO DE ALKILA C12-15) / QUATERNIUM-15-HECTORITE (HECTORITE DE QUATERNIUM) / CYCLOHEXASILOXANE (CICLOHEXASILOXANO) / PROPYLENE CARBONATE (CARBONATO DE PROPYLENE) / ALUMINUM STARCH OCTENYLSUCCINATE (OCTENYLSUCCINATO DE AMIDO ALUMINIO) / 2-METHYL-5-CYCLOHEXYLPENTANOIL (2-METIL-5-CICLOHEXYLPENTANOIL) / TOCOPHERYL ACETATE (ACETATO DE TOCOPHERILA) / AGUA (AGUA) / GOSSYPIUM HERBACEUM SEED OIL (OLEO DE SEMENTE DE ALGODAO) / ALLANTOIN (ALANTOINA) / BUTYROSPERMUM PARKII BUTTER (BUTIROESTER DE CACAO) / MACADAMIA TERMINIFOLIA SEED OIL (OLEO DE MACADAMIA) / Cocos nucifera fruit extract (EXTRATO OLEOSO DE COCO) / CHAMOMILLA RECUTITA FLOWER EXTRACT (EXTRATO OLEOSO DE CAMOMILA) / ALBE BARBADENSIS LEAF EXTRACT (EXTRATO OLEOSO DE ALBE VERDE) / CAMELLIA SINENSIS LEAF EXTRACT (EXTRATO OLEOSO DE CAMELIA) / CINNAMOMUM ZEYLANICUM BARK EXTRACT (EXTRATO OLEO DE CANELA) / ACORUS CALAMUS ROOT EXTRACT (OLEO DE CALAMUS) / COMMIPHORA MYRRHA RESIN EXTRACT (OLEO DE MIRRA) / OLEA EUROPAEA FRUIT OIL (OLEO DE OLIVA) / ARGANIA SPINOSA KERNEL OIL (OLEO DE ARGAN) / LECITHIN (LECITINA) / POLYGLYCERYL-3 DIISOSTEARATE (DI-ISOSTEARATO DE POLIGLICERILA-3) / GLYCERIN (GLICERINA) / GLYCERYL STEARATE (MONOESTEARATO DE GLICERILA) / PARFUM (PERFUME) (ALPHA-ISOMETHYLIONONA / BENZYL SALICYLATE / CITRONELLOL / COUMARIN / D-LIMONENE / LINALOOL).

ANTES DE USAR LEIA AS INSTRUÇÕES DO RÓTULO.

PRECAUÇÕES: CUIDADO! PRODUTO INFLAMMÁVEL. USO EXTERNO. CONTEÚDO SOB PRESSÃO. NÃO PULVERIZAR PERTO DE FOGO OU CORPOS INCANDESCENTES. NÃO PERFORAR NEM INCENDIAR A EMBALAGEM MESMO QUANDO VAZIA. NÃO USAR NEM GUARDAR EM LUGARES QUENTES OU PERTO DE CHAMAS. NÃO EXPOR AOS RAIOS SOLARES NEM A TEMPERATURAS SUPERIORES A 50°C. EVITAR A INALAÇÃO DESTE PRODUTO. EM CASO DE CONTATO COM OS OLHOS, LAVE COM ÁGUA EM ABUNDANCIA. NÃO USAR SE A PELE ESTIVER IRRITADA OU LESIONADA. CASO OCORRA IRRITAÇÃO OU PRURIDO NO LOCAL DA APLICACAO, DEVERA SUSPENDER O USO. **CONSERVE FORA DO ALCANCE DAS CRIANCAS E DOS ANIMAIS DOMESTICOS.** USAR SOMENTE NAS AREAS INDICADAS. EM CASO DE CONTATO COM OS OLHOS, LAVAR COM ABUNDANTE AGUA. NÃO USAR SE A PELE SE ENCONTRA IRRITADA O LESIONADA. SE OCORRER IRRITAÇÃO O PRURIDO EN EL LUGAR DE LA APLICACION, SE DEBERA SUSPENDER SU USO. **CONSERVAR LEJOS DEL ALCANCE DE LOS NIÑOS Y ANIMALES DOMESTICOS.** USAR SOLAMENTE EN LAS AREAS INDICADAS. EN EL CASO DE INGESTION NO PRODUCE EL VOMITO Y BUSCAR AYUDA MEDICA. NO DEBE EL ENVASE AEROSOL DENTRO DE UN VEICULO / RESERVA DE ESCAPE Y EXPLOSION. VEJA EL LOTE Y FECHA DE VALIDAZ EN LA PARTE POSTERIOR DEL ENVASE. **PRECAUTIONS: FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID DIRECTION IN. CONTENTS UNDER PRESSURE DO NOT PUNCTURE OR INCENDIATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. USE MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. AVOID**

BASTON BASTON INDUSTRIA
 AV. DAS PALMEIRAS, 1705 - PALMEIRA - PARANÁ - BRASIL
 C.N.P.J.: 05.855974/0001-70 - INSC. EST. 90294966-72



ANTIPERSPIRANT ABOVE NEYMAR JR WOMEN

antiperspirant above neymar jr women aerosol

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73306-1130
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	16 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73306-1130-1	90 g in 1 CAN; Type 0: Not a Combination Product	11/12/2022	

ETIQUETA

ANTIPERSPIRANT AEROSOL ABOVE NEYMAR JR WOMEN

Drug Facts

Active Ingredient Purpose
Aluminum Sesquichlorohydrate (16%) anti-perspirant

Uses Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application.

Directions
apply to underarms only

Inactive Ingredients
BUTANE / PROPANE / ISOBUTANE / CYClopentasiloxane / ISOPROPYL MYRISTATE / C12-15 ALKYL BENZOATE / QUATERNIUM-15 HECTORITE / CYCLOHEXASILOXANE / PROPYLENE CARBONATE / ALUMINUM STARCH OCTENYLSUCONATE / 2-METHYL-5-CYCLOHEXYPENTANOL / TODOPHERYL ACETATE / AQUA / GOSYPIUM HERBACEUM SEED OIL / ALLANTOIN / BUTYROSPERMUM PARKII BUTTER / MACADAMIA TERNIFOLIA SEED OIL / COCOS NUCIFERA FRUIT EXTRACT / CHAMOMILLA RECUTITA FLOWER EXTRACT / ALICE BARBADENSIS LEAF EXTRACT / CAMELLIA SINENSIS LEAF EXTRACT / CINNAMOMUM ZEYLANICUM BARK EXTRACT / ACORUS CALAMUS ROOT EXTRACT / COMMPHOBA MYRRIHA RESIN EXTRACT / OLEA EUROPEA FRUIT OIL / ARGANIA SPINOSA KERNEL OIL / LECITHIN / POLYISOCYANURATE DIISOCYANURATE / GLYCERIN / GLYCERYL STEARATE / PARFUM (ALPHA-ISOMETHYLIONONE / BENZYL SALICYLATE / CITRONELLOL / COUMARIN / D-LIMONENE / LINALOOL).

Questions?
e-mail support@myspraygroup or call: +1 (305) 677-5030

MADE IN BRAZIL - DISTRIBUTED BY:
SPRAY INTERNATIONAL LLC - 11401 NW 134TH STREET SUITE 107, MELEEK, FL 33178.

CLINICAL 72h CLINICAL 72h CLINICAL 72h CLINICAL 72h CLINICAL

ABOVE
WOMEN



Neymar Jr.



5 JATO SECO
AÇÃO HIDRATANTE
INVISÍVEL!
EM ZERO ALCÓOL?
1 MUITO MAIS PROTEÇÃO
QUANDO COMPARADO AOS
DEMAIS ANTITRANSPIRANTES ABOVE
ANTITRANSPIRANTE



Cont. | NET WT:
150ml/90g | 5.07 fl. oz / 3.17 oz

ANTES DE USAR LEIA AS INSTRUÇÕES DO RÓTULO.

PRECAUÇÕES: CUIDADO PRODUTO INFLAMMÁVEL. USO EXTERNO. CONTEÚDO SOB PRESSÃO. NÃO PODEMOS PERTO DE FOGO OU CORPOS INCANDESCENTES. NÃO PERFORAR NEM INCANERAR A EMBALAGEM MESMO QUANDO VÁLIDA. NÃO USAR NEM GUARDAR EM LUGARS QUENTES OU PERTO DE CHAMAS. NÃO EXPOR ÀS RAJAS SOLARES NEM A TEMPERATURAS SUPERIORES A 50°C. EVITAR A INALHAÇÃO DESTE PRODUTO. EM CASO DE CONTATO COM OS OLHOS, LAVE COM ÁGUA EM ABUNDÂNCIA. NÃO USAR SE A PELE ESTIVER IRRITADA OU LESIONADA. CASO OCORRA IRRITAÇÃO OU PRURIDO NO LOCAL DA APLICAÇÃO, SEVERA SUSPENDER O USO. CONSERVE FORA DO ALCANCE DAS CRIANÇAS E DOS ANIMAIS DOMÉSTICOS. USAR SOMENTE NAS ÁREAS INDICADAS. EM CASO DE INGESTÃO, NÃO PROVOCAR VÔMITO E PROCURAR UM MÉDICO. NÃO TENTAR EMBALEGAR DE AEROSOL DENTRO DE VEÍCULO / RISCO DE VARIAMENTO E EXPLOSIÃO. LOTE E VALIDADE: VITE FÊNIX DA EMBALAGEM. **PRECAUÇÕES: CUIDADO! PRODUTO INFLAMMÁVEL. USO EXTERNO. CONTEÚDO BAJO PRESSÃO. POR MEDIDA DE SEGURIDAD UTILICE EL PRODUCTO CONFINADO SU MODO DE USO. NO PERFORAR NEM INCANERAR EL ENVASE, AUNQUE ESTE VÁLIDO. NO USAR NI GUARDAR EN LUGAR CALIENTE O CERCA DE LAS LLAMAS. NO EXPONER A LOS RAYOS SOLARES NI A TEMPERATURAS SUPERIORES A LOS 50°C. EVITE INHALAR ESTE PRODUCTO. PROTEJA SUS OJOS DURANTE LA APLICACIÓN. EN EL CASO DE CONTACTO CON LOS OJOS, LAVÉLOS CON ABUNDANTE AGUA. NO USAR SI LA PIEL SE ENCUENTRA IRRITADA O LESIONADA. SI OCURRE IRRITACIÓN O PRURITO EN EL LOCAL DE LA APLICACIÓN, SE DEBERÁ SUSPENDER SU USO. CONSERVAR LEJOS DEL ALCANCE DE LOS NIÑOS Y ANIMALES DOMÉSTICOS. USAR SOLAMENTE EN LAS ÁREAS INDICADAS. EN EL CASO DE INGESTIÓN NO PROVOCAR EL VÓMITO Y BUSCAR AYUDA MÉDICA. NO DEJE EL ENVASE AEROSOL DENTRO DE UN VEHÍCULO / RIESGO DE ESCAPE Y EXPLOSIÓN. VEA EL LOTE Y FECHA DE VALIDAZ EN LA PARTE POSTERIOR DEL ENVASE. **PRECAUTIONS: FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCANERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 100°F/38°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON SKIN IF SKIN IS IRRITATED OR IF RASH OR IRRITATION OCCURS. SEE MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATE CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VOMITING. CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: ALUMINUM. BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION AIDS: WWW.INHALAIDS.COM. 1 TESTADO PÓS CONDIÇÕES REAIS DE USO DO PRODUTO, COM ROUPAS DE ALGODÃO, NAS CORES BRANCA, PRETA, AMARELA, AZUL, VERDE, VERMELHA E ROSA. 2 NÃO CONTEM ALCÓOL ETILÍDICO.****

MODO DE USAR: AGITE BEM A EMBALAGEM E APLIQUE NAS AXILAS A UMA DISTÂNCIA APROXIMADA DE 15 CM. PROTEJA OS OLHOS DURANTE A APLICAÇÃO.

INSTRUÇÕES DE USO: AGITE BIEN EL ENVASE Y APLIQUE EL PRODUCTO EN LAS AXILAS A UNA DISTANCIA APROXIMADA DE 15 CM. PROTEJASE LOS OJOS DURANTE LA APLICACIÓN.

HOW TO USE: SHAKE THE PACKAGE WELL AND APPLY TO THE UNDERARMS APPROXIMATELY 15CM AWAY. PROTECT THE EYES DURING THE APPLICATION.

COMPOSIÇÃO / COMPOSICIÓN / INGREDIENTS

BUTANE (BUTANO) / PROPANE (PROPANO) / ISOBUTANE (ISOBUTANO) / ALUMINUM SESQUICHLOROHYDRATE (SESQUICHLOROHIDRATO DE ALUMÍNIO) / CYCLOPENTASILOXANE (CICLOPENTOSILOXANO) / ISOPROPYL MYRISTATE (MIRISTATO DE ISOPROPILA) / C12-15 ALKYL BENZOATE (BENZOATO DE ALQUILA C12-15) / QUATERNIUM-15-HECTORITE (HECTORITA DE QUATERNIUM-15) / CYCLOHEXASILOXANE (CICLOHEXASSILOXANO) / PROPYLENE CARBONATE (CARBONATO DE PROPYLENO) / ALUMINUM STARCH OCTENYLSUCONATE (OCTENILSUCONATO DE AMIDO ALUMÍNIO) / 2-METHYL-5-CYCLOHEXYPENTANOL (2-METIL-5-CICLOHEXIPENTANOL) / TODOPHERYL ACETATE (ACETATO DE TODOPHERILA) / AQUA (ÁGUA) / GOSYPIUM HERBACEUM SEED OIL (ÓLEO DE SEMENTE DE ALGODÃO) / ALLANTOIN (ALANTOINA) / BUTYROSPERMUM PARKII BUTTER (BUTIROESTER DE KARITÉ) / MACADAMIA TERNIFOLIA SEED OIL (ÓLEO DE MACADAMIA) / COCOS NUCIFERA FRUIT EXTRACT (EXTRATO ÓLEOSO DE COCO) / CHAMOMILLA RECUTITA FLOWER EXTRACT (EXTRATO ÓLEOSO DE CAMOMILA) / ALICE BARBADENSIS LEAF EXTRACT (EXTRATO ÓLEOSO DE ALICE VERDE) / CAMELLIA SINENSIS LEAF EXTRACT (EXTRATO ÓLEOSO DE CHÁ VERDE) / CINNAMOMUM ZEYLANICUM BARK EXTRACT (ÓLEO DE CANELA) / ACORUS CALAMUS ROOT EXTRACT (ÓLEO DE CALAMUS) / COMMPHOBA MYRRIHA RESIN EXTRACT (ÓLEO DE MIRRA) / OLEA EUROPEA FRUIT OIL (ÓLEO DE OLIVA) / ARGANIA SPINOSA KERNEL OIL (ÓLEO DE ARGAN) / LECITHIN (LECITINA) / POLYISOCYANURATE DIISOCYANURATE (DI-ISOCIANATO DE POLIURETILA-8) / GLYCERIN (GLICERINA) / GLYCERYL STEARATE (OCTOESTERATO DE GLICERILA) / PARFUM (PERFUME) (ALPHA-ISOMETHYLIONONE / BENZYL SALICYLATE / CITRONELLOL / COUMARIN / D-LIMONENE / LINALOOL).

BASTON INDÚSTRIA BRASILEIRA DE AEROSÓIS LTDA.
AV. DAS PALMEIRAS, 1705 - PALMEIRA - PARANÁ - BRASIL
C.N.P.J.: 05.865.974/0001-70 - INSC. EST. 902.969.66-72
RESP. TEC./TECH. RESP.: LUCILIA CAROLINA V. COSTA
CRO 0920306Z IX REGIÃO A.F.E./A.M.S.: 2.05.717-7
Nº PROCESSO/ANVISA: 25.351.045559/2024-98
ATENÇÃO AO CONSUMIDOR / ATENCIÓN AL CONSUMIDOR/
CUSTOMER SERVICE: +55 (42) 3252-1705
SAC@BASTON.COM.BR - INDÚSTRIA BRASILEIRA /
INDUSTRIA BRASILEÑA / MADE IN BRAZIL



seguir a gente!
@above.official



CONHEÇA
ESSA HISTÓRIA



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	11/12/2022	

Labeler - BASTON INDUSTRIA DE AROSSOIS LTDA (897727605)

Registrant - BASTON INDUSTRIA DE AROSSOIS LTDA (897727605)

Establishment

Name	Address	ID/FEI	Business Operations
BASTON INDUSTRIA DE AEROSSOIS LTDA		897727605	manufacture(73306-1130)

Revised: 12/2024

BASTON INDUSTRIA DE AROSSOIS LTDA