

PREVENTION DAILY TINTED MOISTURIZER SPF 30- zinc oxide and titanium dioxide cream

Allure Labs

Drug Facts

Active ingredients

Titanium Dioxide 4.7%

Zinc Oxide 6.0%

Purpose

Sunscreen

Indication and usage

Helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

apply generously 15 minutes before sun exposure

children under 6 months of age: Ask a doctor

reapply at least every 2 hours

use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses

protect the product in this container from excessive heat and direct sun

Inactive ingredients AQUA/WATER/EAU, CYCLOPENTASILOXANE, C12-15 ALKYL BENZOATE, DIMETHICONE, GLYCERIN, CYCLOHEXASILOXANE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, ALUMINUM HYDROXIDE, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, STEARIC ACID, SODIUM CHLORIDE, CETYL PEG/PPG-10/1 DIMETHICONE, HEXYL LAURATE, POLYGLYCERYL-4 ISOSTEARATE, PHENOXYETHANOL, DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER, CITRUS AURANTIUM DULCIS

(ORANGE) PEEL OIL, IRON OXIDES (CI 77492), LIMONENE, CAPRYLYL GLYCOL, CETEARYL OLIVATE, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, SORBITAN OLIVATE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, ETHYLHEXYLGLYCERIN, HEXYLENE GLYCOL, CITRUS NOBILIS (MANDARIN ORANGE) PEEL OIL, TOCOPHERYL ACETATE, IRON OXIDES (CI 77491), CAMELLIA SINENSIS LEAF EXTRACT, IRON OXIDES (CI 77499), BENZOIC ACID, DIPROPYLENE GLYCOL, TITANIUM DIOXIDE (CI 77891), ARTEMISIA VULGARIS EXTRACT, LAMINARIA DIGITATA EXTRACT, VANILLA PLANIFOLIA FRUIT EXTRACT, TRIETHOXYCAPRYLYLSILANE, SODIUM CITRATE, GLUCOSE, HYDROLYZED PEA PROTEIN, TOCOPHEROL, BAROSMA BETULINA LEAF OIL, TETRAHEXYLDECYL ASCORBATE, ALUMINA, MAGNESIUM OXIDE, SODIUM SUCCINATE, POTASSIUM SORBATE, SODIUM BENZOATE, LECITHIN, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, SODIUM FERROCYANIDE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, PLANKTON EXTRACT, ERGOTHIONEINE.

clean clinical skincare™

PHYSICIAN-FORMULATED
Tried, true and tested by skincare professionals

- Daily use moisturizer that primes the skin
- 100% mineral filters with broad-spectrum UVA and UVB protection
- Tinted formula for a smooth finish and weightless feel
- Helps to blur the look of imperfections and even out skin tone
- Formulated without oxybenzone or paraben

Manufactured for IMAGE Skincare | Lantana, FL 33462 USA
Manufactured in USA from globally sourced ingredients and components
www.imageSkincare.com

IMAGE SKINCARE

PREVENTION+ daily tinted moisturizer **SPF 30** broad spectrum SPF 30 sunscreen
PURE MINERAL UV FILTERS
Net wt. 3.2 oz / 91 g

digital aging defense™

Helps protect against blue light emitted from devices: computers, smartphones & tablets

Multi-action daily sun care to fight environmental skin stressors.

Smooth blending, moisturizing formula defends against dryness and other signs of premature aging

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 4.7%	Sunscreen
Zinc Oxide 8.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
• For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • apply generously 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses

Other information • protect the product in this container from excessive heat and direct sun

Inactive ingredients AQUAWATER/EAU, CYCLOPENTASILOXANE, C12-15 ALKYL BENZOATE, DIMETHICONE, GLYCERIN, CYCLOHEXANOLURANE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, ALUMINUM HYDROXIDE, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, STEARIC ACID, SODIUM CHLORIDE, CETYL PEG/PPG-10/1 DIMETHICONE, HEXYL LAURATE, POLYGLYCERIN-4 ISOSTEARATE, PHENOXETHANOL, DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER, CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL, IRON OXIDES (CI 77492), LIMONENE, CAPRYLYL GLYCOL, CETEARYL OLIVATE, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, SORBITAN OLIVATE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, ETHYLHEXYLGLYCERIN, HEXYLENE GLYCOL, CITRUS NOBILIS (MANDARIN ORANGE) PEEL OIL, TOCOPHERYL ACETATE, IRON OXIDES (CI 77491), CAMELLIA SINENSIS LEAF EXTRACT, IRON OXIDES (CI 77499), BENZOIC ACID, DIPROPYLENE GLYCOL, TITANIUM DIOXIDE (CI 77891), ARTEMISIA VULGARIS EXTRACT, LAMINARIA DIGITATA EXTRACT, VANILLA PLANIFOLIA FRUIT EXTRACT, TRIETHOXYCAPRYLYLSILANE, SODIUM CITRATE, GLUCOSE, HYDROLYZED PEA PROTEIN, TOCOPHEROL, BAROSMA BETULINA LEAF OIL, TETRAHEXYLDECYL ASCORBATE, ALUMINA, MAGNESIUM OXIDE, SODIUM SUCCINATE, POTASSIUM SORBATE, SODIUM BENZOATE, LECITHIN, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, SODIUM FERROCYANIDE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, PLANKTON EXTRACT, ERGOTHIONEINE.

Questions? call 800-796-7546

PREVENTION DAILY TINTED MOISTURIZER SPF 30

zinc oxide and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62742-4221
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.7 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER (UNII: 2P2G24V6T9)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4) (UNII: 8INO2K35FA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ORANGE OIL (UNII: AKN3KSD11B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
TOCOPHEROL (UNII: ROZB2556P8)	
AGATHOSMA BETULINA LEAF OIL (UNII: KOS935A04V)	
MAGNESIUM OXIDE (UNII: 3A3U0GI71G)	
SODIUM SUCCINATE ANHYDROUS (UNII: V8ZGC8ISR3)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SODIUM FERROCYANIDE (UNII: 5HT6X21AID)	
GREEN TEA LEAF (UNII: WZZU1RY8B0)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
MANDARIN OIL (UNII: NJO720F72R)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
PEA PROTEIN (UNII: 7Q50F46595)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ERGOTHIONEINE (UNII: BDZ3DQM98W)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
LAMINARIA DIGITATA (UNII: 15E7C67EE8)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

ARTEMISIA VULGARIS ROOT (UNII: 32MP823R8S)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
MICROCOCCUS LUTEUS (UNII: LV6L29Z6AX)
DIMETHICONE (UNII: 92RU3N3Y1O)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
ARABIDOPSIS THALIANA (UNII: A13L60HQ81)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ANHYDROUS DEXTROSE (UNII: 5SL0G7R00K)
CETEARYL OLIVATE (UNII: 58B69Q84JO)
VANILLA (UNII: Q74T35078H)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62742-4221-1	7 g in 1 TUBE; Type 0: Not a Combination Product	11/15/2022	
2	NDC:62742-4221-3	1 in 1 CARTON	11/15/2022	
2	NDC:62742-4221-2	91 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/15/2022	

Labeler - Allure Labs (926831603)

Registrant - Allure Labs (926831603)

Establishment

Name	Address	ID/FEI	Business Operations
Allure Labs		926831603	manufacture(62742-4221)