PRESGEN- guaifenes in, phenylephrine hydrochloride, dextromethorphan hydrobromide syrup Kramer Novis

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active Ingredients per 5 ml: Guaifenesin 200 mg, Phenylephrine HCL 5 mg, Dextromethorphan HBr 10 mg

COUGH SUPPRESSANT

NASAL DECONGESTANT

EXPECTORANT

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

temporarily relieves these symptoms occurring with cold:

nasal congestion

cough due to minor throat and bronchial irritation

Do Not Use: in a child under 2 years of age

if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain

drugs for depression, psychiatric, or emotional conditions, or Parkinson's

disease), or for 2 weeks after stopping the MAOI drug. If you do not know if

your prescription drug contains an MAOI, ask a doctor or pharmacist before

taking this product.

Ask a doctor before use if you have heart disease, thyroid disease, high blood pressure, diabetes trouble urinating due to enlargement of the prostate gland

cough that occurs with too much phlegm (mucus)

chronic bronchitis or emphysema

When using this product, do not exceed recommended dosage

Stop use and ask a doctor if

you get nervous, dizzy, or sleepless

symptoms do not get better within 7 days or are accompanied by fever

cough lasts more than 7 days, comes back, or is accompanied by fever,

rash, or persistent headache. These could be signs of a serious condition

adults and children 12 years and over 10mL (2 tsp) every 4 hours

children 6 to under 12 years 5mL (1 tsp) every 4 hours

children 2 to under 6 years 2.5mL (1/2 tsp) every 4 hours

under 2 years do not use

do not take more than 6 doses in any 4 hour period

If pregnant or breast feeding, ask a health professional before use

Keep out of reach of children

Inactive Ingredients:

citric acid,red 40,glycerin,methylparaben,potassium sorbate,propylene glycol,propylparaben,purified water,sodium citrate,sucralose

Packaging



PRESGEN

guaifenesin, phenylephrine hydrochloride, dextromethorphan hydrobromide syrup

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52083-632			
Route of Administration	ORAL					
Route of Administration	ORAL					

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 5 mL			
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL			
DEXTROMETHO RPHAN HYDRO BROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL			

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
GLYCERIN (UNII: PDC6A3C0OX)				

SODIUM CITRATE (UN	II: 1Q73Q2JULR)						
METHYLPARABEN (UN							
PROPYLPARABEN (UN							
SUCRALOSE (UNII: 96K6UQ3ZD4)							
POTASSIUM SORBATI	E (UNII: 1VPU26JZZ4)						
Product Character	ristics						
Color	red (CHERRY RED)		Score				
Shape			Size				
Flavor	CHERRY (SOUR CHERRY)		Imprint Code				
Contains							
Packaging							
# Item Code	Package Description	Marketing Start Date		Marketing En	d Date		
1 NDC:52083-632-16 4	80 mL in 1 BOTTLE; Type 0: Not a Combination Product	: 03/28/2011					
Marketing Information							
Marketing Category	ing Category Application Number or Monograph Citation M		eting Start Date	Marketing End	Date		
OTC monograph final	graph final part341		2011				

Labeler - Kramer Novis (090158395)

Registrant - Kramer Novis (090158395)

Revised: 9/2019

Kramer Novis