

LISTERINE COOL MINT ANTISEPTIC- eucalyptol, menthol, methyl salicylate, thymol mouthwash
Johnson & Johnson Consumer Inc.

Listerine Cool Mint Antiseptic Mouthwash

Drug Facts

Active ingredient

Eucalyptol 0.092%

Menthol 0.042%

Methyl Salicylate 0.060%

Thymol 0.064%

Purpose

Antiplaque/antigingivitis

Uses

helps prevent and reduce: • plaque • gingivitis

Warnings

Do not use in children under 12 years of age

Ask a dentist

Ask a dentist if symptoms persist, new symptoms appear, or conditions worsen after regular use

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- rinse full strength for 30 seconds with 20 mL (2/3 fluid ounce or 4 teaspoonfuls) morning and night
- do not swallow

Other information

- this rinse is not intended to replace brushing or flossing
- store at room temperature
- cold weather may cloud this product. Its antiseptic properties are not affected.

Inactive ingredients

Water, Alcohol (21.6%), Sorbitol, Poloxamer 407, Benzoic Acid, Sodium Saccharin, Sodium Benzoate, Flavor, Green 3

Questions?

call toll-free **888-222-0182** or **215-273-8755** (collect)

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 1.5 L Bottle Label

ANTINGIVITIS/ANTIPLAQUE MOUTHWASH

LISTERINE®

COOL MINT®

ANTISEPTIC

FOR A FRESHER &

CLEANER MOUTH THAN

BRUSHING ALONE

ADA

Accepted

American

Dental

Association®

1.5 L (1 Qt 1Pt 2.7 Fl Oz)

**KILLS 99.9% OF GERMS
THAT CAUSE BAD BREATH,
PLAQUE & GINGIVITIS**

30040767

ANTIINGIVITIS / ANTIPLAQUE MOUTHWASH

LISTERINE[®]
COOL MINT[®]
ANTISEPTIC

FOR A FRESHER &
CLEANER MOUTH THAN
BRUSHING ALONE



30053228

1.5 L (1 Qt 1 Pt 2.7 Fl Oz)



CLINICALLY PROVEN. Kills Germs by Millions on Contact.

Use COOL MINT[®] LISTERINE[®] Antiseptic twice daily to help: **Prevent & Reduce Plaque**
Prevent & Reduce Gingivitis **Freshen Breath** **Kill Germs Between Teeth**

Drug Facts

Active ingredients

Eucalyptol 0.092%
Menthol 0.042%
Methyl Salicylate 0.060%
Thymol 0.064%

Purposes

Antiplaque/antigingivitis

Uses helps prevent and reduce: • plaque • gingivitis

Warnings

Do not use in children under 12 years of age

Ask a dentist if symptoms persist, new symptoms appear, or conditions worsen after regular use

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

• rinse full strength for 30 seconds with 20 mL (2/3 fluid ounce or 4 teaspoonfuls) morning and night • do not swallow

Other information

• this rinse is not intended to replace brushing or flossing • store at room temperature • cold weather may cloud this product. Its antiseptic properties are not affected.

Inactive ingredients

Water, Alcohol (21.6%), Sorbitol, Poloxamer 407, Benzoic Acid, Sodium Saccharin, Sodium Benzoate, Flavor, Green 3

Questions?

call toll-free 888-222-0162 or 215-273-8755 (collect)


Do not use if printed band around cap is broken or missing.



• Helps prevent and reduce plaque
• Helps prevent and reduce gingivitis



Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558 © J&JCI 2022 www.listerine.com
Pat. www.jcipsats.com



THIS FORMULA IS NOT SOLD TO ANY RETAILER AS A STORE BRAND.

The LISTERINE[®] bottle design is a registered trademark of Johnson & Johnson.



30051975

EXP
LOT

LISTERINE COOL MINT ANTISEPTIC

eucalyptol, menthol, methyl salicylate, thymol mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0791
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.42 mg in 1 mL
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.6 mg in 1 mL
THYMOL (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	THYMOL	0.64 mg in 1 mL
EUCALYPTOL (UNII: RV6J6604TK) (EUCALYPTOL - UNII:RV6J6604TK)	EUCALYPTOL	0.92 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
SORBITOL (UNII: 506T60A25R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0791-1	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/21/2023	
2	NDC:69968-0791-9	95 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/21/2023	
3	NDC:69968-0791-3	250 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/21/2023	
4	NDC:69968-0791-2	1500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/21/2023	
5	NDC:69968-0791-4	3700 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/21/2023	
6	NDC:69968-0791-5	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/21/2023	
7	NDC:69968-0791-6	2 in 1 PACKAGE	03/21/2023	
7		1500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	03/21/2023	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 7/2024

Johnson & Johnson Consumer Inc.