RITE AID CHILDRENS ALLERGY RELIEF- cetirizine hydrochloride solution Rite Aid Corporation

Rite Aid_® children's allergy relief

Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if carton is opened or if imprinted safety seal is broken or missing
- see bottom panel for lot number and expiration date
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

Questions?

Call 1-866-923-4914

DISTRIBUTED BY:

RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC 11822-2106-8

Compare to the active ingredient of Children's Zyrtec®*

2 YEARS & OLDER

CHILDREN'S

ALLERGY

CETIRIZINE

HYDROCHLORIDE

ORAL SOLUTION 1 mg/mL

ANTIHISTAMINE

INDOOR &

OUTDOOR ALLERGIES

24 HOUR relief of:

sneezing • runny nose

itchy, watery eyes

itchy throat or nose

sugar, alcohol & dye free non-drowsy[†]

RITE

 AID_{\circledR}

PHARMACY

[†]WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

BUBBLE GUM FLAVOR

DOSING CUP INCLUDED

4 FL OZ (120 mL)

2 YEARS & OLDER CHILDREN'S **ALLERGY** CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL **ANTIHISTAMINE** INDOOR & **OUTDOOR ALLERGIES** NDC 11822-2106-8 Compare to the active ingredient of Children's Zyrtec** **SEALED WITH PRINTED NECKBAND** 2 YEARS & OLDER **Drug Facts** Drug Facts (continued) **CHILDREN'S** Directions 2 YEARS & OLDER Active ingredient **Purpose** · use only with enclosed dosing cup (in each 5 mL) Cetirizine HCl 5 mg.... find right dose on chart below **ALLERGY** Antihistamine · mL = milliter **CHILDREN'S** CETIRIZINE HYDROCHLORIDE adults and 5 mL or 10 mL once daily children depending upon severity of **ALLERGY** temporarily relieves these symptoms due to 6 years symptoms; do not take more than 10 mL in 24 hours. hay fever or other upper respiratory allergies: ORAL SOLUTION 1 mg/mL and over runny nose CETIRIZINE sneezing adults 65 5 mL once daily: do not take Itchy, watery eyes
itching of the nose or throat **HYDROCHLORIDE** ears and over more than 5 mL in 24 hours. ANTIHISTAMINE ORAL SOLUTION 1 mg/mL children 2 to 2.5 mL once daily. If needed, **INDOOR &** Warnings under 6 years dose can be increased to a **ANTIHISTAMINE** maximum of 5 mL once daily **OUTDOOR ALLERGIES** Do not use if you have ever had an allergic reaction to this product or any of its or 2.5 mL every 12 hours, Do **INDOOR &** ingredients or to an antihistamine containing not give more than 5 mL in hydroxyzine. 24 hours. OUTDOOR ALLERGIES children under Ask a doctor before use if you have ask a doctor 24 HOUR relief of: liver or kidney disease. Your doctor should 2 years of age sneezing · runny nose determine if you need a different dose. ask a doctor BUBBLE GUM FLAVOR itchy, watery eyes Ask a doctor or pharmacist before use with liver or itchy throat or nose if you are taking tranquilizers or sedatives, sugar, alcohol & dye free When using this product DOSING CUP INCLUDED Other information drowsiness may occur avoid alcoholic drinks do not use if carton is or non-drowsy Dosing cup should be washed and left to air dry after each use. imprinted safety seal is broken or · alcohol, sedatives, and tranquilizers may missing see bottom panel for lot number and increase drowsiness *This product is not manufactured or distributed by UCB Pharma, S.A. CORPORATION BELGIUM, owner of the registered trademark Children's Zyrtec*. . be careful when driving a motor vehicle or expiration date operating machinery store between 20° to 25°C (68° to 77°F) Stop use and ask a doctor if an allergic DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011 www.riteaid.com MADE IN ISRAEL reaction to this product occurs. Inactive ingredients medical help right away. bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, If pregnant or breast-feeding: RITE if breast-feeding: not recommended **BUBBLE GUM** sodium acetate anhydrous, sucralose · if pregnant: ask a health professional AID DOSING CUP INCLUDED Keep out of reach of children. In case Questions? of overdose, get medical help or contact a Poison Control Center right away. **PHARMACY** Call 1-866-923-4914 4 FL OZ 'MHEN TAKEN AS OFFECTED. See drug facts panel (120 mL)

RITE AID CHILDRENS ALLERGY RELIEF

cetirizine hydrochloride solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-2106
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Cetirizine Hydrochloride (UNII: 64O047KTOA) (Cetirizine - UNII:YO7261ME24)	Cetirizine Hydrochloride	1 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
acetic acid (UNII: Q40Q9N063P)		
glycerin (UNII: PDC6 A3C0 OX)		
methylparaben (UNII: A2I8C7HI9T)		
propylene glycol (UNII: 6DC9Q167V3)		
propylparaben (UNII: Z8IX2SC1OH)		
water (UNII: 059QF0KO0R)		
sodium acetate anhydrous (UNII: NVG71ZZ7P0)		
sucralose (UNII: 96K6UQ3ZD4)		

Product Characteristics		
Color	YELLOW (colorless to slightly yellow)	Score
Shape		Size
Flavor	BUBBLE GUM (Sugar Free)	Imprint Code
Contains		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:11822-2106-8	1 in 1 CARTON	05/20/2011	
1	120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA201546	05/20/2011	

Labeler - Rite Aid Corporation (014578892)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment				
Name	Address	ID/FEI	Business Operations	
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(11822-2106)	

Revised: 2/2020 Rite Aid Corporation