

LAXATIVE- bisacodyl tablet, delayed release
Rite Aid Corporation

Rite Aid 44-790

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not use within 1 hour after taking an antacid or milk
- do not chew or crush tablet(s)
- it may cause stomach discomfort, faintness, and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid excessive humidity
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

acacia, ammonium hydroxide, black iron oxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, sodium citrate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-800-426-9391

Principal display panel

NDC 11822-0790-5

Compare to the active ingredient in
Dulcolax® Laxative Tablets*

**FREE
FROM
PARABEN
FREE**

**LAXATIVE
BISACODYL USP, 5 mg
STIMULANT LAXATIVE**

Gentle, dependable constipation relief
Comfort Coated Tablets

ACTUAL SIZE

25 TABLETS

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by A. Nattermann & Cie. GmbH, owner of the registered trademark Dulcolax® Laxative Tablets.
50844 REV0923B79056

**DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319 www.riteaid.com**

SATISFACTION GUARANTEE

If you're not satisfied,
we'll happily refund your money

Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg. Stimulant laxative

Purpose

Stimulant laxative

Uses

■ for relief of occasional constipation and irregularity
■ this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use if you cannot swallow without chewing.
Ask a doctor before use if you have
■ stomach pain, nausea or vomiting
■ a sudden change in bowel habits that lasts more than 2 weeks
When using this product
■ do not chew or crush tablet(s)
■ do not use within 1 hour after taking an antacid or milk
■ it may cause stomach discomfort, faintness, and cramps
Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
■ do not take more than directed
■ take with a glass of water
adults and children 12 years and over take 1 to 3 tablets in a single daily dose
children 6 to under 12 years take 1 tablet in a single daily dose
children under 6 years ask a doctor

Other information

■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ avoid excessive humidity
■ see end flap for expiration date and lot number
Inactive ingredients acacia, ammonium hydroxide, black iron oxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, sodium citrate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate
Questions or comments?
1-800-426-9391

OUR PROMISE:

no print / no varnish area
lot no. & exp. date

Paraben Free

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

NDC 11822-0790-5

Compare to the active ingredient in Dulcolax® Laxative Tablets*

FREE FROM

PARABEN FREE

LAXATIVE

BISACODYL USP, 5 mg

STIMULANT LAXATIVE

Gentle, dependable constipation relief

Comfort Coated Tablets

ACTUAL SIZE

25 TABLETS



*This product is not manufactured or distributed by A. Nattermann & Cie. GmbH, owner of the registered trademark Dulcolax® Laxative Tablets.
50844 REV0923B79056

**DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319 www.riteaid.com**

SATISFACTION GUARANTEE:
If you're not satisfied,
we'll happily refund your money.


0 11822 19233 0

E7211R1
LEBG3015G

B-1702-790-56-R3V
REV0923B79056

Rite Aid 44-790

LAXATIVE

bisacodyl tablet, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0790
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients	
Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics	
-------------------------	--

Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0790-5	1 in 1 CARTON	11/14/2022	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0790-1	2 in 1 CARTON	11/14/2022	
2		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11822-0790-6	1 in 1 CARTON	11/14/2022	
3		200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	11/14/2022	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(11822-0790) , pack(11822-0790)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0790) , pack(11822-0790)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-0790)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-0790)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

LNK International, Inc.		117025878	manufacture(11822-0790)
-------------------------	--	-----------	-------------------------

Revised: 12/2025

Rite Aid Corporation