

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin, polymyxin b ointment**  
**Meijer Distribution Inc**

-----  
**Meijer Distribution, Inc. Triple Antibiotic Drug Facts**

**Active ingredients (in each gram)**

Bacitracin zinc equivalent to 400 units bacitracin

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 5,000 units as polymyxin B sulfate

**Purpose**

First aid antibiotic

**Use**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## **Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Other information**

- store at 20-25°C (68-77°F)

## **Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, tocopheryl acetate, white petrolatum

## **Questions or comments?**

**1-800-719-9260**

## **Principal Display Panel**

meijer®

Triple Antibiotic

FIRST AID ANTIBIOTIC OINTMENT | INFECTION PROTECTION

Enhanced with Vitamin E & Cocoa Butter

First Aid To Help Prevent Minor Infections

Helps Skin Heal

meijer®

Triple Antibiotic

COMPARE TO NEOSPORIN® ACTIVE INGREDIENTS

FIRST AID ANTIBIOTIC OINTMENT | INFECTION PROTECTION

Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate

NET WT 0.5 OZ (14 g)

meijer.

# Triple Antibiotic

FIRST AID ANTIBIOTIC OINTMENT | INFECTION PROTECTION

First Aid To Help Prevent Minor Infections

Enhanced with  
Vitamin E &  
Cocoa Butter

Helps Skin Heal

Helps Prevent Infection in  
Minor Cuts, Scrapes & Burns

meijer.

# Triple Antibiotic

FIRST AID ANTIBIOTIC OINTMENT | INFECTION PROTECTION

Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate

NDC 41250-067-58

COMPARE TO NEOSPORIN®  
ACTIVE INGREDIENTS\*

NET WT 0.5 OZ (14 g)


\*This product is not affiliated with,  
manufactured by, or produced by  
the makers of Neosporin®.

DIST. BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com





<b>Drug Facts</b>		<b>Drug Facts</b> (continued)	
<b>Active ingredients (in each gram)</b>	<b>Purpose</b>	Stop use and ask a doctor if ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops	
Bacitracin zinc equivalent to 400 units bacitracin.....	First aid antibiotic	<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	First aid antibiotic		
Polymyxin B 5,000 units as polymyxin B sulfate.....	First aid antibiotic		
<b>Use</b> first aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns		<b>Directions</b>	
<b>Warnings</b> For external use only.		■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage	
<b>Do not use</b> ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body		<b>Other information</b>	
<b>Ask a doctor before use if you have</b> ■ deep or puncture wounds ■ animal bites ■ serious burns		■ store at 20-25 °C (68-77 °F)	
		<b>Inactive ingredients</b> cocoa butter, cottonseed oil, olive oil, sodium pyruvate, tocopheryl acetate, white petrolatum	
		<b>Questions or comments?</b> 1-800-719-9260	



## TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin, polymyxin b ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-067
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>COTTONSEED OIL</b> (UNII: H3E878020N)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

## Product Characteristics

<b>Color</b>	WHITE (Translucent)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-067-16	1 in 1 CARTON	04/02/2015	
1		56 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41250-067-58	1 in 1 CARTON	05/06/2015	
2		14 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:41250-067-64	1 in 1 CARTON	05/06/2015	
3		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	04/02/2015	

**Labeler** - Meijer Distribution Inc (006959555)

Revised: 8/2024

Meijer Distribution Inc