

**CHLORASEPTIC MAX- menthol and benzocaine lozenge**  
**Prestige Brands Holdings, Inc.**

-----  
**Chloraseptic Max Lozenges - Wild Berries**

**Drug Facts**

**Active Ingredients**

**(in each lozenge)**

Benzocaine 15 mg

**Purpose**

Oral pain reliever

**Active Ingredients**

**(in each lozenge)**

Menthol 10 mg

**Purpose**

Oral pain reliever

**Uses**

Temporarily relieves occasional minor irritation, pain, sore throat and sore mouth

**Warnings**

**Methemoglobinemia warning:**

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness

- fatigue or lack of energy

**Allergy Alert:** Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other “caine” anesthetics.

---

If a skin reaction occurs, stop use and seek medical help right away.

---

**Sore Throat Warning:** Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 6 years of age unless directed by a doctor.

**Do not use**

- for teething
- in children under 6 years of age

**When using this product:**

do not exceed recommended dosage.

**Stop use and ask a dentist or doctor if:**

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

**If pregnant or breast-feeding,**

ask a health care professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- **Adults and children 6 years and older:** Take 1 lozenge every 2 hours as needed. Allow lozenges to dissolve slowly in the mouth.
- **Children under 6 years of age:** Do not use.

**Other Information**

- Store between 15° - 30°C (59° - 86°F)
- Protect from moisture
- Check expiration date before using

**Inactive Ingredients**

**corn syrup, FD&C blue no. 1, FD&C red no. 40, glycerin, natural & artificial**

**flavors, propylene glycol, soy lecithin, sucrose, water**

**Questions?**

**1-800-552-7932 Chloraseptic.com**

**PRINCIPAL DISPLAY PANEL**

Chloraseptic® Max

SORE THROAT

15 LOZENGES WILD BERRIES



**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 mg
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

**Product Characteristics**

<b>Color</b>	red	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	4mm
<b>Flavor</b>	BERRY (Wild berries)	<b>Imprint Code</b>	C
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-114-61	1 in 1 CARTON	08/01/2010	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	08/01/2010	

**Labeler** - Prestige Brands Holdings, Inc. (159655021)