

SALICYLIC ACID- liquid wart remover liquid
Target Corporation

Target Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

Do not use on

- irritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash or soak the affected area and dry area thoroughly
- apply wart remover liquid with enclosed applicator, until wart is covered; then let dry
- reapply subsequent applications over existing application
- repeat this procedure once or twice daily until wart is completely removed, for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

flexible collodion containing alcohol and ether

Questions?

Call 1-800-910-6874

Principal Display Panel

UP & UP

Compare to Compound W® Wart Remover

maximum strength

Liquid Wart Remover

Salicylic Acid

helps remove common and plantar warts

0.31 FL. OZ (9mL)



remover

salicylic acid 17%

NET 0.31 FL OZ (9 mL)

- Removes common and plantar warts
- Convenient brush applicator
- Safe and effective



53-012TG-03

Use for warts on feet and hands



maximum strength liquid wart remover

salicylic acid 17%

removes common and plantar warts
safe and effective

NET 0.31 FL OZ (9 mL)

245 06 0491 R00
C-001227-01-106



4 92450 60491 2

Distributed by Target Corporation
Minneapolis, MN 55403

**Made in U.S.A. with U.S.
and imported parts**

TM & ©2020 Target Brands, Inc.

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W®.

Care ■ Wipe top of bottle clean after each use ■ For optimal use, discard when signs of wart no longer appear ■ Avoid surrounding skin when applying product

Questions? Call 1-866-964-0939

Inactive Ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Other Information ■ store between 20°–25°C (68°–77°F) ■ close tightly to prevent solidification ■ store in a cool place

Directions ■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly ■ carefully apply one drop at a time with applicator to sufficiently cover each wart ■ do not apply to face or neck ■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

When using this product ■ avoid contact with eyes, if product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Do not use ■ if you are diabetic or have poor blood circulation ■ if you are allergic to salicylic acid ■ if you are allergic to salicylic acid ■ if you are allergic to salicylic acid

Warnings ■ keep away from fire or flame ■ cap bottle tightly and store at room temperature away from heat ■ flammable ■ For external use only.

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Active Ingredient Salicylic acid 17% w/w

Purpose Wart remover

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

DO NOT USE IF NECKBAND IS BROKEN

DO NOT USE IF NECKBAND IS BROKEN

Active ingredient: Salicylic acid (17% w/w) **Purpose:** Wart remover **Use:** For the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern. **Warnings: For external use only. Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat.

NDC 11673-443-09

maximum
strength
liquid wart
remover
salicylic acid 17%

removes common and
plantar warts
safe and effective



NET 0.31 FL OZ (9 mL)

Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. **Do not use on** irritated, infected or reddened skin or on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face and mucous membranes. **When using this product** avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. **Stop use and ask a doctor if** discomfort persists. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area, may soak wart in warm water for 5 minutes. Dry area thoroughly. Carefully apply one drop at a time applicator to sufficiently cover each wart. Let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks. **Other information:** Store between 20° – 25°C (68° – 77°F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose **Questions? Call 1-866-964-0939**
Keep packaging for complete drug facts information.

50-012TG-03

SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-443
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2.1 g in 14.7 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-443-21	14.7 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/31/2008	03/15/2015
2	NDC:11673-443-09	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	03/15/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	12/31/2008	

Labeler - Target Corporation (006961700)

Revised: 2/2024

Target Corporation