## ZYLAST XP ANTISEPTIC FOAMING- benzethonium chloride soap Bocchi Laboratories Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **Zylast Antiseptic Foaming Soap Drug Facts**

#### **Active Ingredients**

Benzethonium Chloride - 0.20%

#### **Purpose**

Antiseptic

#### Uses

- Handwash to decrease bacteria on the skin that potentially can cause disease.
- Recommended for repeated use.

#### Warnings

- For external use only.
- Avoid contact with eyes. In case of eye contact, rinse thoroughly with water.
- Discontinue use if irritation and redness develops. Consult a doctor if condition persists for more than 72 hours.
- If swallowed, immediately call Poison Control Center or doctor.

### Keep out of reach of children.

If swallowed, immediately call Poison Control Center or doctor.

#### **Directions**

• Wet hands and forearms. Apply a palmful to hands and scrub hands and forearms thoroughly for 15 seconds or more. Rinse and repeat.

#### Other Inforamtion

■ Store at 20-25°C (68-77°F)

#### **Inactive Ingredients**

Water, Alcohol Denat., Lauramine Oxide, Cocamidopropyl Betaine, Cetrimonium Chloride, Butylene Glycol, Citric Acid, Zinc Gluconate, PPG-2 Hydroxyethyl Cocamide, Farnesol, Glycerin, Methylchloroisothiazolinone, Polyaminopropyl Biguanide, Fragrance, Polyquaternium-10.

#### **Active Ingredients**

Benzethonium Chloride - 0.20%

#### Purpose

#### Antiseptic

#### Uses

- Handwash to decrease bacteria on the skin that potentially can cause disease.
- Recommended for repeated use.

#### **Warnings**

- For external use only.
- Avoid contact with eyes. In case of eye contact, rinse thoroughly with water.
- Discontinue use if irritation and redness develops. Consult a doctor if condition persists for more than 72 hours.
- If swallowed, immediately call Poison Control Center or doctor.

#### Directions

• Wet hands and forearms. Apply a palmful to hands and scrub hands and forearms thoroughly for 15 seconds or more. Rinse and repeat.

#### **Other Information**

■ Store at 20-25°C (68-77°F)

#### **Inactive ingredients**

Water, Alcohol Denat., Lauramine Oxide, Cocamidopropyl Betaine, Cetrimonium Chloride, Butylene Glycol, Citric Acid, Zinc Gluconate, PPG-2 Hydroxyethyl Cocamide, Farnesol, Glycerin, Methylchloroisothiazolinone, Polyaminopropyl Biguanide, Fragrance, Polyquaternium-10.

### Package/Label Principal Display Panel

NDC 57702-487-05 Zylast XP Extended Protection Broad Spectrum Antimicrobial Antiseptic Foaming Soap 8.25 oz 244mL





Active Ingredient
Benzethonium Chloride - 0.20%.

Purpose

Uses ■ Handwash to decrease bacteria on the skin that potentially can cause disease. ■ Recommended for repeated use.

Warnings ■ For external use only. ■ Avoid contact with eyes. In case of eye contact, rinse eyes thoroughly with water. ■ Discontinue use if irritation and redness develops. Consult a doctor if condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, immediately call Poison Control Center or doctor.

Directions ■ Wet hands and forearms. Apply a palmful to hands and scrub hands and forearms thoroughly for 15 seconds or more. Rinse and repeat.

Other Information ■ Store at 20-25°C (68-77°F)

Inactive Ingredients Water, Alcohol Denat., Lauramine Oxide, Cocamidopropyl Betaine, Cetrimonium Chloride, Butylene Glycol, Citric Acid, Zinc Gluconate, PPG-2 Hydroxyethyl Cocamide, Farnesol, Glycerin, Methylchloroisothiazolinone, Polyaminopropyl Biguanide, Fragrance, Polyquaternium-10.

Manufactured for Innovative Biodefense Inc. Lake Forest, CA • 1-888-306-0316 • www.zylast.com Patents Pending





## Package/Label Principal Display Panel

NDC 57702-487-15 Zylast XP Extended Protection Broad Spectrum Antimicrobial Antiseptic Foaming Soap 1000mL (33.8oz)

## **Drug Facts**

## Active Ingredients

Purpose

#### Uses

■ Handwash to decrease bacteria on the skin that potentially can cause disease. 

Recommended for repeated use.

**Warnings** ■ For external use only. ■ Avoid contact with eyes. In case of eye contact, rinse eyes thoroughly with water.

■ Discontinue use if irritation and redness develops. Consult a doctor if condition persists for more than 72 hours. swallowed, immediately call Poison Control Center or doctor.

**Directions** ■ Wet hands and forearms. Apply a palmful to hands and scrub hands and forearms thoroughly for 15 seconds or more. Rinse and repeat.

Other Information ■ Store at 20-25°C (68-77°F)

## Inactive Ingredients

Water, Alcohol Denat., Lauramine Oxide, Cocamidopropyl Betaine, Cetrimonium Chloride, Butylene Glycol, Citric Acid, Zinc Gluconate, PPG-2 Hydroxyethyl Cocamide, Farnesol, Glycerin, Methylchloroisothiazolinone, Polyaminopropyl Biguanide, Fragrance, Polyquaternium-10.

> Manufactured for Innovative Biodefense Inc. Lake Forest, CA · Made in USA · www.zylast.com Patents Pending

Kills 99.99% of germs 000mL (33.8oz)

NON-IRRITATING



#### ZYLAST XP ANTISEPTIC FOAMING

benzethonium chloride soap

**Route of Administration** 

#### **Product Information** Product Type HUMAN OTC DRUG Item Code (Source) NDC:57702-487 TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>BENZETHO NIUM CHLO RIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	2 mg in 1 mL		

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
LAURAMINE O XIDE (UNII: 4F6 FC4MI8 W)			
COCAMIDO PRO PYL BETAINE (UNII: 50 CF3 O 11 KX)			
CETRIMO NIUM CHLO RIDE (UNII: UC9 PE9 5 IBP)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
CITRIC ACID MONOHYDRATE (UNII: 2968 PHW8 QP)			
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)			
PPG-2 HYDROXYETHYL COCAMIDE (UNII: 34N07GUJ3X)			
FARNESOL (UNII: EB41QIU6JL)			
GLYCERIN (UNII: PDC6A3C0OX)			
METHYLCHLORO ISO THIAZO LINO NE (UNII: DEL7T5QRPN)			
POLIHEXANIDE (UNII: 322U039GMF)			

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:57702-487-05	244 mL in 1 BOTTLE					
2	NDC:57702-487-15	1000 mL in 1 BOTTLE					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC MONOGRAPH NOT FINAL	part333E	06/01/2011				

## Labeler - Bocchi Laboratories Inc. (078376306)

Revised: 3/2014 Bocchi Laboratories Inc.