WORMGARD- piperazine citrate liquid (2.2% piperazine base) liquid Vetr, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

WormGard; piperazine citrate liquid (2.2% piperazine base)

Although Piperazine is a drug with a wide margin of safety. Occasionally an animal may show nausea, vomiting, or muscular tremors. Such side effects are usually associated with over-dosage: Therefore, recommended dosage should be followed carefully.

- Animals with known kidney pathology should be treated only by a veterinarian.
- For Oral Animal Use Only.
- KEEP OUT OF REACH OF CHILDREN

Consult veterinarian before using in severely debilitated animals. Do not worm animals more than twice yearly except as advised by a veterinarian. This product is effective for those roundworm stages found in the intestine and does not remove migrating larval stages. Animals

should be checked periodically by a veterinarian or the presence of other intestinal parasites

Directions for Use.

- One teaspoonful (5 ml) per 5 pounds of body weight.
- Applied directly into infested animal mouth or mixed into food, milk or water.
- Administer to cats and dogs 6 weeks or older.
- Repeat treatment in 10 days after first treatment

Store at room temperature

piperazine citrate 275 mg/5 mL (1 teaspoonful). Equivalent to 110 mg piperazine Base per teaspoonful (2.2% piperazine base)

Inactive ingredients.

Carmel flavor, citric acid, potassium sorbate, sodium benzoate, sodium saccharin, sorbitol, sucrose, water.

Active Ingredient

▲ Piperazine Citrate 275 mg/tsp (5ml) (Equivalent to 110 mg Piperazine base) Anthelmintic (expels

Inactive Ingredients:

Artificial Flavor, Caramel, Citric Acid, Potassium Sorbate, Sodium Benzoate, Sodium Saccharin, Sorbitol, Sucrose Water (Agua)

Treatment

Control and removal of large roundworms





Vetr

WormGard®

Piperazine Citrate

Canine and Feline Liquid Anthelmintic

120 mL / 4 oz

MANUFACTURED BY VETR

Directions & Storage

- One teaspoonful (5 mL) per 5 pounds of body weight.
- Apply directly into infested animal mouth or mix into food, milk or water.
- ▲ Administer to cats and dogs 6 weeks or older.
- Repeat treatment in 10 days after first treatment.

Piperazine is a drug with a wide margin of safety, occasionally an animal may show nausea, vomiting or muscular tremors. Such effects are usually associated with over-dosage; therefore recommended dosage should be followed carefully.



Grants Pass OR 97526

362) 299-0760

vetr.com
vetr_official

STORE AT ROOM TEMPERATURE

FOR DOGS AND CATS ONLY

Active Ingredients

▲ Piperazine Citrate 275 mg/tsp (5ml) (Equivalent to 110 mg Piperazine base) Anthelmintic (expels

Inactive Ingredients:

Artificial Flavor, Caramel, Citric Acid, Potassium Sorbate, Sodium Benzoate, Sodium Saccharin, Sorbitol, Sucrose Water (Agua)

Treatment

Control and removal of large roundworms





Vetr

WormGard®

Piperazine Citrate

Canine and Feline Liquid Anthelmintic

240 mL / 8 oz

Directions & Storage

- One teaspoonful (5 mL) per 5 pounds of body weight.
- Apply directly into infested animal mouth or mix into food, milk or water.
- ▲ Administer to cats and dogs 6 weeks or older.
- ▲ Repeat treatment in 10 days after first treatment.

Piperazine is a drug with a wide margin of safety, occasionally an animal may show nausea, vomiting or muscular tremors. Such effects are usually associated with over-dosage; therefore recommended dosage should be followed carefully.



OR 97526 (352) 299-0750

() \ ()

f vetr_official

MANUFACTURED BY VETR

Active Ingredients

▲ Piperazine Citrate 275 mg/tsp (5ml) (Equivalent to 110 mg Piperazine base) Anthelmintic (expels worms)

Inactive Ingredients:

Artificial Flavor, Caramel, Citric Acid, Potassium Sorbate, Sodium Benzoate, Sodium Saccharin, Sorbitol, Sucrose, Water (Aqua)

Treatment

Control and removal of large roundworms





Vetr

WormGard®

Piperazine Citrate

Canine and Feline Liquid Anthelmintic

500 mL / 16.9 oz

MANUFACTURED BY VETR

Directions & Storage

- One teaspoonful (5 mL) per 5 pounds of body weight.
- ▲ Apply directly into infested animal mouth or mix into food, milk or water.
- ▲ Administer to cats and dogs 6 weeks or older.
- Repeat treatment in 10 days after first treatment.

Piperazine is a drug with a wide margin of safety, occasionally an animal may show nausea, vomiting or muscular tremors. Such effects are usually associated with over-dosage; therefore recommended dosage should be followed carefully.



Grants Pass OR 97526 (352) 299-0750

vetr.com

MANUFACTURED BY VET

WORMGARD

piperazine citrate liquid (2.2% piperazine base) liquid

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:86213-791

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

PIPERAZINE CITRATE (UNII: 63KP7FXF2I) (PIPERAZINE - UNII:1RTM4PALOV)

PIPERAZINE

22 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength			
CITRIC ACID (UNII: 2968PHW8QP)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM SACCHARIN (UNII: SB8ZUX40TY)				
SORBITOL (UNII: 506T60A25R)				
SUCROSE (UNII: C151H8M554)				
WATER (UNII: 059QF0KO0R)				

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:86213-791-01	120 mL in 1 BOTTLE, PLASTIC				
2	NDC:86213-791-02	240 mL in 1 BOTTLE, PLASTIC				
3	NDC:86213-791-03	500 mL in 1 BOTTLE, PLASTIC				

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	11/19/2025			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Labeler - Vetr, LLC (132219984)

Establishment				
Name	Address	ID/FEI	Business Operations	
Vetr, LLC		132219984	manufacture, label	

Revised: 11/2025 Vetr, LLC