TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin-b sulfate ointment Cardinal Health (Leader) 70000

Triple Antibiotic Ointment (Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate)

Drug Facts

Active ingredients (in each gram)

Bacitracin zinc, USP 400 units Neomycin 3.5 mg Polymyxin B sulfate, USP 5,000 units

Purpose

First aid antibiotic

Uses

First aid to help prevent infection in minor

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than one week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- clean affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- Store at 15°-30°C (59°-86°F). Protect from freezing.
- Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient

white petrolatum

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal display panel

COMPARE TO NEOSPORIN® active ingredients*

Triple Antibiotic Ointment

Bacitracin Zinc

Neomycin Sulfate

Polymyxin B Sulfate

For External Use Only

First Aid Antibiotic

Helps Prevent Infection in Minor

Cuts, Scrapes, and Burns

*This product is not manufactured or distributed by Johnson & Johnson Consumer, Inc., distributor of Neosporin ${}^{
m R}$.

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

Package label



Drug Facts (continued)	Drug Facts (continued)		
Directions a dean the affected area a papy a small amount of this product (an amount equal to the surface area of the tap of a fingor) on the area 1 to 3 times daily a may be convented with a startic bandage	before using any medication, read all label directions. Keep carton, it contains important information.		
	Inactive ingredient white petrolatum		
Other information a store at 15*-30*C (39*-66*F). Protect from freezing.	Questions or comments? Call 1-877-753-3935 Monday-Friday 94M-6PM EST		

Drug Facts	Drug Facts (continued) Do not use If you are allergic to any of the ingredients In the system II over large areas of the body						
Active ingredients (in each gram) Purpose Bastracin zinc, USP 400 units							
Neorrycin 3.5 mg Polymydin B sulfate, USIP 5,000 units	Ask a doctor before use if you have a deep or puncture wounds a animal bites a serious burns						
Uses First aid to help prevent infection in minor acuts a samples a burns	Stop use and ask a doctor If a you need to use longer than one week a condition persists or gets worse a rash or other allergic reaction develops						
Warnings For external use only.	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.						

I.

LEADER First Aid Antibiotic

· · ·	eomycin sulf	ate, polymyxin-b sulfat	e ointme	ent			
Product Inform	mation						
Product Type		HUMAN OTC DRUG	ltem Co	Code (Source) NDC:70000-0058			0000-0058
Route of Admini	stration	TOPICAL					
Active Ingredi	ent/Active	Moiety					
Active Ingredient/Active Moiety Ingredient Name					Basis of Strength		Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)					BACITRACIN		400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)				7)	NEOMYCIN		3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)				POLYMYXIN B		5000 [iU] in 1	
	. .						
Inactive Ingre		ngredient Name				C+	rength
PETROLATUM (UNII		-				31	rengtn
Packaging					tin a Chaut	N 4 –	destine Food
	Pac	kage Description			ting Start Date	Ma	rketing End Date
# Item Code	Pac 1 in 1 CARTON				Date	Ma	-
# Item Code 1 NDC:70000- 0058-1	1 in 1 CARTON		12/		Date	Ma	-
# Item Code 1 NDC:70000- 0058-1	1 in 1 CARTON 28 g in 1 TUB		12/		Date	Ma	-
 # Item Code 1 NDC:70000- 0058-1 1 	1 in 1 CARTON 28 g in 1 TUB Product	I E; Type 0: Not a Combinati	12/		Date	Ma	-
1 NDC:70000-	1 in 1 CARTON 28 g in 1 TUB Product	I E; Type 0: Not a Combinati	12/ on	[31/2020	Date		-

Labeler - Cardinal Health (Leader) 70000 (063997360)

Revised: 11/2023

Cardinal Health (Leader) 70000