ZANY ANTISEPTIC GEL- alcohol gel Laboratorios Zepol S.A.

Zany Antiseptic Gel

Drug Facts

Active ingredient

Ethyl alcohol 70%

Purpose

Antiseptic

Use

For hand washing to decrease bacteria on the skin.

Warnings

For external use only.

Flammable, keep away from fire or flame.

Do not use

in the eyes

Stop use and ask a doctor if:

- irritation and redness develop
- condition persists for more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Wet hands thoroughly with product and allow to dry without wiping.

Other information

• Store below 86°F (30°C)

Inactive ingredients

Carbomer, fragrance, triethanolamine, water.

Package Labeling:120ml





Drug Facts	
Active ingredient Ethyl alcohol 70%	Purpose Antiseptic
Use For hand washing to decrease bacteria or	n the skin.
Warnings For external use only. Flammable, keep away from fire or	r flame

Do not use in the eyes

Stop use and ask a doctor if:

irritation and redness develop

condition persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Wet hands thoroughly with product and allow to dry without wiping.

Other information Store below 86°F (30°C)

Inactive ingredients Cabormer, fragrance, triethanolamine, water.

MANUFACTURED BY: LABORATORIOS ZEPOL S.A. 75 MTS AL NORTE DEL SERVICENTRO LA GALERA CURRIDABAT, SAN JOSE 3399-1000, COSTA RICA MADE IN COSTA RICA TO REPORT AN ADVERSE EVENT, CONTACT +1 (305) 639-3488

Email: laboratorioszepol@labzepol.com

www.labzepol.com

Expires:





Package Labeling:250ml





ETHYL ALCOHOL 70% ANTISEPTIC HAND SANITIZER GEL

Helps reduce germs.



8.45 fl oz (0.53 pt) (250mL)

Drug Facts

Active ingredient

Purpose Ethyl alcohol 70%Antiseptic

Use

For hand washing to decrease bacteria on the skin.

Warnings

For external use only. Flammable, keep away from fire or flame

Do not use in the eyes

Stop use and ask a doctor if:

- irritation and redness develop
- condition persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Wet hands thoroughly with product and allow to dry without wiping.

Other information Store below 86°F (30°C)

Inactive ingredients



Package Labeling:500ml





Drug Facts

Active ingredient

.....Antiseptic

Ethyl alcohol 70%......

Use

For hand washing to decrease bacteria on the skin.

Warnings

For external use only.

Flammable, keep away from fire or flame

Do not use in the eyes

Stop use and ask a doctor if:

- irritation and redness develop
- condition persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Wet hands thoroughly with product and allow to dry without wiping.

Other information

Store below 86°F (30°C)

Inactive ingredients

Cabormer, fragrance, triethanolamine, water.

MANUFACTURED BY: LABORATORIOS ZEPOL S.A. 75 MTS AL NORTE DEL SERVICENTRO LA GALERA CURRIDABAT, SAN JOSE 3399-1000, COSTA RICA MADE IN COSTA RICA TO REPORT AN ADVERSE EVENT, CONTACT +1 (305) 639-3488

Email: laboratorioszepol@labzepol.com



_								
Ρ	oduct Info	ormation						
Product Type			HUMAN OTC DRUG Item Co		ode (Source)		NDC:55715-004	
Ro	ute of Adm	inistration	TOPICAL					
A	tive Ingre	dient/Active	Moiety					
Ingredie			ent Name		Ba	sis of Strength	Strength	
	active Ing		COHOL - UNII:3K9958V90M)		ALCO		0.7 mL in 1 mL	
Ingredient Name							Strength	
CA			-				_	
		MOPOLYMER, UN	ISPECIFIED TYPE (UNII: 04	\5MM307F	C)			
TR	OLAMINE (UN	II: 903K93S3TK)	ISPECIFIED TYPE (UNII: 0A	45MM307F	C)			
TR		II: 903K93S3TK)	ISPECIFIED TYPE (UNII: 04	45MM307F	C)			
TR	OLAMINE (UN Ater (Unii: 05	II: 903K93S3TK)	ISPECIFIED TYPE (UNII: 04	45MM307F	C)			
TR W/	OLAMINE (UN	II: 903K93S3TK) 9QF0KO0R)	SPECIFIED TYPE (UNII: 04	45MM307F		Marketing Start Date	: Marketing En Date	
TR W/ Pa #	OLAMINE (UN ATER (UNII: 05 ACKAGING	II: 903K93S3TK) 9QF0KO0R) P	Package Description		1	-	-	
TR W/ Pa 1	OLAMINE (UN ATER (UNII: 05 ACKaging Item Code NDC:55715-	II: 903K93S3TK) 9QF0KO0R) P 120 mL in 1 BOT Combination Pro	Package Description TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ	e 0: Not a	1	Date	-	
ΓR W/ Pa #	OLAMINE (UN ATER (UNII: 05 ACKaging Item Code NDC:55715- 004-01 NDC:55715-	II: 903K93S3TK) 9QF0KO0R) P 120 mL in 1 BOT Combination Pro 250 mL in 1 BOT Combination Pro	Package Description TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ	e 0: Not a e 0: Not a	1	Date 1/01/2020	-	
TR W/ Pa 1 2	OLAMINE (UN ATER (UNII: 05 ACKAGING Item Code NDC:55715- 004-01 NDC:55715- 004-02 NDC:55715-	II: 903K93S3TK) 9QF0KO0R) P 120 mL in 1 BOT Combination Pro 250 mL in 1 BOT Combination Pro 500 mL in 1 BOT	Package Description TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ	e 0: Not a e 0: Not a	1	Date 1/01/2020 1/01/2020	-	
TR W/ P a # 1 2 3	OLAMINE (UN ATER (UNII: 05 ACKAGING Item Code NDC:55715- 004-01 NDC:55715- 004-02 NDC:55715- 004-03	II: 903K93S3TK) 9QF0KO0R) P 120 mL in 1 BOT Combination Pro 250 mL in 1 BOT Combination Pro 500 mL in 1 BOT	Package Description TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ duct	e 0: Not a e 0: Not a	1	Date 1/01/2020 1/01/2020	-	
TR W/ P a # 1 2 3	OLAMINE (UN ATER (UNII: 05 ACKAGING Item Code NDC:55715- 004-01 NDC:55715- 004-02 NDC:55715- 004-03	II: 903K93S3TK) 9QF0KO0R) P 120 mL in 1 BOT Combination Pro- 250 mL in 1 BOT Combination Pro- 500 mL in 1 BOT Combination Pro-	Package Description TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ duct TLE, WTH APPLICATOR; Typ duct	e 0: Not a e 0: Not a e 0: Not a	1	Date 1/01/2020 1/01/2020	-	

Establishment							
Address	ID/FEI	Business Operations					
	853070985	manufacture(55715-004)					
	Address						

Revised: 12/2023

Laboratorios Zepol S.A.