

**CHILDRENS ALLERGY SUGAR FREE- loratadine solution**  
**Publix Super Markets Inc**

-----  
**Drug Facts**

**Active ingredient (in each 5 mL teaspoonful)**

Loratadine 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
	1 teaspoonful (tsp) daily; do

children 2 to under 6 years of age	not take more than 1 teaspoonful (tsp) in 24 hours
Children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.**
- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

### Inactive ingredients

butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

**DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,  
3300 PUBLIX CORPORATE PARKWAY  
LAKELAND, FL 33811  
1-888-267-3037**

### PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC 56062-132-08

AGES 2 YEARS  
AND OLDER  
INDOOR & OUTDOOR  
ALLERGIES

children's  
allergy

LORATADINE ORAL  
SOLUTION USP, 5 mg/5 mL  
ALLERGY

ANTIHISTAMINE

Non-drowsy\*  
24-hour relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

GRAPE FLAVOR  
DOSING CUP  
INCLUDED

DYE FREE  
SUGAR FREE

\*When taken as directed. See Drug Facts Panel.

4 FL OZ (120 mL)

†Compare to  
the Active Ingredient  
in Children's Claritin<sup>®</sup>

NO VARNISH  
ON THIS FLAP



NDC 56062-132-08

AGES 2 YEARS  
AND OLDER  
INDOOR & OUTDOOR  
ALLERGIES

## children's allergy

**LORATADINE ORAL  
SOLUTION USP, 5 mg/5 mL  
ALLERGY**

**ANTIHISTAMINE**



**Non-drowsy\***  
**24-hour relief of:**

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

**GRAPE FLAVOR  
DOSING CUP  
INCLUDED**

DYE FREE  
SUGAR FREE

\*When taken as directed. See Drug Facts Panel



NDC 56062-132-08

AGES 2 YEARS  
AND OLDER  
INDOOR & OUTDOOR  
ALLERGIES

## children's allergy

**LORATADINE ORAL  
SOLUTION USP, 5 mg/5 mL  
ALLERGY**

**ANTIHISTAMINE**



**Non-drowsy\***  
**24-hour relief of:**

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

**GRAPE FLAVOR  
DOSING CUP  
INCLUDED**

DYE FREE  
SUGAR FREE

\*When taken as directed. See Drug Facts Panel

4 FL OZ (120 mL)

<sup>†</sup>Compare to the Active Ingredient in Children's Claritin®

4 FL OZ (120 mL)

<sup>†</sup>Compare to the Active Ingredient in Children's Claritin®

**NO VARNISH ON THIS FLAP**

PPK-7681-5  
0719-5  
11

ANTIHISTAMINE  
ALLERGY  
SOLUTION USP, 5 mg/5 mL  
LORATADINE ORAL  
**children's allergy**  
ALLERGIES  
INDOOR & OUTDOOR  
AND OLDER  
AGES 2 YEARS



**SEALED WITH PRINTED NECKBAND**

**Publix.**

**Drug Facts**

<b>Active ingredient</b> <i>(in each 5 mL teaspoonful)</i>	<b>Purpose</b>
Loratadine 5 mg.....	Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

NDC 56062-132-08

AGES 2 YEARS  
AND OLDER  
INDOOR & OUTDOOR  
ALLERGIES

**children's allergy**

**LORATADINE ORAL  
SOLUTION USP, 5 mg/5 mL**

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions** • use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
---	--

children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
---------------------------------------	--

children under 2 years of age	ask a doctor
----------------------------------	--------------

consumers with liver or kidney disease	ask a doctor
---	--------------

**Other information**

- do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.
- see bottom panel for lot number and expiration date
- store between 68° and 77°F (20° and 25°C)

**Inactive ingredients** butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

**ALLERGY**

**ANTIHISTAMINE**



**Non-drowsy\***

**24-hour relief of:**

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

Dosing cup should be washed and left to air dry after each use.

\*This product is not manufactured or distributed by the owner of the registered trademark Children's Claritin®.

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,  
3300 PUBLIX CORPORATE PARKWAY  
LAKELAND, FL 33811  
1-888-267-3037 [publix.com](http://publix.com)

MADE IN CANADA

**PUBLIX GUARANTEE: COMPLETE  
SATISFACTION OR YOUR MONEY BACK**

**NO COPY ON THIS FLAP  
FOR LOT # AND EXPIRY  
DATE PRINT**

**T181C**



**CHILDRENS ALLERGY SUGAR FREE**

loratadine solution

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:56062-132

<b>Route of Administration</b>	ORAL
--------------------------------	------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	5 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE, MONOBASIC, DIHYDRATE (UNII: 5QWK665956)	

### Product Characteristics

<b>Color</b>	yellow (colorless to slightly yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-132-08	1 in 1 CARTON	01/11/2018	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	03/17/2017	

**Labeler** - Publix Super Markets Inc (006922009)

### Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	manufacture(56062-132)

