WOMENS LAXATIVE- bisacodyl tablet, delayed release Better Living Brands, LLC

Signature Care 44-676A-Delisted

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative.
 These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to	take 1 tablet in a
under 12 years	single daily dose
children under 6	ack a doctor
years	ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- avoid excessive humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose, polydextrose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-800-426-9391

Principal Display Panel

Signature™

care

Quality Guaranteed

NDC 21130-676-01

Women's Laxative

BISACODYL USP, 5 mg Stimulant Laxative

- For gentle, dependable constipation relief
- Comfort coated tablets

Actual Size

30 TABLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

50844 REV0119A67601

DISTRIBUTED BY BETTER LIVING BRANDS LLC P.O. BOX 99 PLEASANTON, CA 94566-0009 1-888-723-3929 www.betterlivingbrandsLLC.com

OUR PROMISE
QUALITY & SATISFACTION
100% GUARANTEED
OR YOUR MONEY BACK.

see end flap for expiration date and lot number Inactive ingredients carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcnystalline cellulose,

- 15°-30°C (59°-86°F)

 see end flap for expiration date and lot number
- avoid excessive humidity
 store at 25°C (77°F); excursions permitted between

Othey information
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS
OPENED OR BLISTER IS TORN OR BROKEN

ask a doctor	children under 6 years
daily dose	уеага
take 1 tablet in a single	children 6 to under 12
single daily dose	years and over
take 1 to 3 tablets in a	adults and children 12
	■ take with a glass of water
	Directions

Drug Facts (continued)

before use. **Keep out of reach of children.** In case of overdose, get medical help or confact a Poison Control Center (1-800-222-1222) right away.

If pregnant or breast-feeding, ask a health professional

- of a serious condition.

 you need to use a laxative for more than 1 week
- Stop use and ask a doctor if

 you have rectal bleeding or fail to have a bowel
 myourment after use of a laxative. These could be signs

cramps

- do not use within 1 hour after taking an antacid or milk
 you may have stomach discomfort, faintness and
 - When using this product do not chew or crush tablet(s)

Ask a doctor before use if you have

■ a sudden change in bowel habits that lasts more than 2

weeks ■ stomach pain, nausea or vomiting

Warnings Do not use if you cannot swallow without chewing.

Drug Facts (continued)

Bisacodyl USP, 5 mg.

B-1817-676A-01-S REV0119A67601

RD 19224

\$1718

Uses

■ for relief of occasional constipation (irregularity)

■ this product generally produces bowel movement in 6

to 12 hours

Drug Facts (continued)

evitexal tnalumit2.....

Active ingredient Purpose (in each tablet)

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts



Scan here for more informatio

DISTRIBUTED BY
BETTER LIVING BRANDS LLC
P.O. BOX 99
PLEASANTON, CA 94566-0009
1-888-723-3929
www.betterlivingbrandsLLC.com



Quality Guaranteed

GUARANTEED

OUR PROMISE

Women's Laxative

BISACODYL USP, 5 mg Stimulant Laxative

- For gentle, dependable constipation relief
- Comfort coated tablets

Actual Size



30 TABLETS

FEV0119A67601

bp808

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER Unit is torn, broken or shows Any Signs of tampering Questions or comments? 1-800-426-9391

triethyl citrate

polydextrose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic scid, talc, titanium dioxide, triacetin,

Drug Facts (continued)

Signature Care 44-676A

WOMENS LAXATIVE

bisacodyl tablet, delayed release

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:21130-676

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y) BISACODYL 5 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: 08232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID (UNII: 1CS02G8656)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SHELLAC (UNII: 46N107B710)	
DIMETHICONE (UNII: 92RU3N3Y10)	
WATER (UNII: 059QF0KO0R)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	В
Contains			

			-	
ш	-	$\boldsymbol{\nu}$	α	na
_	а	ĸa	ш	ш

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130- 676-01	2 in 1 CARTON	09/16/2015	01/06/2025

1	Product		
Marketing	Information		
Marketing	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Category OTC Monograph Dru		09/16/2015	01/06/2025
o ro rionograpii 210	g 000 0 (a)(0)	00,10,1010	02,00,2020

Labeler - Better Living Brands, LLC (009137209)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(21130-676)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(21130-676), pack(21130-676)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(21130-676)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(21130-676)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(21130-676)

Revised: 3/2024 Better Living Brands, LLC