

**CUROLOGY DAILY MOISTURIZING SUNSCREEN SPF 30- avobenzene, homosalate, octisalate, octocrylene cream**

**Curology**

-----  
**Curology Daily Moisturizing Lotion Sunscreen SPF 30 (82575-036-00)**

***Drug Facts***

***Active ingredients***

Avobenzene 1.5%

Homosalate 5%

Octisalate 4%

Octocrylene 6%

***Purpose***

Sunscreen

***Uses***

Helps prevent sunburn

***Warnings***

**For external use only.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Do not use**

on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

***Directions***

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

***Other information***

- store at 20°-25° (68°-77°F)
- protect the product in this container from excessive heat and direct sun

***Inactive ingredients***

Water, Methyl Trimethicone, Propanediol, Silica, Glycerin, Butyloctyl Salicylate, Ammonium Acryloyldimethyltaurate/VP Copolymer, 1,2-Hexanediol, Glyceryl Oleate Citrate, Polyacrylate-13, Polyisobutene, Caprylhydroxamic Acid, Trisodium Ethylenediamine Disuccinate, Niacinamide, Panthenol, Zinc PCA, Sodium Citrate, Tocopheryl Acetate, Polysorbate 20

**Package Labeling:**

OUTSIDE KO  
GLUE

### Drug Facts

Active Ingredients	Purpose
Avobenzone 1.5%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 4%	Sunscreen
Octocrylene 6%	Sunscreen

**Uses**  
Helps prevent sunburn

**Warnings**

- For external use only
- Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs

**Directions**

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

**Other Information**

- store at 20°-25° (68°-77°F)
- protect the product in this container from excessive heat and direct sun

**Inactive Ingredients**  
Water, Methyl Trimethicone, Propanediol, Silica, Glycerin, Butyloctyl Salicylate, Ammonium Acryloyldimethylsulfate/VP Copolymer, 1,2-Hexanediol, Glycerol Oleate Citrate, Polyacrylate-13, Polyisobutene, Caprylhydroxamic Acid, Trisodium Ethylenediamine Disuccinate, Niacinamide, Panthenol, Zinc PCA, Sodium Citrate, Tocopheryl Acetate, Polysorbate 20

Hydrate and protect acne-prone skin with a blend of moisturizing ingredients + Broad Spectrum SPF 30.

 Won't clog pores

 For all skin types, including sensitive

 Cruelty-free

 Fragrance-free

 Phthalate-free

 Paraben-free

 No white cast

  
Curology.com @curology

Manufactured for Curology, Inc.  
San Diego, CA 92121  
Made in the USA with global ingredients

Curology

Daily  
Moisturizing  
Lotion

Broad Spectrum SPF 30  
SUNSCREEN

 DERMATOLOGIST  
FOUNDED • DEVELOPED • TESTED

50 ml / 1.7 fl oz

Skin concerns?  
We're here for you.

Our team of Licensed Dermatology Providers will get to know your skin and offer unique support and solutions.

Sign up for personalized prescription skincare\*

Curology can help tackle:

 Acne

 Texture

 Dark spots

 Fine lines

 Clogged pores

 Rosacea



Scan this QR code to get started

\* Subject to medical consultation. Restrictions apply. See website for full details and important safety information.



Hydrate acne-prone skin without clogging pores with a blend of super-moisturizing ingredients + Broad Spectrum SPF 30 for daily protection.

**Active Ingredients:** Avobenzone 1.5%, Homosalate 5%, Octisalate 4%, Octocrylene 6%

**Use:** Helps prevent sunburn

**Directions:** Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply at least every 2 hours. Children under 6 months of age: ask a doctor. Refer to Drug Facts for warnings and full safety information.

**Warnings:** For external use only.

**When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs. **Do not use** on broken/damaged skin. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Manufactured for  
Curology, Inc.  
San Diego, CA 92121

Curology.com  
@curology

Made in the USA with  
global ingredients



# Curology



Daily Moisturizing Lotion  
Broad Spectrum SPF 30

**SUNSCREEN**

**DERMATOLOGIST**  
FOUNDED • DEVELOPED • TESTED

50 ml / 1.7 fl oz

## CUROLOGY DAILY MOISTURIZING SUNSCREEN SPF 30

avobenzone, homosalate, octisalate, octocrylene cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82575-036
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	15 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	40 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>GLYCERYL MONOOLEATE CITRATE</b> (UNII: NLE5KIG74K)	
<b>POLYACRYLATE-13</b> (UNII: FS2D4T67EA)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>ZINC PIDOLATE</b> (UNII: C32PQ86DH4)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82575-036-00	1 in 1 CARTON	07/01/2025	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2025	

**Labeler** - Curology (104103284)

Revised: 10/2025

Curology