

MVC-FLUORIDE- sodium fluoride, vitamin a, ascorbic acid, vitamin d, alpha-tocopherol, thiamine, riboflavin, niacin, pyridoxine, folic acid, and cyanocobalamin tablet, chewable Sancilio & Company Inc.

**MVC®- Fluoride
Multivitamin with Fluoride
Chewable Tablets**

Each Multivitamin with 0.25 mg Fluoride Tablet Contains :

Vitamin A (as Palmitate)	2500 IU
Vitamin C	60 mg
Vitamin D	400 IU
Vitamin E	15 IU
Thiamine	1.05 mg
Riboflavin	1.2 mg
Niacin	13.5 mg
Vitamin B6	1.05 mg
Folate (as Folic Acid)	0.3 mg
Vitamin B12	4.5 mcg
Fluoride (as Sodium Fluoride)*	0.25 mg

* Each Multivitamin with 0.25 mg Fluoride Tablet contains 0.25 mg Fluoride from 0.55 mg Sodium Fluoride (NaF).

WARNING

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN. IF OVERDOSAGE IS SUSPECTED, SEEK PROFESSIONAL ASSISTANCE OR CONTACT A POISON CONTROL CENTER IMMEDIATELY 1-800-222-1222. TABLET SHOULD BE CHEWED. THIS PRODUCT, AS WITH ALL CHEWABLE TABLETS, IS NOT RECOMMENDED FOR CHILDREN UNDER AGE 4 DUE TO RISK OF CHOKING.

DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING

Directions

USE AS DIRECTED BY YOUR PHYSICIAN.

Description

Off-white to pale yellow, speckled, fruit flavor, round-shaped chewable tablet debossed "SCI" on one side and "1" on the other.

Caution

Do not use this product if you are allergic to any of the ingredients. Take this product at least 2 hours before or after taking any products containing calcium (including milk, yogurt, other dairy products) or aluminum/magnesium hydroxide (e.g., certain antacids/laxatives). Prolonged daily ingestion of excessive fluoride may result in varying degrees of dental fluorosis. Account for all daily sources of fluoride intake.

Other Ingredients

Xylitol, microcrystalline cellulose, mannitol, talc, magnesium stearate, sucralose, natural fruit flavor, citric acid.

Storage

Store in a cool, dry place at room temperature 20° - 25°C (68° - 77°F) away from heat and sunlight. Store in original container.

This medical food product is formulated to be administered orally, under the ongoing supervision of a physician and is intended for the dietary management of dental caries for which a distinctive nutritional requirement of fluoride, based on recognized scientific principles, has been established by medical evaluation.

The numeric identifier on this product's labeling is an assigned product code for use with pharmacy-level, health-insurance and state level reimbursement programs and is not intended to denote registration with the FDA.

**Manufactured by: Sancilio & Co., Inc.
Riviera Beach, FL 33404 USA**

rev. 11/18/11

PRINCIPAL DISPLAY PANEL - 0.25 mg Tablet Bottle Label

**Sancilio &
Company, Inc.**

Developing Good Science into Great Medicine

44946-1020-5

**MVC® - Fluoride
Multivitamin with Fluoride
Chewable Tablets**

NO DYES, ARTIFICIAL FLAVORS OR SUGAR
SACCHARIN AND GLUTEN FREE
CONTAINS XYLITOL

**0.25
mg**

**Dispense under a
physician's order†**

**Dietary
Supplement**

90 tablets

MVC® - Fluoride
Multivitamin with Fluoride
Chewable Tablets

NO DYES, ARTIFICIAL FLAVORS OR SUGAR
 SACCHARIN AND GLUTEN FREE
 CONTAINS XYLITOL

0.25 mg

Dietary Supplement

Dispense under a physician's order*
90 tablets

Supplement Facts

	Amount per serving	% Daily Value
Vitamin A (as Palmitate)	2500 IU	50%
Vitamin C	60 mg	100%
Vitamin D	400 IU	100%
Vitamin E	15 IU	50%
Thiamine	1.05 mg	70%
Riboflavin	1.2 mg	71%
Niacin	13.5 mg	68%
Vitamin B6	1.05 mg	53%
Folic Acid	0.3 mg	75%
Cyanocobalamin	4.5 mcg	75%
Fluoride (as Sodium Fluoride)	0.25 mg	50%

*Percent Daily Values (DV) based on a 2,000 calorie diet.
 ** Daily Value not established.

Other Ingredients: Xylitol, microcrystalline cellulose, mannitol, talc, magnesium stearate, sucralose, natural fruit flavor*, citric acid.
 *adds a negligible amount of sugar

Description: Off-white to pale yellow, speckled, fruit flavor, round-shaped chewable tablet debossed "SC" on one side and "1" on the other.

Directions: USE AS DIRECTED BY YOUR PHYSICIAN.

Tamper Evident Feature: Do not use if inner-seal beneath cap is missing or broken.

WARNING: KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. IF OVERDOSE IS SUSPECTED, SEEK PROFESSIONAL ASSISTANCE OR CALL POISON CONTROL AT 1-800-368-5771. THIS PRODUCT IS NOT INTENDED TO BE USED AS A SUBSTITUTE FOR A BALANCED DIET. THIS PRODUCT, AS WITH ALL CHEWABLE TABLETS, IS NOT RECOMMENDED FOR CHILDREN UNDER AGE 4 DUE TO RISK OF CHOKING.

Caution: Do not use this product if you are allergic to any of the ingredients. Take this product at least 2 hours before or after taking any products containing calcium (including milk, yogurt, other dairy products) or iron. Prolonged use of this product may cause tooth decay. Avoid prolonged daily ingestion of excessive fluoride as it may increase the risk of dental fluorosis. Account for all daily sources of fluoride intake.

Other Information: You may report serious side effects to 1-800-SCI-8711. Store in a cool, dry place at room temperature 20° - 25°C (68°-77°F) away from heat and sunlight. Store in original container.

The numeric identifier on this product's labeling is an assigned product code for use with pharmacy-level, health-insurance and state drug databases. This product and its packaging are not intended to denote registration with the FDA.

REV 06/02/15

LOT/EXP
NO VARNISH



Manufactured by:
 Sancilio & Company, Inc.
 3874 Fiscal Court
 Riviera Beach, FL 33404
 (800) 5-CI-8711



MVC-FLUORIDE
 sodium fluoride, vitamin a, ascorbic acid, vitamin d, alpha-tocopherol, thiamine, riboflavin, niacin, pyridoxine, folic acid, and cyanocobalamin tablet, chewable

Product Information			
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:44946-1020
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	0.25 mg
Vitamin A (UNII: 81G40H8B0T) (Vitamin A - UNII:81G40H8B0T)	Vitamin A	2500 [iU]
Ascorbic Acid (UNII: PQ6CK8PD0R) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	60 mg
Vitamin D (UNII: 9VU1KI44GP) (Vitamin D - UNII:9VU1KI44GP)	Vitamin D	400 [iU]
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1) (.ALPHA.-TOCOPHEROL - UNII:H4N855PNZ1)	.ALPHA.-TOCOPHEROL	15 [iU]
Thiamine (UNII: X66NSO3N35) (Thiamine Ion - UNII:4ABT0J945J)	Thiamine	1.05 mg
Riboflavin (UNII: TLM2976OFR) (Riboflavin - UNII:TLM2976OFR)	Riboflavin	1.2 mg
Niacin (UNII: 2679MF687A) (Niacin - UNII:2679MF687A)	Niacin	13.5 mg
Pyridoxine (UNII: KV2JZ1B16Z) (Pyridoxine - UNII:KV2JZ1B16Z)	Pyridoxine	1.05 mg
Folic Acid (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8)	Folic Acid	0.3 mg
Cyanocobalamin (UNII: P6YC3EG204) (Cyanocobalamin - UNII:P6YC3EG204)	Cyanocobalamin	4.5 ug

Inactive Ingredients	
Ingredient Name	Strength
Xylitol (UNII: VCQ006KQ1E)	
Microcrystalline cellulose (UNII: OP1R32D61U)	
Mannitol (UNII: 3OWL53L36A)	
Talc (UNII: 7SEV7J4R1U)	
Magnesium Stearate (UNII: 70097M6I30)	
Sucralose (UNII: 96K6UQ3ZD4)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:44946-1020-5	90 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Dietary Supplement		12/07/2011	

Supplement Facts**Serving Size :** **Serving per Container :**

	Amount Per Serving	% Daily Value
color		
scoring	1	
shape		
size (solid drugs)	13 mm	
imprint		
flavor		

Labeler - Sancilio & Company Inc. (176681257)**Establishment**

Name	Address	ID/FEI	Business Operations
Sancilio & Company Inc.		176681257	MANUFACTURE(44946-1020)

Revised: 2/2018

Sancilio & Company Inc.