

**LISTERINE SMART RINSE ANTICAVITY FLUORIDE RINSE - BERRY SPLASH-
sodium fluoride mouthwash
Kenvue Brands LLC**

LISTERINE[®] SMART RINSE[®] ANTICAVITY FLUORIDE RINSE BERRY SPLASH

Drug Facts

Active ingredient

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older:
- Use twice a day after brushing your teeth with a toothpaste
- Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- Do not swallow the rinse
- Do not eat or drink for 30 minutes after rinsing
- Instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- Supervise children as necessary until capable of using without supervision
- Children under 6 years of age: consult a dentist or doctor

Other information

- Store at room temperature
- Cold weather may temporarily cloud this product

Inactive ingredients

Water, Sorbitol, Flavor, Phosphoric Acid, Cetylpyridinium Chloride, Sucralose, Sodium Saccharin, Disodium Phosphate, Red 33, Green 3

Questions?

call toll-free **888-222-0182** or **215-273-8755** (collect).

Distributed by:

**JOHNSON & JOHNSON
CONSUMER INC.**

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 500 mL Bottle Label

2X STRONGER TEETH FOR

BETTER CAVITY PROTECTION*

***with brushing, in a lab study.**

ALCOHOL FREE

ANTICAVITY FLUORIDE RINSE

LISTERINE ®

SMART RINSE ®

SODIUM FLUORIDE & ACIDULATED PHOSPAHTE TOPICAL SOLUTION


BERRY

SPLASH

500 mL (16.9Fl Oz)

IMPORTANT: Read

directions for proper use.



2.88 mm
.0937"



| | | |
|--|--|---|
| Drug Facts | | <p>TO OPEN: SQUEEZE the cap and TURN. TO CLOSE: Turn cap until it locks.</p> <p>The LISTERINE® bottle design is a registered trademark.</p> |
| Active ingredient Sodium Fluoride 0.02% (0.01% w/v fluoride ion) | | |
| Use Aids in the prevention of dental cavities | | |
| Warnings Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away. | | |
| Directions • Adults and children 6 years of age and older: • Use twice a day after brushing your teeth with a toothpaste. • Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out. • Do not swallow the rinse. • Do not eat or drink for 30 minutes after rinsing. • Instruct children under 12 years of age in good rinsing habits (to minimize swallowing) • Supervise children as necessary until capable of using without supervision. • Children under 6 years of age: consult a dentist or a doctor. | | |
| Other information • Store at room temperature • Cold weather may temporarily cloud this product | | |
| Inactive ingredients Water, Sorbitol, Flavor, Phosphoric Acid, Cetylpyridinium Chloride, Sucralose, Sodium Saccharin, Disodium Phosphate, Red 33, Green 3 | | |
| Questions? call toll-free 888-222-0182 or 215-273-8755 (collect). | | |
| <p><small>Do not use if printed band around cap is broken or missing. In some instances, this product may cause discoloration which can be prevented by adequate brushing or removed at next regular dental visit.</small></p> <p>Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558 © J&J© 2024 Pat. www.kenvuepats.com</p> <p>ADA Accepted American Dental Association</p> <p>Helps prevent cavities.</p> <p>Empty & Replace Cap how2recycle.info</p> <p>PLASTIC BOTTLE</p> <p>EXP LOT</p> | | |
| | | |

LISTERINE SMART RINSE ANTICAVITY FLUORIDE RINSE - BERRY SPLASH

sodium fluoride mouthwash

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69968-0687 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080) | SODIUM FLUORIDE | 0.1 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| SORBITOL (UNII: 506T60A25R) | |
| WATER (UNII: 059QF0KO0R) | |
| PHOSPHORIC ACID (UNII: E4GA8884NN) | |
| CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |

| | |
|--|--|
| SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F) | |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) | |
| FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69968-0687-5 | 500 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/2021 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M021 | 01/01/2021 | |

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC