

**LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION
FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 LATTE 180-F-
octinoxate, zinc oxide emulsion**
**LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION
FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 ALMENDRA 230-N-
octinoxate, zinc oxide emulsion**
**LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION
FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 BEIGE 220-C-
octinoxate, zinc oxide emulsion**
**LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION
FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 CAPUCCINO 310-C-
octinoxate, zinc oxide emulsion**
**LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION
FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 CHAMPAGNE 170-
N- octinoxate, zinc oxide emulsion**
Bel Star S.A.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**L'BEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACIÓN
FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15**

Drug Facts

Active Ingredients

Octinoxate 5.00%

Zinc oxide 4.20%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Dimethicone, water, isododecane, peg-10 dimethicone, trimethylsiloxysilicate, glycerin, polymethylsilsesquioxane, propylene glycol, peg/ppg-18/18 dimethicone, hdi/trimethylol hexyllactone crosspolymer, polysilicone-11, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, silica, lecithin, silica dimethyl silylate, tocopheryl acetate, caprylyl glycol, triethoxycaprylylsilane, butylene glycol, chlorphenesin, disteardimonium hectorite, fragrance, kaolin, mica, camellia sinensis leaf extract, enantia chlorantha bark extract, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, potassium sorbate, sodium benzoate, oleanolic acid.

May Contain :

Titanium dioxide, iron oxides.

Company information

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.

USA: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126.

Made in Colombia.

www.lbel.com

LATTE 180-F

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only. ■ Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Dimethicone, water, isododecane, peg-10 dimethicone, trimethylsiloxy silicate, glycerin, polymethylsilsesquioxane, propylene glycol, peg/ppg-18/18 dimethicone, hdi/trimethylol hexyllactone crosspolymer, polysilicone-11, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, silica, lecithin, silica dimethyl silylate, tocopheryl acetate, caprylyl glycol, triethoxycaprylylsilane, butylene glycol, chlorphenesin, disteardimonium hectorite, fragrance, kaolin, mica, camellia sinensis leaf extract, enantia chlorantha bark extract, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, potassium sorbate, sodium benzoate, oleic acid.

May Contain: Titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami,
FL 33126. Made in Colombia.
www.lbel.com

TONE: LATTE 180-F

L'BEL

FOREVER ULTRA MATTE

BASE CONTROL BRILLO
DE LARGA DURACIÓN FPS 15

SHINE CONTROL
LONGWEAR FOUNDATION
SPF 15

PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

0.91 fl.oz | 27 ml

CHAMPAGNE 170-N

Drug Facts	
Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen
Uses:	
■ Helps prevent sunburn.	
Warnings: ■ Skin Cancer / Skin Aging	
Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor	
Other information: ■ Protect the product in this container from excessive heat and direct sun.	
Inactive Ingredients: Dimethicone, water, isododecane, peg-10 dimethicone, trimethylsiloxy silicate, glycerin, polymethylsilsesquioxane, propylene glycol, peg/ppg-18/18 dimethicone, hdi/trimethylol hexyl lactone crosspolymer, polysilicone-11, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, silica, lecithin, silica dimethyl silylate, tocopheryl acetate, caprylyl glycol, triethoxycaprylylsilane, butylene glycol, chlorphenesin, disteardimonium hectorite, fragrance, kaolin, mica, camellia sinensis leaf extract, enantia chlorantha bark extract, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, potassium sorbate, sodium benzoate, clematic acid.	
May Contain: Titanium dioxide, iron oxides.	

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.
www.lbel.com

TONE: CHAMPAGNE
170-N

L'BEL

FOREVER ULTRA MATTE

BASE CONTROL BRILLO
DE LARGA DURACIÓN FPS 15

SHINE CONTROL
LONGWEAR FOUNDATION
SPF 15

PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

0.91 fl.oz | 27 ml

ALMENDRA 230-N

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■

For external use only. ■ Do not use on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Dimethicone, water, isododecane, peg-10 dimethicone, trimethylsilyloxy silicate, glycerin, polymethylsilsesquioxane, propylene glycol, peg/ppg-18/18 dimethicone, hdi/trimethylol hexyl lactone crosspolymer, polysilicone-11, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, silica, lecithin, silica dimethyl silylate, tocopheryl acetate, caprylyl glycol, triethoxycaprylylsilane, butylene glycol, chlorphenesin, disteardimonium hectorite, fragrance, kaolin, mica, camellia sinensis leaf extract, enantia chlorantha bark extract, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, potassium sorbate, sodium benzoate, oleoic acid.

May Contain: Titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

L'BEL

FOREVER ULTRA MATTE

BASE CONTROL BRILLO
DE LARGA DURACIÓN FPS 15

SHINE CONTROL
LONGWEAR FOUNDATION
SPF 15

PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

0.91 fl.oz | 27 ml

TONE: ALMENDRA
230-N

BEIGE 220-C

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Dimethicone, water, isododecane, peg-10 dimethicone, trimethylsiloxysilicate, glycerin, polymethylsilsesquioxane, propylene glycol, peg/ppg-18/18 dimethicone, hdi/trimethylol hexyllactone crosspolymer, polysilicone-11, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, silica, lecithin, silica dimethyl silylate, tocopheryl acetate, caprylyl glycol, triethoxycaprylylsilane, butylene glycol, chlorphenesin, disteardimonium hectorite, fragrance, kaolin, mica, camellia sinensis leaf extract, enantia chlorantha bark extract, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, potassium sorbate, sodium benzoate, oleanolic acid.

L'BEL

FOREVER ULTRA MATTE

BASE CONTROL BRILLO
DE LARGA DURACIÓN FPS 15

SHINE CONTROL
LONGWEAR FOUNDATION
SPF 15

PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

0.91 fl.oz | 27 ml

May Contain: Titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami,
FL 33126. Made in Colombia.
www.lbel.com

TONE: BEIGE 220-C

CAPUCCINO 310-C

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 4.20%.....	Sunscreen

Uses:

■ Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only. Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Dimethicone, water, isododecane, peg-10 dimethicone, trimethylsiloxy silicate, glycerin, polymethylsilsesquioxane, propylene glycol.

L'BEL

FOREVER ULTRA MATTE

BASE CONTROL BRILLO
DE LARGA DURACIÓN FPS 15

SHINE CONTROL
LONGWEAR FOUNDATION
SPF 15

PIEL NORMAL A GRASA
NORMAL TO OILY SKIN

peg/ppg-18/18 dimethicone, hdi/trimethylol hexyllactone crosspolymer, polysilicone-11, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, silica, lecithin, silica dimethyl silylate, tocopheryl acetate, caprylyl glycol, triethoxycaprylylsilane, butylene glycol, chlorphenesin, disteardimonium hectorite, fragrance, kaolin, mica, camellia sinensis leaf extract, enantia chlorantha bark extract, aesculus hippocastanum (horse chestnut) seed extract, hydrolyzed wheat protein, silybum marianum fruit extract, potassium sorbate, sodium benzoate, oleoic acid.

May Contain: Titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
 Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.
 www.lbel.com

0.91 fl.oz | 27 ml

TONE: CAPUCCINO
310-C

LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 LATTE 180-F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-316
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	42 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
MICA (UNII: V8A1AW0880)	
ANNICKIA CHLORANTHA BARK (UNII: H70115MP4A)	

HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)
MILK THISTLE (UNII: U946SH95EE)
WATER (UNII: 059QF0K00R)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
KAOLIN (UNII: 24H4NWX5CO)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
CHLORPHENESIN (UNII: I670DAL4SZ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)
HORSE CHESTNUT (UNII: 3C18L6RJAZ)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-316-01	1 in 1 BOX	11/30/2022	
1		27 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	11/30/2022	

LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 ALMENDRA 230-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-318
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	42 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
MICA (UNII: V8A1AW0880)	
ANNICKIA CHLORANTHA BARK (UNII: H70115MP4A)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	
MILK THISTLE (UNII: U946SH95EE)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
KAOLIN (UNII: 24H4NWX5CO)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	

SODIUM CHLORIDE (UNII: 451W47IQ8X)

ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-318-01	1 in 1 BOX	11/30/2022	
1		27 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	11/30/2022	

LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 BEIGE 220-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-319
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	42 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
MICA (UNII: V8A1AW0880)	
ANNICKIA CHLORANTHA BARK (UNII: H70115MP4A)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	

MILK THISTLE (UNII: U946SH95EE)
WATER (UNII: 059QF0KO0R)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
KAOLIN (UNII: 24H4NWX5CO)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
CHLORPHENESIN (UNII: I670DAL4SZ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)
HORSE CHESTNUT (UNII: 3C18L6RJAZ)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-319-01	1 in 1 BOX	11/30/2022	
1		27 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	11/30/2022	

LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 CAPUCCINO 310-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-320
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	42 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
MICA (UNII: V8A1AW0880)	
ANNICKIA CHLORANTHA BARK (UNII: H70115MP4A)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	
MILK THISTLE (UNII: U946SH95EE)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
KAOLIN (UNII: 24H4NWX5CO)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-320-01	1 in 1 BOX	11/30/2022	
1		27 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	11/30/2022	

LBEL FOREVER ULTRA MATTE BASE CONTROL BRILLO DE LARGA DURACION FPS 15 SHINE CONTROL LONGWEAR FOUNDATION SPF 15 CHAMPAGNE 170-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-317
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	42 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
MICA (UNII: V8A1AW0880)	
ANNICKIA CHLORANTHA BARK (UNII: H70115MP4A)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	
MILK THISTLE (UNII: U946SH95EE)	

WATER (UNII: 059QF0KO0R)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
KAOLIN (UNII: 24H4NWX5CO)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
CHLORPHENESIN (UNII: I670DAL4SZ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)
HORSE CHESTNUT (UNII: 3C18L6RJAZ)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-317-01	1 in 1 BOX	11/30/2022	
1		27 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	11/30/2022	

Labeler - Bel Star S.A. (880160197)