## STYE EYE RELIEF- conium maculatum flowering top, graphite and sulfur solution/ drops Similasan Corporation

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Stye Eye Relief

#### **Active Ingredient**

Conium maculatum 6X

#### **Purpose**

redness

#### **Active Ingredient**

Graphites 12X

#### **Purpose**

dryness

#### **Active Ingredient**

Sulphur 12X

#### Purpose

tearing, burning

#### Uses:

According to homeopathic principles, the active ingredients in this medication temporarily relieve minor symptoms associated with styes, such as:

- redness
- burning
- dryness
- tearing

#### Warnings:

- The purpose of this product is to provide temporary relief of stye symptoms, and is not a cure for sytes.
- For external use only.
- Initial exacerbation of symptoms may occur.
- Replace cap tightly after every use.
- To avoid contamination, do not touch the tip of the container to any surface.
- Use within 30 days of opening. Expiration date only refers to unopened bottle.
- Contact wearers: consult a physician prior to using.

#### If pregnant or breast feeding,

ask a health professional before use.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Do not use:

- if the solution changes color or becomes cloudy
- if condition is accompanied by fever

#### Stop use and ask a doctor if:

- symptoms worsen or persist for more than 72 hours
- changes in vision occur
- you experience eye pain
- the stye enlarges
- the style opens, draining discharge or pus into the eye

#### **Directions:**

For adults and children age 2 and over:

- remove tamper evident seal from neck of bottle
- twist cap off bottle
- squeeze plastic tip to release 2-3 drops into eye
- apply 3-4 times per day
- replace cap after use
- if desired, use with a warm, moistened washcloth placed directly on eyelid

#### Other Information:

Active ingredients are manufactured according to homeopathic principles.

#### **Inactive ingredients:**

Borate buffer, Purified water, Silver sulphate (as preservative), Sodium nitrate

#### Questions?

Reach our representatives at **1-800-240-9780** or getinfo@similasanusa.com. **www.SimilasanUSA.com** 

#### PRINCIPAL DISPLAY PANEL

NDC 59262-350-11 Similas an Stye Eye Relief STERILE EYE DROPS 10 ml/0.33 fl oz

unpainted/uncoated area Farb/Lackaussparung 23.4 mm x 12.7 mm



#### **Drug Facts**

#### Active Ingredients .... Purpose

Conium maculatum 6X ..... Graphites 12X ..... dryness Sulphur 12X. ..tearing, burning

#### Uses:

According to homeopathic principles, the active ingredients in this medication temporarily relieve minor symptoms associated with styes, such as: · redness · burning · dryness · tearing

#### Warnings:

- The purpose of this product is to provide temporary relief of stye symptoms, and is not a cure for styes.
- For external use only.
- Initial exacerbation of symptoms may occur.
- Replace cap tightly after every use. . To avoid contamination, do not touch the tip of
- the container to any surface. . Use within 30 days of opening. Expiration date
- only refers to unopened bottle. · Contact wearers: consult a physician prior to

If pregnant or breast feeding, ask a health professional before use

#### Keep out of reach of children. If

swallowed, get medical help or contact a Poison Control Center right away.

#### Do not use:

- if the solution changes color or becomes cloudy
- · if condition is accompanied by fever

#### Stop use and ask a doctor if:


- symptoms worsen or persist for more than 72 hours
- · changes in vision occur you experience eye pain
- . the stye enlarges
- the stye opens, draining discharge or pus into the eve

unpainted/uncoated are Farb/Lackaussparung

#### Drug Facts (continued)

#### Directions:

For adults and children age 2 and over:



- from neck of bottle twist cap off bottle
- squeeze plastic tip to release 2-3 drops into eye
- apply 3-4 times per day
- replace cap after use
- if desired, use with a warm, moistened washcloth placed directly on eyelid

#### Other Information:

Active ingredients are manufactured according to homeopathic principles.

#### Inactive Ingredients:

Borate buffer, Purified water, Silver sulphate (as preservative), Sodium nitrate

#### Questions?

Reach our representatives at 1-800-240-9780 or getinfo@similasanusa.com. www.SimilasanUSA.com





It starts with tenderness and redness around the eye - the beginnings of a stye. Now you have a way to soothe the discomfort.

Similasan Stye Eye Relief sterile eye drops stimulate the body's natural ability to temporarily relieve symptoms of styes, such as redness, burning, dryness, and tearing.

# Stye Eye

Burning



Our Original Swiss Formulas are made with 100% Natural Active Ingredients, and for over 30 years. have been providing families with remedies they can trust.

## 100% NATURAL Active Ingredients

#### For your protection do not use if **MULTI-SYMPTOM RELIEF** tamper evident seal around neck of Redness

Instrucciones en español adentro

Follow us for special offers

bottle is missing or broken.





### Tearing **NO HARSH**

HOMEOPATHIC Original Swiss Formula

10 ml / 0.33 fl oz

www.SimilasanUSA.com



**Feel Good About Feeling Better™** 

23.4 mm x 17.3 mm

V8.0 PUS2090

Similasan is a trademark of Similasan AG, Switzerland, and the Similasan logo is a registered trademark of Similasan AG, Switzerland

Manufactured by: Similasan AG, Switzerland Imported and Distributed by: Similasan Corporation, Highlands Ranch, CO 80129 1-800-240-9780 Made in Switzerland

> unpainted/uncoated area Farb/Lackaussparung

#### STYE EYE RELIEF

conium maculatum flowering top, graphite and sulfur solution/ drops

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59262-350

**Route of Administration OPHTHALMIC** 

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CONIUM MACULATUM FLOWERING TOP (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371)	CONIUM MACULATUM FLOWERING TOP	6 [hp_X] in 10 mL	
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	12 [hp_X] in 10 mL	
SULFUR (UNII: 70 FD1KFU70) (SULFUR - UNII:70 FD1KFU70)	SULFUR	12 [hp_X] in 10 mL	

Inactive Ingredients				
Ingredient Name	Strength			
BORIC ACID (UNII: R57ZHV85D4)				
WATER (UNII: 059QF0KO0R)				
SILVER SULFATE (UNII: 8 QG6 HV4ZPO)				
SO DIUM NITRATE (UNII: 8 M4L3H2ZVZ)				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59262- 350-11	10 mL in 1 BOTTLE, DROPPER; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
UNAPPROVED HOMEOPATHIC		01/02/2005				

## **Labeler** - Similasan Corporation (111566530)

Revised: 7/2013 Similasan Corporation