#### SAFETUSSIN NON DROWSY COUGH PLUS CHEST CONGESTIONdextromethorphan hydrobromide, and guaifenesin tablet KRAMER LABORATORIES

\_\_\_\_\_

# SAFETUSSIN Non-Drowsy Cough + Chest Congestion

# **Drug Facts**

Active ingredients (in<br/>one caplet)PurposeDextromethorphan HBr 10<br/>mgCough suppressantGuaifenesin 200 mgExpectorant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation
- loosen phlegm (mucus)
- helps rid bronchial passages of phlegm(mucus)

# Warnings

#### Do not use

• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

#### Stop use and ask a doctor if

• cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- adults and children 12 years and over: take 1-2 caplets every 4 hours as needed.
- Children under 12 years: do not use
  Do not take more than 12 caplets in any 24-hour period.

# Other information

- Store at 15° 30°C (59° 86°F)
- Keep this carton for future reference on full labeling

### Inactive ingredients

Crospovidone, flavor, Hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, silicon dioxide, stearic acid, sucralose,

### **Questions or Comments?**

1-866-467-2748

Distributed by

### ©2024 Kramer Laboratories, Inc Bridgewater, NJ 08807

# **PRINCIPAL DISPLAY PANEL - 236 ml Bottle Label**

SAFE FOR ADULTS WITH HIGH BLOOD PRESSURE & DIABETES

NDC 55505-231-24

Safetussin® DM

**NON-DROWSY** 

Cough+Chest

# Congestion

Dextromethorphan HBr / Cough Suppressant

Guaifenesin / Expectorant

Safe for adults with

High Blood Pressure

Diabetes

- Control cough
- Loosens mucus
- Relives chest congestion

# SUGAR & DECONGESTANT FREE

24 Caplets

- No decongestants
- No acetaminophen
- No Sugar
- No Alcohol
- No sorbitol

- No fructose
- No gluten
- No dyes



SAFETUSSIN NON DROWSY COUGH PLUS CHEST CONGESTION dextromethorphan hydrobromide, and guaifenesin tablet										
Product Information										
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55505-231							
Route of Administration	ORAL									

Active Ingredi	ont/Act	ive Mojety							
Active Ingredient/Active Moiety						Pacie of Strongth		Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) DEXT				Basis of Strength EXTROMETHORPHAN IYDROBROMIDE		10 mg			
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W745			V7451VC	))	GUAIFENES IN	200 mg			
Inactive Ingre	dients								
	S	trength							
Ingredient Name CROSPOVIDONE (120 .MU.M) (UNII: 68401960MK)								<b></b>	
HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K)									
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)									
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)									
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)									
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)									
STEARIC ACID (UNII: 4ELV7Z65AP)									
SUCRALOSE (UNII:	96K6UQ32	ZD4)							
		white Score				no score			
Shape		AL (Caplets)		Size Imprint Code			19mm		
Flavor				Imprint Code					
Contains									
Packaging									
# Item Code		Package Description			Mark	eting Start Date		ting End ate	
<b>1</b> NDC:55505-231- 24	24 in 1 C Product	1 CARTON; Type 0: Not a Combination 05/17			05/17/20	24			
Marketing Information									
Marketing Category				graph	Marketing Start M Date			Marketing End Date	
OTC Monograph Dru	ig M012				05/17	/2024			

Labeler - KRAMER LABORATORIES (122720675)

Revised: 6/2024

KRAMER LABORATORIES