

**ANTI-DIARRHEAL- loperamide hcl capsule, liquid filled  
Cardinal Health (Leader) 70000**

-----  
**Drug Facts**

**Active ingredient (in each capsule)**

Loperamide HCl 2 mg

**Purpose**

Anti-diarrheal

**Use**

controls symptoms of diarrhea, including Travelers' Diarrhea

**Warnings**

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

**Heart alert:** Taking more than directed can cause serious heart problems or death

**Do not use**

- if you have bloody or black stool
- in children under 12 years of age

**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease

**Ask a doctor or pharmacist before use if you are**

taking antibiotics.

**When using this product**

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

#### **Other information**

- store at 20°-25°C (68°-77°F), Protect from light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

#### **Inactive ingredients**

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil and purified water

#### **Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

#### **Principal Display Panel**

Loperamide Hydrochloride

Capsules, 2 mg

#### **Anti-Diarrheal**

Controls The Symptoms Of Diarrhea

Suitable for adults and children 12 years and over

SOFTGELS\*

\*(Liquid-filled Capsules)

COMPARE TO IMODIUM® A-D active ingredient\*\*

**THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

\*\*This product is not manufactured or distributed by Johnson & Johnson Consumer, Inc., distributor of Imodium® A-D.

DISTRIBUTED BY CARDINAL HEALTH

DUNLIN, OHIO 43017

www.myleader.com 1-800-200-6313

#### **Product Label**

\*\*This product is not manufactured or distributed by Johnson & Johnson Consumer, Inc., distributor of Imodium® A-D.

<p><b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p>Stop use and ask a doctor if          ■ you get abdominal swelling or bulging. These may be signs of a serious condition.          ■ diarrhea lasts for more than 2 days          ■ symptoms get worse</p>
<p><b>Inactive ingredients</b> butylated hydroxyanisole, edible ink, FD&amp;C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxy 40 hydrogenated castor oil, purified water</p>	<p><b>When using this product</b> tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.</p>
<p><b>Other information</b>          ■ store at 20°-25°C (68°-77°F). Protect from light.          ■ avoid excessive heat above 40°C (104°F)          ■ do not use if carton or blister unit is open or torn          ■ see side panel for lot number and expiration date</p>	<p><b>Ask a doctor before use if you have</b>          ■ fever ■ mucus in the stool ■ a history of liver disease</p>
<p><b>Directions</b>          ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea          ■ not for use in children under 12 years of age          ■ adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours</p>	<p><b>Do not use</b>          ■ if you have bloody or black stool          ■ in children under 12 years of age</p>
<p><b>Drug Facts (continued)</b>          If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p><b>Warnings</b>          Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.          Heart alert: Taking more than directed can cause serious heart problems or death.</p>
<p><b>Use</b> Controls symptoms of diarrhea, including Travelers' Diarrhea.</p>	<p><b>Active ingredient (in each capsule)</b> Loperamide HCl 2 mg.....Anti-diarrheal  <b>Purpose</b> Anti-diarrheal</p>

Loperamide Hydrochloride Capsules, 2 mg

# Anti-Diarrheal



NDC 70000-0230-1

Loperamide Hydrochloride Capsules, 2 mg

# Anti-Diarrheal

Controls the Symptoms of Diarrhea  
 Suitable for Adults and Children

COMPARE TO  
**IMODIUM® A-D**  
 active ingredient\*\*

CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

12 Years and Over

**24 SOFTGELS\***  
 \*(Liquid-Filled Capsules)

**100% Money Back Guarantee**



Actual Size

**THIS PRODUCT IS PACKAGED IN A KEEP OUTER**

Lot No.:  
Exp. Date:

 **CardinalHealth™**  
 DISTRIBUTED BY CARDINAL HEALTH  
 DUBLIN, OHIO 43017  
 www.myleader.com 1-800-200-6313  
**Essential to Care™ since 1979**

CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health.

 **All LEADER™ Brand Products Have A 100% Money Back Guarantee**  
 Return to place of purchase if not satisfied.

**CIN 5320494 REV. 3/17**  
  
 0 96295 13094 2  
 REV # 9/16 PLD-A45J FC003888

**LEADER Anti-Diarrheal**

**ANTI-DIARRHEAL**

loperamide hcl capsule, liquid filled

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0230
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>LOPERAMIDE HYDROCHLORIDE</b> (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL MONOCAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F)	
<b>WATER</b> (UNII: 059QF0K00R)	

**Product Characteristics**

<b>Color</b>	BLUE	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	P13
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0230-1	2 in 1 CARTON	01/31/2017	12/31/2021
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	01/31/2017	12/31/2021

**Labeler** - Cardinal Health (Leader) 70000 (097537435)

Revised: 11/2019

Cardinal Health (Leader) 70000