

**UMCKA FASTACTV BERRY- pelargonium sidoides, aconitum napellus, eucalyptus globulus, bryonia, eupatorium perfoliatum, gelsemium sempervirens, phosphorus, alpha cf powder**  
**ProSolutions Inc**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

**Inactive Ingredient**

**Inactive ingredients** citric acid, ethyl alcohol, lactose monohydrate, malic acid, maltodextrin, natural flavors, silica, xylitol

**Dosage & Administration**

<b>Directions</b> ■ Tear packet open, pour contents into mouth and swallow. For best results, use at first sign of symptoms and continue to use for an additional 48 hours after symptoms cease.	<b>Age</b>	<b>Dose</b>
	<b>Adults &amp; children 12 years of age and older</b>	Take contents of 1 packet 3 times daily.
	<b>Children 6-11 years of age</b>	Take contents of 1 packet 2 times daily.
	<b>Children under 6 years of age</b>	Consult a physician.

**Active Ingredients**

<b>Drug Facts</b>	
<b>Active ingredient (in each packet)</b>	<b>Purpose</b>
Pelargonium sidoides 1X.....	Shortens duration/reduces severity of upper respiratory symptoms
Aconitum napellus 4X, Eucalyptus globulus 2X.....	Pain reliever/fever reducer††
Bryonia 4X, Eupatorium perfoliatum 6X.....	Cough suppressant††
Gelsemium sempervirens 4X, Phosphorus 6X.....	Sneezing/runny nose/sore throat††
Ipecacuanha 3X.....	Nasal decongestant††

**Warnings**

**Warnings**  
**Sore throat warning:** severe or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting, or rash may be serious. Consult a physician promptly.

**Ask a Doctor**

**Ask a doctor before use if you have** a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or is accompanied by excessive phlegm (mucus).

**Keep out of reach of children.**

Keep out of reach of children.

**Overdosage**

If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. In case of overdose, seek medical help or contact a Poison Control Center immediately.

## Indications and Usage

**Uses** ■ Shortens duration and reduces severity of symptoms associated with the common cold and throat/nasal/ bronchial irritations, and temporarily relieves flu symptoms:

■ chills/fever <sup>††</sup>	■ congestion/stuffy nose	■ cough	■ headache <sup>††</sup>
■ hoarseness	■ minor aches/pains <sup>††</sup>	■ sneezing/runny nose	■ sore throat

## Stop Use

Stop use and ask a doctor if ■ new symptoms occur, symptoms worsen or do not get better within 7 days. ■ fever worsens or lasts more than 3 days. ■ cough lasts more than 7 days or occurs with rash or persistent headache. These could be signs of a serious condition.


## Pregnancy or breast feeding

If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. In case of overdose, seek medical help or contact a Poison Control Center immediately.

## Purpose

**Uses** ■ Shortens duration and reduces severity of symptoms associated with the common cold and throat/nasal/ bronchial irritations, and temporarily relieves flu symptoms:

■ chills/fever <sup>††</sup>	■ congestion/stuffy nose	■ cough	■ headache <sup>††</sup>
■ hoarseness	■ minor aches/pains <sup>††</sup>	■ sneezing/runny nose	■ sore throat



## UMCKA FASTACTV BERRY

pelargonium sidoides, aconitum napellus, eucalyptus globulus, bryonia, eupatorium perfoliatum, gelsemium sempervirens, phosphorus, alpha cf powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83102-9349
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EUCALYPTUS GLOBULUS LEAF</b> (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	2 [hp_X]
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_X]
<b>IPECAC</b> (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	3 [hp_X]
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	4 [hp_X]
<b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	6 [hp_X]
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	4 [hp_X]
<b>PELARGONIUM SIDOIDES ROOT</b> (UNII: H6J53HEX8E) (PELARGONIUM SIDOIDES	PELARGONIUM SIDOIDES	1 [hp_X]

ROOT - UNII:H6J53HEX8E)	ROOT	4 [hp_X]
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	4 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MALIC ACID</b> (UNII: 817L1N4CKP)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY (Natural Berry Flavors)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83102-9349-0	10 in 1 CARTON	12/06/2022	12/31/2026
1		1 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2022	12/31/2026

**Labeler** - ProSolutions Inc (070769782)

### Establishment

Name	Address	ID/FEI	Business Operations
ProSolutions Inc		070769782	label(83102-9349) , pack(83102-9349)

### Establishment

Name	Address	ID/FEI	Business Operations
Schwabe North America, Inc.		831153908	manufacture(83102-9349)

