

**MINERAL OIL- mineral oil solution**  
**Safecor Health, LLC**

-----  
**SAFECOR HEALTH**  
**Mineral Oil USP 30 mL Unit Dose**  
**Drug Facts**

**Active Ingredients**

Mineral Oil USP

**Purpose**

Lubricant Laxative

**Use:**

For relief of occasional constipation (irregularity). Generally produces bowel movements in 6 to 8 hours

**WARNINGS:**

**Do not use** \* if you have difficulty swallowing \* in children under 6 years of age \* if you are pregnant \* for a period longer than 1 week \* if you are bedridden or aged.

**Ask a doctor before use if you have** \*abdominal pain, nausea, or vomiting \*noticed a sudden change in bowel habits that persist over a period of 2 weeks.

**Ask a Doctor or Pharmacist before use if you are:** \* presently taking a stool softener \* taking any other drug. Take this product 2 or more hours before or after drugs. Laxatives may affect how other drugs work. Frequent or prolonged use may result in dependence.

**When using this product:** Do not take with meals. Take only at bedtime.

**Stop use and ask a doctor if you have** rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**If breast feeding,** ask a health care professional before use.

**Keep this and all drugs out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. In case of eye contact, flush with water.

<b>Directions:</b> * Do not take with meals. Take only at bedtime. May be taken as a single daily dose or in divided doses.	
Adults and children 12 years of age and over	1 to 3 Tablespoons (15 mL to 45 mL), maximum 3 Tablespoons (45 mL) in 24 hours
Children 6 to under 12 years	1 to 3 teaspoons (5 mL to 15 mL), maximum 3 teaspoons

of age	(15 mL) in 24 hours
Children under 6 years	Do not use. Consult a doctor

**Other information:** Keep tightly closed. Protect from sunlight. For more info call 800-447-1006.

**Inactive ingredients:** Mixed tocopherols (added as a stabilizer)

**NDC: 48433-202-30 Mineral Oil USP 30 mL Unit Dose Cup**

**Mfd. in the U.S.A.**

**Distributed by: Safecor Health, LLC**

4060 Business Park Drive, Columbus, OH 43204

Rev: 05/2019 PN5471

**Principal Display Panel - Lid Label**

Delivers **30 mL**

NDC 48433-202-30

**Mineral Oil USP**

Lubricant Laxative

DO NOT TAKE WITH MEALS

348433202302

Pkg By: Safecor Health, LLC

Columbus, OH 43204

Delivers 30 mL  
NDC 48433-202-30

# Mineral Oil USP

Lubricant Laxative  
**DO NOT TAKE WITH MEALS**



348433202302

Pkg By: Safecor Health, LLC  
Columbus, OH 43204

PN5616.A

## MINERAL OIL

mineral oil solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:48433-202
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	1000 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48433-202-30	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product	10/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M334	10/01/2014	

**Labeler** - Safecor Health, LLC (828269675)

## Establishment

Name	Address	ID/FEI	Business Operations
Safecor Health, LLC		078805287	MANUFACTURE(48433-202)

Revised: 1/2025

Safecor Health, LLC