

ANTIBACTERIAL LIDOCAINE WOUND GEL- benzalkonium chloride, lidocaine hydrochloride gel

Water-Jel Technologies, LLC

Antibacterial Lidocaine Wound Gel

Active ingredients (in each gram)

Benzalkonium Chloride 0.13%

Lidocaine Hydrochloride 2.00%

Purpose

first aid antiseptic

external analgesic

Uses

First aid to help prevent infection in minor cuts, scrapes and burns

For the temporary relief of pain associated with minor burns

Warnings

For external use only

Do not use

in the eyes

over large areas of the body, particularly over raw surfaces or blistered areas

longer than a week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds

animal bites

serious burns

Stop use and ask a doctor if

the condition persists more than 7 days or gets worse

Condition clears up and occurs again within a few days

Keep out of reach of children

In case of accidental ingestion, seek professional assistance or contact a Poison Control

Center immediately.

Directions

clean the affected area

adults and children 2 years of age and older:

apply to affected area not more than 3 to 4 times daily

children under 2 years of age: consult a doctor

may be covered with a sterile bandage

if bandaged, let dry first

Other information

Store at room temperature

Inactive ingredients

caprylyl glycol, chlorphenesin, edetate disodium, glycerin, hydroxyethyl cellulose, phenoxyethanol, polysorbate 20, purified water

Principal Display Panel

194843 REV-01 DIE 40014

Made in the USA with globally sourced materials
 Manufactured for ASO LLC, Sarasota, FL 34240

Antibacterial[†] Lidocaine Wound Gel

Antibacterial[†] gel with pain relief

0.13% Benzalkonium Chloride, 2% Lidocaine Hydrochloride
 First aid antiseptic pain relieving gel

NET WT 1 OZ (28 g)

[†]Contains benzalkonium chloride, an antibacterial ingredient

Drug Facts

Active ingredients (in each gram) Purpose

Benzalkonium Chloride 0.13%first aid antiseptic
 Lidocaine Hydrochloride 2.00%.....external analgesic

Uses

- First aid to help prevent infection in minor cuts, scrapes and burns
- For the temporary relief of pain associated with minor burns

Warnings

For external use only

Do not use in the eyes • over large areas of the body, particularly over raw surfaces or blistered areas • longer than a week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if the condition persists more than 7 days or gets worse • condition clears up and occurs again within a few days

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions • Clean the affected area • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • children under 2 years of age: consult a doctor • may be covered with a sterile bandage • if bandaged, let dry first

Other information • Store at room temperature

Inactive ingredients caprylyl glycol, chlorphenesin, edetate disodium, glycerin, hydroxyethyl cellulose, phenoxyethanol, polysorbate 20, purified water

GRIP HERE

Press cap down & twist cap counter-clockwise to open

GRIP HERE

ANTIBACTERIAL LIDOCAINE WOUND GEL

benzalkonium chloride, lidocaine hydrochloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59898-950
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 mL
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

Product Characteristics

Color	white (Colorless, clear translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-950-01	1 in 1 CARTON	10/28/2019	
1		14 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:59898-950-02	1 in 1 CARTON	10/28/2019	
2		28 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/28/2019	

Labeler - Water-Jel Technologies, LLC (155522589)

Revised: 12/2025

Water-Jel Technologies, LLC