

LOREAL PARIS REVITALIFT DERM INTENSIVES INVISIBLE UV FLUID BROAD SPECTRUM SPF 50 SUNSCREEN- avobenzene, homosalate, octisalate, and octocrylene gel
Beauty Manufacturing Solutions Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LOreal Paris Revitalift Derm Intensives Invisible UV Fluid Broad Spectrum SPF 50 Sunscreen

Avobenzene 3%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

Avobenzene 3%-Sunscreen

Homosalate 15%-Sunscreen

Octisalate 5%-Sunscreen

Octocrylene 10%-Sunscreen

USES

helps prevent sunburn

if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

FLAMMABLE UNTIL DRY.

Do not use near fire, flame, or heat.

on damaged or broken skin

keep out of eyes. Rinse with water to remove.

rash occurs

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

For sunscreen use:

shake well

apply liberally 15 minutes before sun exposure

reapply at least every 2 hours

use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.

wear long-sleeved shirts, pants, hats, and sunglasses

children under 6 months of age: Ask a doctor

OTHER INFORMATION

protect the product in this container from excessive heat and direct sun

water, alcohol denat., glycerin, styrene/acrylates copolymer dimethicone, butyloctyl salicylate, silica, Isononyl Isononanoate, Isopropyl Myristate, Cetearyl Alcohol, Calcium Aluminum Borosilicate, Tocopherol, Adenosine, Phenyl Resorcinol, Trisodium Ethylenediamine Disuccinate, Ascorbyl Glucoside, isocetyl stearate, ammonium acryloyldimethyltaurate/vp copolymer, caprylyl glycol, carbomer, cetearyl glucoside, inulin lauryl carbamate, Lecithin, PEG-20, PEG-8 laurate, pullulan, sclerotium gum, sodium dodecylbenzenesulfonate, Sodium Stearoyl Glutamate, t-Butyl Alcohol, Xanthan Gum, Phenoxyethanol

SHAKE WELL
BEFORE USE



L'ORÉAL
PARIS



NEW
LIGHTWEIGHT
SUNSCREEN

REVITALIFT
DERM INTENSIVES®

BROAD SPECTRUM
SPF 50
+ ANTIOXIDANTS

INVISIBLE UV FLUID

Helps prevent aging signs*
& the look of dark spots

50

FRAGRANCE-FREE

actual size

*when used as directed with
other sun protection measures 1.7 FL. OZ. (50ml)



L'Oréal Paris Revitalift
Invisible UV Fluid SPF 50

3369395

WE'RE HERE
TO HELP!
Call us with questions
or for
personalized
skincare advice.
www.lorealparis.com

L'ORÉAL PARIS
SKINCARE
COMMITMENTS

Every product is
extensively tested
for safety with
a minimum of
400 applications,
under the guidance
of dermatologists.

Every product
benefit is tested
by unbiased
independent
third parties.

VALIDATED IN
PARTNERSHIP WITH
AN ADVISORY PANEL
OF DERMATOLOGISTS
THROUGH:

- Thorough review of test protocols and results
- Comprehensive ingredient screening for efficacy, safety & tolerance

DERMATOLOGIST TESTED
SUITABLE FOR SENSITIVE SKIN.

- ✓ All skin types
- ✓ Non-greasy
- ✓ No white cast on all skin tones



By using a FSC®-certified paperboard for this package, L'ORÉAL-PARIS supports forest management that respects people and nature.

BECAUSE
YOU'RE
WORTH IT™

Drug Facts

Active ingredients	Purpose
Avobenzene 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Flammable until dry. Do not use near fire, flame, or heat.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - shake well
 - apply liberally 15 minutes before sun exposure
 - reapply at least every 2 hours
 - use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients: water, alcohol denat., glycerin, styrene / acrylates copolymer, dimethicone, butyloctyl salicylate, silica, isononyl isononanoate, isopropyl myristate, cetearyl alcohol, calcium aluminum borosilicate, tocopherol, adenosine, phenylethyl resorcinol, triisodium ethylenediamine disuccinate, ascorbyl glucoside, isocetyl stearate, ammonium acryloyldimethylsulfate / VP copolymer, caprylyl glycol, carbomer, cetearyl glucoside, inulin lauryl carbamate, lecithin, PEG-20, PEG-8 laurate, pullulan.

Drug Facts (continued)

sclerolium gum, sodium dodecylbenzenesulfonate, sodium stearyl glutamate, t-butyl alcohol, xanthan gum, phenoxyethanol

FORMULA # 0827724
PAT. PATENTS.L'OREALPARIS.COM

F.L.L. # V2806770

DAILY UVA/UVB PROTECTION,
HELPS PREVENT AGING SIGNS*

Broad spectrum UV fluid with:

UVA/UVB FILTERS

UV filters are a first line of defense against UV induced signs of aging such as discoloration. Our UV fluid has a broad spectrum protection from both UVA (aging) and UVB (burning) rays.

ANTIOXIDANTS

Vitamin C & E help protect against environmental damage caused by free radicals that can accelerate the appearance of aging signs.

INVISIBLE LIGHTWEIGHT TEXTURE

Lightweight & non greasy texture. Blends seamlessly with all skin tones.

*when used as directed with other sun protection measures

VISIBLE RESULTS

Immediately

Skin feels fresh & moisturized. Skin has a glowy finish.

Day after day

Skin looks brighter, tone more even. Fine lines are visibly reduced. Skin looks younger.

APPLICATION

Smooth over face & neck every morning as the last step of your skincare routine. Primes well for makeup.

BLENDS WELL WITH ALL SKIN TONES

Questions or comments?
L'ORÉAL USA, Inc., 10 Hudson Yards,
New York, NY 10001 1-800-322-2036
Made in USA of US and/or Imported Ingredients

← ACTUAL PRODUCT SIZE →

LOREAL PARIS REVITALIFT DERM INTENSIVES INVISIBLE UV FLUID BROAD SPECTRUM SPF 50 SUNSCREEN

avobenzene, homosalate, octisalate, and octocrylene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-099
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	150 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)	
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)	
ADENOSINE (UNII: K72T3FS567)	
ALCOHOL (UNII: 3K9958V90M)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
BETASIZOFIRAN (UNII: 2X51AD1X3T)	
PULLULAN (UNII: 8ZQ0AYU1TT)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
PHENYLETHYL RESORCINOL (UNII: G37UFG162O)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
INULIN LAURYL CARBAMATE (UNII: 48RFF58ESG)	
ISOCETYL ISOSTEARATE (UNII: UQP66X2A3X)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-099-01	1 in 1 CARTON	09/30/2022	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/30/2022	

Labeler - Beauty Manufacturing Solutions Corp. (783200723)

Registrant - Beauty Manufacturing Solutions Corp. (783200723)

Establishment

Name	Address	ID/FEI	Business Operations
Beauty Manufacturing Solutions Corp.		783200723	manufacture(11090-099)

Revised: 12/2022

Beauty Manufacturing Solutions Corp.