

HISTAMINE DIHYDROCHLORIDE- histamine dihydrochloride cream
USA Hemp Store LLC

Broadway Joe's Pain Cream .5 oz

Broadway Joe's Pain Cream

Histamine dihydrochloride

Braodway Joe's Pain Cream

Water, Glyceryl Stearate, Caprylic/Capric, Triglyceride, Cetyl Alcohol, Butylene Glycol, Cannabidiol, Cetearyl 2- thylhexanoate, Sodium Hyaluronate, Glycerin, Tapioca Starch, Polymethylsilsesquioxane, Stearic Acid, Cannabis Sativa (Hemp) Seed Oil, 3-glyceryl Ascorbate (Vitamin C), Isonononyl Isononanoate, Tocopheryl Acetate (Vitamin E), Dimethicone, Polysorbate 80, Carbomer, Sodium Hydroxide, Caprylyl Glycol, Phenoxyethanol, Hexylene Glycol

Broadway Joe's Pain Cream

- For use by adults and children over 13 yrs old.
- Gently massage the product on to clean dry skin as needed.
- For topical use only, do not ingest.
- Provides temporary relief from aches and pains associated with simple backaches, strains, sprains, arthritis, bruises.
- Apply a thin layer to pain site and massage until thoroughly absorbed into skin.

Broadway Joe's Pain Cream

Topical Analgesic

Broadway Joe's Pain Cream

Store between 40 degrees F and 86 degrees F (4 degrees C and 30 degrees C).

Broadway Joe's Pain Cream

Warnings · For external use only.

Do not use on open wounds or damaged skin or with a heating pad.

When using this product · avoid contact with eyes or mucous membranes. If product contacts your eyes, rinse thoroughly with water. Do not bandage tightly. · Do not use with other ointments, creams, or sprays.

Stop use and ask a doctor if you experience redness or excessive skin irritation

over the affected area. · If the condition worsens, or symptoms persist for more than 7 days please consult a Dr.

Keep out of reach of children. If swallowed, seek medical help, or contact a Poison Control Center immediately.

If pregnant or breast feeding, ask a health professional before use.

Broadway Joe's Pain Cream

Stop use and ask a doctor if you experience redness or excessive skin irritation over the affected area. · If the condition worsens, or symptoms persist for more than 7 days, please consult a Dr.

Broadway Joe's Pain Cream

Side label and Drug Fact

Broadway Joe's Pain Cream

Keep out of reach of children. If swallowed, seek medical help or contact a poison control center immediately.

Broadway Joe's Pain Cream



Drug Facts

Active Ingredient
Histamine Dihydrochloride 0.025%, Topical
Analgesic

Uses for temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains, bruises, and sprains.

Directions
· For use by adults and children over 12 years old.
· Gently massage the product on to clean dry skin as needed. For topical use only, do not ingest.

Warnings For external use only. Do not use on open wounds or damaged skin or with a heating pad.

When using this product - avoid contact with eyes or mucous membranes. If product contacts your eyes, rinse thoroughly with water. - Do not bandage tightly. - Do not use with other ointments, creams, or sprays.

Stop use and ask a doctor - if you experience redness or excessive skin irritation over the affected area if the condition worsens, or...

... symptoms persist for more than 7 days, please consult a doctor.

Keep out of reach of children. If swallowed, seek medical help, or contact a Poison Control Center immediately.

If pregnant or breast feeding, ask a health professional before use.

Other Information
· Store between 40 degrees F and 86 degrees F (4 degrees C and 30 degrees C).

Other Ingredients
Water, Glycerin Stearate, Caprylic/ Capric Triglyceride, Cetyl Alcohol, Butylene Glycol, Cannabidiol, Cetearyl 2-Ethylhexanoate, Sodium Hyaluronate, Glycerin, Tapioca Starch, Polyethylsilsesquioxane, Stearic Acid, Cannabis Sativa (Hemp) Seed Oil, 3-glycerinl Ascorbate (Vitamin C), Isorononyl Isconon- anoate, Tocopheryl Acetate (Vitamin E), Dimethicone, Polysorbate 80, Carbomer, Sodium Hydroxide, Caprylyl Glycol, Phenoxethanol, Hexylene Glycol

HISTAMINE DIHYDROCHLORIDE

histamine dihydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83088-8120
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	0.00025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
CANNABIDIOL (UNII: 19GBJ60SN5)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
HYALURONIC ACID (UNII: S270N0TRQY)	
3-GLYCERYL ASCORBATE (UNII: 3R1Q5X5GGO)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
CAPRYLIC/CAPRIC ACID (UNII: DI775RT244)	
ETHYL ACRYLATE/METHACRYLIC ACID/STEARETH-20 METHACRYLATE COPOLYMER (UNII: EPA1872R1N)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL DICAPRATE (UNII: 3Z317CA098)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
TOCOPHERYL RETINOATE (UNII: 0VN694NBMM)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
CANNABIS SATIVA SEED OIL (UNII: 69VJ1LPN1S)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Product Characteristics

Color	white (Cream)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83088-8120-8	14.8 mL in 1 JAR; Type 0: Not a Combination Product	02/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/01/2023	

Labeler - USA Hemp Store LLC (036959608)

Registrant - Lexia LLC (050186540)

Establishment

Name	Address	ID/FEI	Business Operations
Lexia LLC		015552120	manufacture(83088-8120)

Revised: 12/2024

USA Hemp Store LLC