

**MEIJER ANTIBIOTIC PLUS PAIN RELIEF- neomycin sulfate, polymyxin b sulfate, and pramoxine hci cream**

**Meijer, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Meijer Antibiotic Plus Pain Relief Cream 0.5 oz NBE Neosporin**

**Active ingredients**

**Purpose**

Neomycin Sulfate 3.5 mg.....	First aid antibiotic
Polymyxin B Sulfate 10,000 units.....	First aid antibiotic
Pramoxine HCI 10 mg.....	External analgesic

**Uses**

first aid to help prevent infection and temporary relief of pain or discomfort in minor

- cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use:**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 2 years of age and older:
- clean affected area
- apply a small amount (equal to surface area of tip of a finger) on area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information**

- store at 20° to 25°C (68° to 77°F)

- Lot No. & Exp. Date: see box or see crimp of tube

**Inactive ingredients**

emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, propylparaben, purified water, white petrolatum

DISTRIBUTED BY:

MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

[www.meijer.com](http://www.meijer.com)

MADE IN KOREA

meijer

Compare to Neosporin® + Pain Relief Cream active ingredients\*

# Antibiotic Cream

Neomycin Sulfate · Polymyxin B Sulfate · Pramoxine HCl

First Aid Antibiotic + Pain Relief

Relieves painful cuts, scrapes, and burns

meijer

Maximum Strength

# Antibiotic Cream

Neomycin Sulfate · Polymyxin B Sulfate · Pramoxine HCl

NET WT  
0.5 OZ (14 g)

First Aid Antibiotic + Pain Relief

meijer Antibiotic Cream  
Neomycin Sulfate · Polymyxin B Sulfate · Pramoxine HCl



DIST. BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com  
Made in Korea

\*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Neosporin®.

LOT & EXP.

<b>Questions or comments?</b> 1-800-814-8028
<b>Inactive ingredients</b> emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, propylparaben, purified water, white petrolatum
<b>Other information</b> ■ store at 20° to 25°C (68° to 77°F) ■ Lot No. & Exp. Date: see box or see crimp of tube ■ children under 2 years of age: ask a doctor ■ may be covered with a sterile bandage ■ apply a small amount (equal to surface area of tip of a finger) on area 1 to 3 times daily ■ clean affected area ■ adults and children 2 years of age and older:
<b>Directions</b>
<b>Keep out of the reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. <b>Stop use and ask a doctor if</b> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ symptoms persist for more than 1 week, or clear up and occur again within a few days ■ rash or other allergic reaction develops <b>Ask a doctor before use if you have</b> ■ deep or puncture wounds ■ animal bites ■ serious burns <b>Do not use:</b> ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body For external use only.
<b>Warnings</b>
<b>Uses</b> first aid to help prevent infection and temporary relief of pain or discomfort in minor ■ cuts ■ scrapes ■ burns
<b>Drug Facts</b>
<b>Active ingredients</b> Neomycin Sulfate 3.5 mg ..... Polymyxin B Sulfate 10,000 units..... Pramoxine HCl 10 mg .....
<b>Purpose</b> First aid antibiotic External analgesic

## MEIJER ANTIBIOTIC PLUS PAIN RELIEF

neomycin sulfate, polymyxin b sulfate, and pramoxine hci cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-943
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLOXAMER 188 (UNII: LQA7B6G8JG)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-943-14	1 in 1 CARTON	01/19/2015	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part347	01/19/2015	

**Labeler** - Meijer, Inc. (006959555)

Revised: 12/2017

Meijer, Inc.