4 KIDS COMPLETE COLD AND MUCUS- bryonia alba root, euphrasia stricta, calcium sulfide, sodium chloride, phosphorus, anemone pulsatilla, rumex crispus root, and silicon dioxide liquid Hyland's

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hyland's 4 Kids Cold 'n Mucus Daytime

Drug Facts

Active ingredients	Purpose
Bryonia 6X HPUS	stubborn mucus in throat, cough with yellowish mucus
Euphrasia Officinalis 6X HPUS	cough with mucus in chest
Hepar Sulph Calc 12X HPUS	cough up mucus, mucus rattle with cough, stubborn mucus in chest
Natrum Muriaticum 30X HPUS	Saccumulation of mucus in throat, cough up mucus
Phosphorus 30X HPUS	cough with expectoration of yellow mucus, chest congestion
Pulsatilla 6X HPUS	accumulation of mucus, discharge of thick yellowish mucus, loose cough
Rumex Crispus 6X HPUS	runny nose, sneezing
Silicea 12X HPUS	nasal congestion

"HPUS" indicates the active ingredients are in the official Homeopathic Pharmacopæia of the United States.

Uses

Temporarily relieves symptoms of colds, including accumulation of mucus in chest, throat and nose; cough with expectoration of thick, discolored mucus; runny nose, sneezing and nasal congestion.

Warnings

As with any drug, ask a doctor before use if pregnant or breast-feeding

Consult a physician if:

- Symptoms persist for more than 7 days or worsen
- infalmation, fever or infection develops.
- symptoms are accompanied by a high fever (over 101°F).
- Cough tends to recur or is accompanied by a high fever, rash or persistent headache.

Keep this and all medications out of the reach of children. In case of accidental overdose, contact a medical professional or a poison control center immediately.

Do not use this product for persistent or chronic cough such as asthma, smoking or emphysema or if cough is accompanied by excessive mucus, unless directed by a licensed health care professional.

A persistent cough may be a sign of a serious condition.

Sore throat warning: Severe or persistent sore throat or sore accompanied by high fever, headache, nausea and vomitting me ay be serious. Consult a doctor promptly.

Do not use if imprinted tamper-evident bottle band is broken or missing.

In case of emergency, contact a medical professional or poison control center immediately. Hyland's may also be contacted for emergency information about our products 24 hours a day, 7 days per week at (800) 624-9659.

Drug Facts (continued)

Directions

- Measure only with the dosing cup provided
- Do not use dosing cup with other products
- On dosing cup, mL = milliliter, tsp = teaspoon

children 2 years to under 6 years5 mL or 1 teaspoon up to 6 times per day (every 4 hours)children 6 years to under 12 years10 mL or 2 teaspoons up to 6 times per day (every 4 hours)adults and children 12 years and over15 mL or 3 teaspoons up to 6 times per day (every 4 hours)

Inactive ingredients

Citric Acid,Glycerine,Glycyrrhiza Extract, Purified Water, Sodium Benzoate.

Questions or comments?

(800) 624-9659

Temporarily relieves symptoms of colds, including accumulation of mucus in chest, throat and nose; cough with expectoration of thick, discolored mucus; runny nose, sneezing and nasal congestion.

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

NDC 54973-3179-1

HOMEOPATHIC

Ages 2-12

Natural Relief

SINCE 1903 *Hyland's*[®] 4 Kids

Cold 'n Mucus *

DAYTIME

Loosens mucus in chest, throat and nose

Mucus & Congestion

Runny Nose

Cough

ALCOHOL FREE SUGAR FREE **DYE FREE**

4 FL. OZ. (118 mL)



ALCOHOL FREE SUGAR FREE DYE FREE

4 FL, OZ, (118 mL)

Drug Facts Active ingredients Purpose **Uses** Temporarily relieves symptoms of colds, including accumulation of mucus in chest, throat and nose: cough with expectoration of thick, discolored mucus; runny nose, sneezing and nasal congestion. Warnings As with any drug, ask a doctor before use if pregnant or breast-feeding. Consult a physician if: symptoms persist for more than 7 days or worsen. inflammation, fever or infection develops. symptoms are accompanied by a high fever (over 101°F). cough tends to recur or is accompanied by a high fever, rash or persistent headache. Keen this and all medications out of the reach of children. In case of accidental overdose, contact a medical professional or Poison Control Center immediately. Do not use this product for persistent or chronic cough such as asthma, smoking or emphysema or if cough is accompanied by excessive mucus, unless directed by a icensed health care professional. A persistent cough may be a sign of a serious condition. Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly.

Do not use if imprinted tamper-evident bottle band is roken or missing. The inner packaged bottle is child-resistant. In case of emergency, contact a medical professional or Poison Control Center immediately, Hyland's may

also be contacted for emergency information about our products 24 hours a day, 7 days per week at (800) 624-9659





*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.



provides natural relief to help children with symptoms of colds, including accumulation of mucus in chest, throat and nose, runny nose, sneezing, and nasal congestion.

Our formulas are safe and always:

Made with natural active ingredients

Free of artificial colors and flavors

Free of stimulant side effects

Manufactured for: Hyland's, Inc. Los Angeles, CA 90061 (800) 624-9659 www.hylands.com

Rev. 004

4 KIDS COMPLETE COLD AND MUCUS

bryonia alba root, euphrasia stricta, calcium sulfide, sodium chloride, phosphorus, anemone pulsatilla, rumex crispus root, and silicon dioxide liquid

Product Type		HUMAN OTC DRUG	Item Code (Sou	irce) NE	DC:54973-3179	
Route of Adminis	tration	ORAL				
Active Ingredi	ent/Active Mo	iety				
	-	redient Name		Basis of Streng	gth Strength	
BRYONIA ALBA ROOT (UNII: T7J046 YI2B) (BRYONIA ALBA ROOT - UNII:T7J046 YI2B)				BRYONIA ALBA R	OOT 6 [hp_X] in 1 n	
EUPHRASIA STRICTA (UNII: C9642191WL) (EUPHRASIA STRICTA - UNII:C9642191WL)				EUPHRASIA STRIC	TA 6 [hp_X] in 1 n	
CALCIUM SULFID	E (UNII: 1MBW07J5	51Q) (CALCIUM SULFIDE - UNI	I:1MBW07J51Q)	CALCIUM SULFIDI	E 12 [hp_X] in 1 mL	
O DIUM CHLO RII	DE (UNII: 451W47IQ	8X) (CHLORIDE ION - UNII:Q3	2ZN48698)	SODIUM CHLORID	E 30 [hp_X] in 1 mL	
PHOSPHORUS (UN	NII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75	U4W)	PHO S PHO RUS	30 [hp_X] in 1 mL	
ANEMONE PULSA JNII:I76KB35JEV)	TILLA (UNII: 176K	B35JEV) (ANEMONE PULSATI	LLA -	ANEMONE PULSATILLA	6 [hp_X] in 1 r	
RUMEX CRISPUS I UNII:9N1RM2S62C)	,	M2S62C) (RUMEX CRISPUS RC)OT -	RUMEX CRISPUS ROOT	6 [hp_X] in 1 m	
ILICON DIO XIDE	C (UNII: ETJ7Z6XBU	J4) (SILICON DIOXIDE - UNII:E	TJ7Z6XBU4)	SILICON DIOXIDE	12 [hp_X] in 1 mL	
nactivo Ingra	liants					
nactive Ingree	lients	Ingredient Name			Strength	
CITRIC ACID MON	IO HYDRATE (UNI	(: 2968PHW8QP)			Strength	
CITRIC ACID MON GLYCYRRHIZA GI	IOHYDRATE (UNI L ABRA (UNII: 2788	(: 2968PHW8QP)			Strength	
CITRIC ACID MON GLYCYRRHIZA GI WATER (UNII: 059)	I OHYDRATE (UNI L ABRA (UNII: 2788 QF0KO0R)	I: 2968PHW8QP) 8Z9758H)			Strength	
Inactive Ingred CITRIC ACID MON GLYCYRRHIZA GI WATER (UNII: 0590 SO DIUM BENZO A GLYCERIN (UNII: F	IOHYDRATE (UNI L ABRA (UNII: 2788 QF0KO0R) TE (UNII: OJ245FE	I: 2968PHW8QP) 8Z9758H)			Strength	
CITRIC ACID MON GLYCYRRHIZA GI WATER (UNII: 0590 GODIUM BENZOA	IOHYDRATE (UNI L ABRA (UNII: 2788 QF0KO0R) TE (UNII: OJ245FE	I: 2968PHW8QP) 8Z9758H)			Strength	
CITRIC ACID MON GLYCYRRHIZA GI VATER (UNII: 059 O DIUM BENZO A GLYCERIN (UNII: F Packaging	IOHYDRATE (UNI L ABRA (UNII: 2788 QF0KO0R) TE (UNII: OJ245FE	I: 2968PHW8QP) 8Z9758H)		Marketing Start Date		
CITRIC ACID MON GLYCYRRHIZA GI VATER (UNII: 0590 GODIUM BENZOA GLYCERIN (UNII: F Packaging I tem Code	IOHYDRATE (UNI L ABRA (UNII: 2788 QF0KO0R) TE (UNII: OJ245FE	E: 2968PHW8QP) 829758H) 5EU)		-	Marketing End	
CITRIC ACID MON GLYCYRRHIZA GI VATER (UNII: 0596 O DIUM BENZO A GLYCERIN (UNII: F Packaging Item Code NDC:54973- 3179-1	O HYDRATE (UNI L ABRA (UNI: 2788 QF0KO0R) TE (UNI: OJ245FE PDC6A3C0OX)	E: 2968PHW8QP) 829758H) 5EU)	07/	Date	Marketing End	
CITRIC ACID MON GLYCYRRHIZA GI WATER (UNII: 0590 GODIUM BENZOA GLYCERIN (UNII: F Packaging Item Code NDC:54973- 3179-1	IO HYDRATE (UNI LABRA (UNI: 2788 QF0KO0R) TE (UNI: OJ245FE PDC6A3C0OX) 1 in 1 CARTON 118 mL in 1 BOTT	E 2968PHW8QP) BZ9758H) 5EU) Package Description	o mbinatio n	Date	Marketing End	
CITRIC ACID MON GLYCYRRHIZA GI WATER (UNII: 0590 ODIUM BENZOA GLYCERIN (UNII: F Packaging Item Code NDC:54973- 3179-1	AD HYDRATE (UNI LABRA (UNI: 2788 QF0KO0R) TE (UNII: OJ245FE PDC6A3C0OX) 1 in 1 CARTON 118 mL in 1 BOTT Product 1 in 1 CARTON	E 2968PHW8QP) BZ9758H) 5EU) Package Description	o mbinatio n 10/	Date 0 1/20 14	Marketing End	
CITRIC ACID MON GLYCYRRHIZA GI WATER (UNII: 0590 GODIUM BENZOA GLYCERIN (UNII: F Packaging I tem Code NDC:54973- 3179-1	AD HYDRATE (UNI LABRA (UNI: 2788 QF0KO0R) TE (UNII: OJ245FE PDC6A3C0OX) 1 in 1 CARTON 118 mL in 1 BOTT Product 1 in 1 CARTON 19.8 mL in 1 BOT	: 2968PHW8QP) 3Z9758H) 5EU) Package Description	ombination 10/ Combination	Date 0 1/20 14	Marketing End	

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		07/01/2014				

Labeler - Hyland's (028570695)

Establishment					
Name	Address	ID/FEI	Business Operations		
Standard Homeopathic Company		008316655	manufacture(54973-3179), pack(54973-3179)		

Establishment

Name	Address	ID/FEI	Business Operations
Nexgen Pharma, Inc.		079424083	manufacture(54973-3179), pack(54973-3179)

Establishment

Name	Address	ID/FEI	Business Operations
Applied Laboratories, Inc.		117337220	pack(54973-3179)

Revised: 6/2019

Hyland's