OBAGI NU-DERM SYSTEM NORMAL-OILY SKIN TRANSFORMATIONhydroquinone, titanium dioxide, zinc oxide Obagi Cosmeceuticals LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Obagi Nu-Derm[®] System Normal-Oily Skin Transformation Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6.2%	Sunscreen
Zinc Oxide 15.6%	Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- store at controlled room temperature: 15°C-25°C (59°F-77°F)
- protect this product from excessive heat and direct sun

Inactive ingredients

aqua/water/eau, caprylic/capric triglyceride, dicaprylyl carbonate, pentylene glycol, steareth-2, glycerin, silica, polyhydroxystearic acid, steareth-21, cetearyl alcohol, propanediol, alumina, stearic acid, sodium stearoyl glutamate, caprylyl glycol, triethoxycaprylylsilane, cetearyl glucoslde, xanthan gum, dipotassium glycyrrhizate,trisodium ethylenediamine disuccinate, caprylhydroxamic acid, tropaeolum majus flower/leaf/stem extract.

Questions or comments?

1.800.636.7546 Monday-Friday 9 a.m.-4 p.m. PST

Distributed by Obagi Cosmeceuticals LLC, Long Beach, CA 90806.

PRINCIPAL DISPLAY PANEL - Kit Carton

OBAGI[®] MEDICAL

OBAGI NU-DERM® SYSTEM

Addresses signs of skin aging, gently exfoliates to promote cell turnover and suppresses melanocyte activity to reduce hyperpigmentaion.

NORMAL OILY

Skin Transformation Kit



OBAGI NU-DERM® SYSTEM

Addresses signs of skin aging, gently exfoliates to promote cell turnover and suppresses melanocyte activity to reduce hyperpigmentaion.



NORMAL OILY
Skin Transformation Kit

Sun Shield Mineral Broad Spectrum SPF 50 Sunscreen Lotion | Netwt. 3 oz. (85 g)

Drug Facts

Artino in mediante

 Active ingredients
 Purpose

 Titanium Dioxide 6.2%
 Sunscreen

 Zinc Oxide 15.6%
 Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse wit water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SFP value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
 wear long-sleeved shirts, pants, hats, and
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Other information

- store at controlled room temperature: 15°C-25°C (59°F-77°F)
- protect this product from excessive heat and direct sun

Inactive ingredients

aqua/water/eau, caprylic/capric triglyceride, dicaprylyl carborate, pertylene glycol, steareth-2, glycerin, silica, polyrydroxystearic acid, steareth-21, cetearyl alcohol, propanediol, alumina, stearic acid, sodium stearoyl glutzmate, caprylyl glycol, triethoxycaprylylsilane, cetearyl glucoside, xanthan gum, dipotassium glycyrrhizate, trisodium ethylenediamine disuccinate, caprylhydroxamic acid, tropaeolum majus flower/leaf/stem extract.

Questions or comments?

1.800.636.7546 Monday-Friday 9 a.m.-4 p.m. PST

Foaming Gel | AM+PM

Agel-based facial cleanser that transforms into a light and airy foam for a gentle daily cleansing experience. Formulated specially for normal to oily skin, the Obagi Nu-Derm* Foaming Gel is designed to cleanse pores and remove makeup, dirt, and excess oil, leaving your skin feeling completely clean and ready for the next step of your skin care regimen.

Toner | AM+PM

A toner formulated with Witch Hazel and Aloe Vera, effectively removes impurities and hydrates skin, to reveal a fresher-looking complexion. Primes skin for the next step in your skincare routine.

Clear (Skin Bleaching and Corrector Cream) | AM+PM

Hydroquinone USP, 4% Rx Only, NDC 62032-101-36

Dark spots may appear on the surface of your skin, but they actually start deep within the skin's layers. This effective formula absorbs into the layers of your skin to deliver prescription-strength hydroquinone, helping to correct dark spots for a healthier-looking, more even complexion.

Exfoderm® Forte (Exfoliation Enhancer) | AM

A light weight lotion that exfoliates the top layer of skin, removing dull, old skin while revealing new skin for a brighter complexion. Specifically developed for normal to oily skin that may need more exfoliation, this formula contains alpha-hydroxy acids (glycolic acid, lactic acid) to help smooth roughness and reveal your skin's radiance.

Blender" (Skin Lightener and Blending Cream) | PM

Hydroquinone USP, 4% Rx Only, NDC 62032-100-36

Aunique formula containing prescription-strength hydroquinone for the gradual lightening of sun spots or age spots and other types of hyperpigmentation (discoloration). Specially formulated to optimize the delivery of producting redients in the Obagi Nu-Derm* System, this skin lightener helps reduce signs of aging by correcting

Obagi Hydrate* (Facial Moisturizer) | AM+PM

A light weight facial moisturizer formulated with Tara Seed Extract, clinically proven to improve skin's moisture, and naturally derived ingredients, such as Shea Butter and Mango Seed Butter, to further combat dryness. For long-lasting hydration and smoother-looking skin. Suitable for all skin types.

Sun Shield Mineral Broad Spectrum SPF 50 Sunscreen Lotion | AM

An elegant daily sunscreen that protects from UVA and UVB rays with a 100% mineral blend of zinc oxide and titanium dioxide, and provides a light weight satin finish. This high protection physical sunscreen is also formulated with Nasturtium flower extract to help defend against blue and visible light. Formulated for all skin types, including sensitive skin.

Foaming Gel | 6.7 fl. oz. (200 mL)

Directions: Use twice daily, in the morning and evening. Apply to damp face and neck with moistened finger tips. Rinsecompletely.

Ingredients: agua/water/eau. sodium laureth sulfate, sodium laurovloat amino acids, cocamidorpos), sottama estada estada acida anticolorida, anticolorida, anticolorida, aloe barbadensis leaf juice, borago officinalis extract, medicago sativa (alfalfa) extract, chamomilla recutita (matricaria) flower extract, glycerin, saponins, phenoxyethanol, fragrance (parfum), ethylhexy (glycerin, xanthangum, red 33 (Cl 17200), yellow 5 (Cl 19140), amyl cinnamal, benzyl salicylate, limonene, linalool.



Toner | 6.7fl.oz.(200mL)

Directions: After cleansing, apply toner onto face and neck with a cotton ball. Ingredients: aqua/water/eau, hamamelis virginiana (witch hazel) water, aloe barbadensis leafjuice, tocopherol, borago officinalis extract, salvia officinalis (sage) leaf extract, calendula officinalis flower extract, allantoin, panthenol, glycerin, saponins, sodium PCA, phenoxyethanol, potassium alum, polysor bate 80, ethylhexylglycerin, fragrance (par fum), citricacid, benzoicacid, sodium benzoate, potassium sorbate, blue 1 (Cl 42090), alpha-isomethyl-ionone, amylcinnamal, benzylsalicylate, hydroxycitronellal, ne, linalool, linalylacetate.



Exfoderm® Forte (Exfoliation Enhancer) | Netwt.2oz (57g)

Directions: Usedaily, in the morning. Squeeze a small amount (approximately 1-2 pea-size drops) onto your hands. Using your fingertips, apply evenly to the entire face. Massage until completely absorbed.

Sunburn Alert: This product contains an alpha hydroxy acid (AHA) that may increase your skin's sensitivity to the sunand particularly the possibility of sunburn. Use a sunscreen, wear protective lothing, and limit sun exposure while using this product and for a week afterwards.

Ingredients: aqua/water/eau, glycerin, cetearyl alcohol, glycolic acid, caprylic/capric triglyceride, lactic acid, cetylalcohol, oleaeuropaea(olive) fruitoil, sodiumhydroxide, polysorbate 60, stearyl alcohol, palmitic acid, saponins, dimethicone, myristic acid, stearic acid, ethylhecylglycerin, phenoxyethanol, tocopherol.



PRECAUTIONS For external use only. Avoid getting into eyes. If product gets into eyes, rinse withwater to remove. Keep out of reach of children.

STORAGE Store at room temperature: 15°-25°C (59°-77°F). Keep outofdirectsunlight

Obagi Hydrate® (Facial Moisturizer) | Netwt. 1.7 oz. (48g)

Directions: Apply to face in the morning and evening or as needed Ingredients: aqua/water/eau, glycerin, caprylic/capric triglyceride, butyrospermumparkii (shea) butter, cyclopentasilozane, glycer yl stearate, cetylalcohol, dimethicone, saccharide Isomerate, polysilicone-11, glycine soja (soybean) sterols, perseagratissima (avocado) oli, stearicacid, tetrahydrodiferuloylmethane, mangifera indica (mango) seed butter, hydroly aed caesalpinia spinosa gum, caesalpinia spinosa gum, hydroly zed soybe an fiber, panthenol, tocopherol, allantoin, bisabolol, sodium stearoyl glutamate, laureth-12, phenoxyethanol, ethylhexylglycerin, hexylene glycol, caprylyl glycol, carbomer, sodium hydroxide.



Clear (Skin Bleaching and Corrector Cream) | Netwt. 2 oz. (57 g) Hydroquinone USP, 4% Rxxonly NDC 62032-101-36

Indications and usage: The gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentigines, and other unwantedareas of melanin hyperpigmentation.

unwantedare as of metaninty perpigmentation.

Dosage and administration: Use daily in the morning and evening, Squeeze a small amount (approximately 1-2 pea-size amounts) onto your hand. Apply evenly to the entire face, extending to the hair life, over the ears, and ending with a feathering motion, or as directed by your physician. I fro improvement is seen after three (3) months of treatment, use of this product should be discontinued. Sunexposure should be limited by using a sunscreen agent or protect tive dothing to over bleeched skinwhen using and after using this product in order to prevent darkening from reoccurring.

Warnings: Avoid contact with eyes, nose, mouth, and lips. In case of accidental contact, patient should rinse thoroughly with water and contact a physician. Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.

Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions including anaphylactic symptoms and life-threatening or less severe asthmatic episodes in certain susceptible people. The overall prevalence of sulfite sensitivity in the general population is unknown and probably low. Sulfite sensitivity is seen more frequently in asthmatic than in

Each gram of Obagi Nu-Derm Clear contains

Active ingredient: Hydroquinone USP, 4% (40 mg/g)

Inactive ingredients: aqua/water/eau, cetyl alcohol, glycerin, sodium lauryl sulfate, stearyl alcohol, lactic acid, tocopheryl acetate, ascorbic acid, sodium metabisulfite, disodium EDTA, methylparaben, BHT, propylparaben, saponins, butylparaben

See enclosed Package Insert for prescribing information

RxONLY. FOR EXTERNAL USE ONLY.

Blender* (Skin Lightener and Blending Cream) | Net wt. 2oz (57g) Hydroquinone USP, 49% Rxonly NDC 62032-100-36

Indications and usage: The gradual bleaching of hyperpigments conditions such as chloasma, melasma, freddles, senile lentigines, and other unwantedareas of melanin hyperpigmentation.

unwanted areas of melanin hyperpigmentation.

Dosage and administration: Use daily, in the evening. Squeeze a small amount (approximately 1-2 pea-size drops) onto your hand. Apply evenly to the entire face, or as directed by your skin care physician. If no improvement is seen after three (3) months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent or protective clothing to cover bleached skin when using and after using this product horder to prevent darkening from reoccurring.

Warnings: Avoid contact with eyes, nose, mouth, and lips. In case of accidental contact, patient should rinse throughly with water and contact a physician. Sunscreen use Is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.

Contains so clium metablishifts a sulfite that may cause alleroic type.

Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions including anaphylactic symptoms and life-threatening or less severe as thmatic episodes in certain susceptible people. The overall prevalence of sulfite sensitivity in the general population is unknown and probably low. Sulfite sensitivity is seen more from quently in asthmatic than in

Fachgram of Ohagi Nu-Derm Blender contains: Active ingredient: Hydroguinone USP, 4% (40 mg/g)

That the Ingredients: aqua/water/eau, glycerin, cetylalcohol, PPG-2 myristyl ether propionate, sodiumlaurylsulfate, TEA-salicylate, lacticacid, phenyl trimethicone, to copheryl acetates, sodiumnetabisulfite, ascorbic acid, methylparaben, disodium EDTA, propylparaben, saponins, BHT.

See enclosed Package Insert for prescribing information.

Rx ONLY, FOR EXTERNAL USE ONLY.

OUESTIONS OR COMMENTS? 1,800,636,7546

Distributed by Obagi Cosmeceuticals LLC. LongBeach, CA 90806.www.obagl.com ©2025 Obagi Cosmeceuticals LLC.

Made in USA with US and imported components. 854810222-2



OBAGI NU-DERM SYSTEM NORMAL-OILY SKIN TRANSFORMATION

hydroquinone, titanium dioxide, zinc oxide kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62032-919

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:62032-919-01	1 in 1 BAG	06/25/2025				

Quant	Quantity of Parts					
Part #	Package Quantity	Total Product Quantity				
Part 1	1 BOTTLE, PLASTIC	57 g				
Part 2	1 BOTTLE, PLASTIC	198 mL				
Part 3	1 BOTTLE, PLASTIC	198 mL				
Part 4	1 BOTTLE, PLASTIC	57 g				
Part 5	1 BOTTLE, PLASTIC	48 g				
Part 6	1 BOTTLE, PLASTIC	57 g				
Part 7	1 TUBE	85 g				

Part 1 of 7

OBAGI NU-DERM EXFODERM FORTE

other skin care preparations, leave-on [skin care preparations (creams, lotions, powder, and sprays)] lotion

Product Information

Route of Administration TOPICAL

Ingredient Kind	Ingredient Name	Quantity
_		Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y10)	
INGR	METHYLPARABEN (UNII: A2I8C7HI9T)	
INGR	PROPYLPARABEN (UNII: Z8IX2SC10H)	
INGR	POLYSORBATE 60 (UNII: CAL22UVI4M)	
INGR	TROLAMINE (UNII: 903K93S3TK)	
INGR	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
INGR	CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
INGR	EMU OIL (UNII: 344821WD61)	
INGR	STEARIC ACID (UNII: 4ELV7Z65AP)	
INGR	STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
INGR	GLYCOLIC ACID (UNII: 0WT12SX38S)	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1		57 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Marketing End Date				
COSMETIC		01/01/1988			

Part 2 of 7

OBAGI NU-DERM FOAMING

cleansing (cold creams, cleansing lotions, liquids, and pads) [skin care preparations (creams, lotions, powder, and sprays)] gel

Product Information

Route of Administration TOPICAL

Other Ingredients			
Ingredient Kind	Ingredient Name	Quantity	
INGR	WATER (UNII: 059QF0KO0R)		
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)		
INGR	METHYLPARABEN (UNII: A2I8C7HI9T)		
INGR	PROPYLPARABEN (UNII: Z8IX2SC1OH)		
INGR	BUTYLPARABEN (UNII: 3QPI1U3FV8)		
INGR	ETHYLPARABEN (UNII: 14255EXE39)		
INGR	ISOBUTYLPARABEN (UNII: 0QQJ25X58G)		
INGR	FD&C YELLOW NO. 5 (UNII: I753WB2F1M)		
INGR	SODIUM LAUROYL OAT AMINO ACIDS (UNII: FSW2K9B9N5)		
INGR	COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)		
INGR	SODIUM LAURETH-3 SULFATE (UNII: BPV390UAP0)		
INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)		
INGR	SODIUM CHLORIDE (UNII: 451W47IQ8X)		
INGR	MEDICAGO SATIVA WHOLE (UNII: DJO934BRBD)		
INGR	CHAMOMILE (UNII: FGL3685T2X)		
INGR	XANTHAN GUM (UNII: TTV12P4NEE)		
INGR	D&C RED NO. 33 (UNII: 9DBA0SBB0L)		

Pa	ckaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

Marketing Information				
Marketing Category	Marketing End Date			
COSMETIC		01/01/1988		

Part 3 of 7

OBAGI NU-DERM TONER

cleansing (cold creams, cleansing lotions, liquids, and pads) [skin care preparations (creams, lotions, powder, and sprays)] liquid

Product Information

Route of Administration TOPICAL

Other Ingredients				
Ingredient Kind	Ingredient Name	Quantity		
INGR	WATER (UNII: 059QF0KO0R)			
INGR	GLYCERIN (UNII: PDC6A3C0OX)			
INGR	HAMAMELIS VIRGINIANA TOP WATER (UNII: NT00Y05A2V)			
INGR	SODIUM PYRROLIDONE CARBOXYLATE (UNII: 4690TG57A2)			
INGR	DMDM HYDANTOIN (UNII: BYR0546TOW)			
INGR	IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)			
INGR	POTASSIUM ALUM (UNII: 1L24V9R23S)			
INGR	PANTHENOL (UNII: WW9CM0O67Z)			
INGR	SAGE (UNII: 065C5D077J)			
INGR	CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)			
INGR	POLYSORBATE 80 (UNII: 60ZP39ZG8H)			
INGR	ALLANTOIN (UNII: 344S277G0Z)			
INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)			
INGR	FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			

Packaging					
# Item Package Description		Marketing Start Date	Marketing End Date		
1		198 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information

Marketing	Application Number or Monograph Citation	Marketing Start	Marketing End
Category		Date	Date
COSMETIC		01/02/1988	

Part 4 of 7

NU-DERM CLEAR SKIN BLEACHING AND CORRECTOR

hydroquinone cream

Product Information

Item Code (Source) NDC:62032-101

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

Strength

VERDOUINOUS UNIVERSALITY OF THE PROPERTY OF T

HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE) HYDROQUINONE 40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	

STEARYL ALCOHOL (UNII: 2KR89I4H1Y)

SODIUM LAURYL SULFATE (UNII: 368GB5141J)

CETYL ALCOHOL (UNII: 936JST6JCN)

GLYCERIN (UNII: PDC6A3C0OX)

LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

ASCORBIC ACID (UNII: PQ6CK8PD0R)

SODIUM METABISULFITE (UNII: 4VON5FNS3C)

WATER (UNII: 059QF0KO0R)

METHYLPARABEN (UNII: A2I8C7HI9T)
PROPYLPARABEN (UNII: Z8IX2SC10H)

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Markatina Ctart Markatina

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:62032- 101-36	57 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1988	

Part 5 of 7

OBAGI NU-DERM HYDRATE FACIAL MOISTURIZER

moisturizing [skin care preparations (creams, lotions, powder, and sprays)]

Product Information

Route of Administration TOPICAL

Other Ingre	dients	
Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
INGR	SODIUM HYDROXIDE (UNII: 55X04QC32I)	
INGR	TARA SPINOSA RESIN (UNII: WL3883U2PO)	
INGR	SHEA BUTTER (UNII: K49155WL9Y)	
INGR	DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
INGR	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
INGR	DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y10)	
INGR	TOCOPHEROL (UNII: R0ZB2556P8)	
INGR	LAURETH-12 (UNII: OAH19558U1)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
INGR	STEARIC ACID (UNII: 4ELV7Z65AP)	
INGR	AVOCADO OIL (UNII: 6VNO72PFC1)	
INGR	SOY STEROL (UNII: PL360EPO9J)	
INGR	CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
INGR	LEVOMENOL (UNII: 24WE03BX2T)	
INGR	HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
INGR	TETRAHYDRODIFERULOYLMETHANE (UNII: 00U0645U03)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	

	· · · · · · · · · · · · · · · · · · ·	
INGR	MANGIFERA INDICA SEED BUTTER (UNII: 40XD9M35X2)	
INGR	SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
INGR	CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
INGR	ALLANTOIN (UNII: 344S277G0Z)	
INGR	GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1		48 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
COSMETIC		11/07/2012	

Part 6 of 7

NU-DERM BLENDER SKIN LIGHTENER AND BLENDING

hydroquinone cream

Product Information	
Item Code (Source)	NDC:62032-100
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	40 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A)	
TROLAMINE SALICYLATE (UNII: H8O4040BHD)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	

SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
WATER (UNII: 059QF0KO0R)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

Product Characteristics				
Color WHITE Score				
Shape		Size		
Flavor		Imprint Code		
Contains				

l	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
		NDC:62032- 100-36	57 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
UNAPPROVED DRUG OTHER		01/01/1988		

Part 7 of 7

SUN SHIELD MINERAL BROAD SPECTRUM SPF 50 SUNSCREEN

titanium dioxide and zinc oxide lotion

Product Information		
Item Code (Source)	NDC:62032-811	
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6.2 g in 100 g		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	15.6 g in 100 g		

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
GLYCERIN (UNII: PDC6A3C0OX)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PROPANEDIOL (UNII: 5965N8W85T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
TROPAEOLUM MAJUS FLOWERING TOP (UNII: RGT30824HY)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics				
Color	WHITE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:62032-811- 09	1 in 1 CARTON				
1		85 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH DRUG	M020	12/02/2019		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		06/25/2021	

Labeler - Obagi Cosmeceuticals LLC (790553353)

Establishment				
Name	Address	ID/FEI	Business Operations	
Bay Cities Container Corporation		118417470	PACK(62032-919), LABEL(62032-919)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Swiss American CDMO, LLC		080170933	MANUFACTURE(62032-919)	

Establishment					
Name	Address	ID/FEI	Business Operations		
G. S. Cosmeceutical USA, Inc.		017014734	MANUFACTURE(62032-919)		

Establishment						
Name	Address	ID/FEI	Business Operations			
PURETEK CORPORATION		785961046	MANUFACTURE(62032-919)			

Revised: 11/2025 Obagi Cosmeceuticals LLC