

**LBEL FILLING EFFECT FOUNDATION SPF 10 (CLAIRE 1) - BEIGE- octinoxate liquid**  
**LBEL FILLING EFFECT FOUNDATION SPF 10 (CLAIRE 2) - BEIGE- octinoxate liquid**  
**LBEL FILLING EFFECT FOUNDATION SPF 10 (CLAIRE 3) - BEIGE- octinoxate liquid**  
**LBEL FILLING EFFECT FOUNDATION SPF 10 (CLAIRE 4) - BEIGE- octinoxate liquid**  
**LBEL FILLING EFFECT FOUNDATION SPF 10 (MEDIUM 5) - BROWN- octinoxate liquid**  
**LBEL FILLING EFFECT FOUNDATION SPF 10 (MEDIUM 6) - BROWN- octinoxate liquid**  
**LBEL FILLING EFFECT FOUNDATION SPF 10 (MEDIUM 7) - BROWN- octinoxate liquid**  
**LBEL FILLING EFFECT FOUNDATION SPF 10 (OBSCURE 8) - BROWN- octinoxate liquid**  
**LBEL FILLING EFFECT FOUNDATION SPF 10 (OBSCURE 9) - BROWN- octinoxate liquid**  
**Ventura International LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **L'BEL FILLING EFFECT FOUNDATION SPF 10**

### ***Drug Facts***

#### **Active Ingredients**

Octinoxate 7 %

#### **Purpose**

Sunscreen

#### **Uses**

- Helps prevent sunburn

#### **Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

AQUA (WATER), CYCLOMETHICONE, CYCLOPENTASILOXANE, CYCLOHEXASILOXANE, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE, NYLON-12 FLUORESCENT BRIGHTENER 230 SALT, DIMETHICONOL, DIAZOLIDINYL UREA, CETEARYL DIMETHICONE CROSSPOLYMER, METHYLPARABEN, PARFUM (FRAGRANCE), PROPYLPARABEN, POLYVINYLALCOHOL CROSSPOLYMER, SODIUM HYALURONATE.

**MAY CONTAIN**

TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499), IRON OXIDES (CI 77491), DIMETHICONE


Distributed by Ventura International Ltd. DBA Belcorp USA, San Francisco, CA 94111

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - (Claire 1) - Beige****L'BEL**

EFFET  
PARFAIT

filling effect  
foundation SPF 10

30 ml e (1 fl.oz.)



<p><b>Drug Facts</b></p> <p><b>Active Ingredients</b></p> <p>Ocinoxate 7.0 % Sunscreen</p> <p><b>Purpose</b></p> <p>Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>Helps prevent sunburn.</li> </ul> <p><b>Warnings</b></p> <p><b>Skin Cancer / Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.</p> <p><b>For external use only.</b></p> <ul style="list-style-type: none"> <li>Do not use on damaged or broken skin.</li> </ul>	<p><b>Drug Facts</b> (continued)</p> <ul style="list-style-type: none"> <li>When using this product keep out of eyes. Rinse with water to remove.</li> <li>Stop use and ask a doctor if rash occurs</li> <li>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</li> </ul> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>Apply liberally and evenly 15 minutes before sun exposure.</li> <li>Reapply at least every 2 hours.</li> <li>Use a water resistant sunscreen if swimming or sweating.</li> <li>Children under 6 months of age: Ask a doctor.</li> </ul>
--	--

<p><b>Drug Facts</b> (continued)</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>Protect the product in this container from excessive heat and direct sun.</li> </ul> <p><b>Inactive Ingredients</b> Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.</p>
---

US: Distributed by Ventura International Ltd, DBA Bellcorp USA, San Francisco, CA 94111, P.R.: Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, [www.Bel.com](http://www.Bel.com)

**L'BEL**

**EFFET PARFAIT**

filling effect  
foundation SPF 10

30 ml e (1 fl.oz.)

**L'BEL**


EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)



**Drug Facts** (continued)

■ When using this product keep out of eyes. Rinse with water to remove.

■ Stop use and ask a doctor if rash occurs

■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours.

■ Use a water resistant sunscreen if swimming or sweating.

■ Children under 6 months of age: Ask a doctor.

**Drug Facts**

**Active Ingredients**

Ocinoxate 7.0 % Sunscreen

**Purpose**

Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ Do not use on damaged or broken skin.

**Drug Facts** (continued)

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111, P.R.: Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, [www.Bel.com](http://www.Bel.com)

**L'BEL**

**EFFET PARFAIT**

filling effect  
foundation SPF 10

30 ml e (1 fl.oz.)

**L'BEL**


EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)



**Drug Facts** (continued)

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Apply liberally and evenly 15 minutes before sun exposure.

Reapply at least every 2 hours.

Use a water resistant sunscreen if swimming or sweating.

Children under 6 months of age: Ask a doctor.

**Drug Facts**

**Active Ingredients**

Ocinoxate 7.0 % Sunscreen

**Purpose**

Sunscreen

**Uses**

Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

Do not use on damaged or broken skin.

**Drug Facts** (continued)

**Other Information**

Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.

US: Distributed by Ventura International Ltd, DBA Bellcorp USA, San Francisco, CA 94111, P.R.: Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, [www.Bel.com](http://www.Bel.com)

**L'BEL**

**EFFET PARFAIT**

filling effect  
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - (Claire 4) - Beige

**L'BEL**

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)



<p><b>Drug Facts</b></p> <p><b>Active Ingredients</b></p> <p>Ocinoxate 7.0 % Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>Helps prevent sunburn.</li> </ul>	<p><b>Drug Facts</b> (continued)</p> <ul style="list-style-type: none"> <li>When using this product keep out of eyes. Rinse with water to remove.</li> <li>Stop use and ask a doctor if rash occurs</li> <li>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</li> </ul> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>Apply liberally and evenly 15 minutes before sun exposure.</li> <li>Reapply at least every 2 hours.</li> <li>Use a water resistant sunscreen if swimming or sweating.</li> <li>Children under 6 months of age: Ask a doctor.</li> </ul>
<p><b>Purpose</b></p> <p>Sunscreen</p> <p><b>Warnings</b></p> <ul style="list-style-type: none"> <li><b>Skin Cancer / Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.</li> <li><b>For external use only.</b></li> <li>Do not use on damaged or broken skin.</li> </ul>	<p><b>Drug Facts</b> (continued)</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>Protect the product in this container from excessive heat and direct sun.</li> </ul> <p><b>Inactive Ingredients</b> Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.</p>


**Drug Facts** (continued)

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.

US: Distributed by Ventura International Ltd, DBA Bellcorp USA, San Francisco, CA 94111, P.R.: Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, [www.Bel.com](http://www.Bel.com)



**L'BEL**

**EFFET  
PARFAIT**

filling effect  
foundation SPF 10

30 ml e (1 fl.oz.)

**L'BEL**


EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)



**Drug Facts** (continued)

■ When using this product keep out of eyes. Rinse with water to remove.

■ Stop use and ask a doctor if rash occurs

■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours.

■ Use a water resistant sunscreen if swimming or sweating.

■ Children under 6 months of age: Ask a doctor.

**Drug Facts**

**Active Ingredients**

Ocinoxate 7.0 % Sunscreen

**Purpose**

Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ Do not use on damaged or broken skin.

**Drug Facts (continued)**

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.

L'BEL

EFFET PARFAIT

filling effect foundation SPF 10

30 ml e (1 fl.oz.)

U.S. Distributed by Ventura International Ltd. DBA Belcorp USA, San Francisco, CA 94111, P.R., Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, www.Bel.com

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - (Medium 6) - Brown

**L'BEL**


EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)



**Drug Facts** (continued)

- When using this product, keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

**Drug Facts**

**Active Ingredients**

Ocinoxate 7.0 % Sunscreen

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damaged or broken skin.

**Drug Facts** (continued)

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.

US: Distributed by Ventura International Ltd, DBA Bellcorp USA, San Francisco, CA 94111, P.R.: Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, [www.Bel.com](http://www.Bel.com)

L'BEL

EFFET PARFAIT

filling effect foundation SPF 10

30 ml e (1 fl.oz.)

**L'BEL**


EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)



**Drug Facts** (continued)

- When using this product, keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

**Drug Facts**

**Active Ingredients**

Ocinoxate 7.0 % Sunscreen

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damaged or broken skin.

**Drug Facts** (continued)

**Other Information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.

US: Distributed by Ventura International Ltd, DBA Bellcorp USA, San Francisco, CA 94111, P.R.: Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, [www.Bel.com](http://www.Bel.com)

L'BEL

EFFET  
PARFAIT

filling effect  
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - (Obscure 8) - Brown

**L'BEL**

EFFET


PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)





**Drug Facts** (continued)

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Apply liberally and evenly 15 minutes before sun exposure.

Reapply at least every 2 hours.

Use a water resistant sunscreen if swimming or sweating.

Children under 6 months of age: Ask a doctor.

**Drug Facts**

**Active Ingredients**

Ocinoxate 7.0 % Sunscreen

**Purpose**

Sunscreen

**Uses**

Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

Do not use on damaged or broken skin.

**Drug Facts** (continued)

**Other information**

Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.

US: Distributed by Ventura International Ltd, DBA Bellcorp USA, San Francisco, CA 94111, P.R.: Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, [www.Bel.com](http://www.Bel.com)

**L'BEL**

**EFFET PARFAIT**

filling effect  
foundation SPF 10

30 ml e (1 fl.oz.)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - (Obscure 9) - Brown**

**L'BEL**

EFFET

PARFAIT

filling effect


foundation SPF 10

30 ml e (1 fl.oz.)

<p><b>Drug Facts</b></p> <p><b>Active Ingredients</b></p> <p>Ocinoxate 7.0 %</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>Helps prevent sunburn.</li> </ul>	<p><b>Purpose</b></p> <p>Sunscreen</p> <p><b>Warnings</b></p> <ul style="list-style-type: none"> <li><b>Skin Cancer / Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.</li> <li><b>For external use only.</b></li> <li>Do not use on damaged or broken skin.</li> </ul>	<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>When using this product keep out of eyes. Rinse with water to remove.</li> <li>Stop use and ask a doctor if rash occurs.</li> <li>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</li> </ul>	<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>Apply liberally and evenly 15 minutes before sun exposure.</li> <li>Reapply at least every 2 hours.</li> <li>Use a water resistant sunscreen if swimming or sweating.</li> <li>Children under 6 months of age: Ask a doctor.</li> </ul>
--	---	---	---

<p><b>Drug Facts (continued)</b></p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>Protect the product in this container from excessive heat and direct sun.</li> </ul>	<p><b>Inactive Ingredients</b> Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener z30 salt, dimethiconol, diazolidinyl urea, cetearyl dimethicone crosspolymer, methylparaben, parium (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate, May contain: titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77499), iron oxides (CI 77491), methicone.</p>
--	--

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111, P.R.: Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00956, Made in Colombia, [www.Bel.com](http://www.Bel.com)



**L'BEL**

**EFFET PARFAIT**

filling effect  
foundation SPF 10

30 ml e (1 fl.oz.)

**LBEL FILLING EFFECT FOUNDATION SPF 10 (CLAIRE 1) - BEIGE**

octinoxate liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-200
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>water</b> (UNII: 059QF0KO0R)	
<b>cyclomethicone</b> (UNII: NMQ347994Z)	
<b>cyclomethicone 5</b> (UNII: 0THT5PCI0R)	
<b>cyclomethicone 6</b> (UNII: XHK3U310BA)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>peg/ppg-18/18 dimethicone</b> (UNII: 9H0AO7T794)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>diazolidinyl urea</b> (UNII: H5RIZ3MPW4)	
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>hyaluronate sodium</b> (UNII: YSE9PPT4TH)	
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)	
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)	
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:14783-200-02	1 in 1 BOX		
1	NDC:14783-200-01	30 mL in 1 BOTTLE		
2	NDC:14783-200-04	1 in 1 BOX		
2	NDC:14783-200-03	3 mL in 1 TUBE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH NOT FINAL	part352	12/16/2013	

**LBEL FILLING EFFECT FOUNDATION SPF 10 (CLAIRE 2) - BEIGE**

octinoxate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-201
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2I8C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferrosoferric oxide (UNII: XM0M87F357)	
ferric oxide red (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-201-06	1 in 1 BOX		
1	NDC:14783-201-05	30 mL in 1 BOTTLE		
2	NDC:14783-201-08	1 in 1 BOX		
2	NDC:14783-201-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2013	

**LBEL FILLING EFFECT FOUNDATION SPF 10 (CLAIRE 3) - BEIGE**

octinoxate liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-202
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>water</b> (UNII: 059QF0KO0R)	
<b>cyclomethicone</b> (UNII: NMQ347994Z)	
<b>cyclomethicone 5</b> (UNII: 0THT5PCI0R)	
<b>cyclomethicone 6</b> (UNII: XHK3U310BA)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>peg/ppg-18/18 dimethicone</b> (UNII: 9H0AO7T794)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>diazolidinyl urea</b> (UNII: H5RIZ3MPW4)	
<b>methylparaben</b> (UNII: A2B8C7H9T)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>hyaluronate sodium</b> (UNII: YSE9PPT4TH)	
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)	
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)	
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:14783-202-10	1 in 1 BOX		
1	NDC:14783-202-09	30 mL in 1 BOTTLE		
2	NDC:14783-202-12	1 in 1 BOX		
2	NDC:14783-202-11	3 mL in 1 TUBE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH NOT FINAL	part352	12/16/2013	

**LBEL FILLING EFFECT FOUNDATION SPF 10 (CLAIRE 4) - BEIGE**

octinoxate liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-203	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)		Octinoxate	0.07 g in 1 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
water (UNII: 059QF0KO0R)				
cyclomethicone (UNII: NMQ347994Z)				
cyclomethicone 5 (UNII: 0THT5PCI0R)				
cyclomethicone 6 (UNII: XHK3U310BA)				
sodium chloride (UNII: 451W47IQ8X)				
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)				
dimethicone (UNII: 92RU3N3Y1O)				
diazolidinyl urea (UNII: H5RIZ3MPW4)				
methylparaben (UNII: A2I8C7HI9T)				
propylparaben (UNII: Z8IX2SC1OH)				
hyaluronate sodium (UNII: YSE9PPT4TH)				
titanium dioxide (UNII: 15FIX9V2JP)				
ferric oxide yellow (UNII: EX438O2MRT)				
ferrosoferric oxide (UNII: XM0M87F357)				
ferric oxide red (UNII: 1K09F3G675)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:14783-203-14	1 in 1 BOX		
1	NDC:14783-203-13	30 mL in 1 BOTTLE		
2	NDC:14783-203-16	1 in 1 BOX		
2	NDC:14783-203-15	3 mL in 1 TUBE		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC MONOGRAPH NOT FINAL	part352	12/16/2013		

## LBEL FILLING EFFECT FOUNDATION SPF 10 (MEDIUM 5) - BROWN

octinoxate liquid

<b>Product Information</b>				
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-204	

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W471Q8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2I8C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferrosoferric oxide (UNII: XM0M87F357)	
ferric oxide red (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-204-18	1 in 1 BOX		
1	NDC:14783-204-17	30 mL in 1 BOTTLE		
2	NDC:14783-204-20	1 in 1 BOX		
2	NDC:14783-204-19	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2013	

## LBEL FILLING EFFECT FOUNDATION SPF 10 (MEDIUM 6) - BROWN

octinoxate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-205
Route of Administration	TOPICAL		



**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2I8C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferrosoferric oxide (UNII: XM0M87F357)	
ferric oxide red (UNII: 1K09F3G675)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-205-22	1 in 1 BOX		
1	NDC:14783-205-21	30 mL in 1 BOTTLE		
2	NDC:14783-205-24	1 in 1 BOX		
2	NDC:14783-205-23	3 mL in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2013	

**LBEL FILLING EFFECT FOUNDATION SPF 10 (MEDIUM 7) - BROWN**

octinoxate liquid

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-206
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A218C7H9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferrosoferric oxide (UNII: XM0M87F357)	
ferric oxide red (UNII: 1K09F3G675)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-206-26	1 in 1 BOX		
1	NDC:14783-206-25	30 mL in 1 BOTTLE		
2	NDC:14783-206-28	1 in 1 BOX		
2	NDC:14783-206-27	3 mL in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2013	

**LBEL FILLING EFFECT FOUNDATION SPF 10 (OBSCURE 8) - BROWN**

octinoxate liquid

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-207
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2I8C7HI9T)	
propylparaben (UNII: Z8IX2SC10H)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferrosoferric oxide (UNII: XM0M87F357)	
ferric oxide red (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-207-30	1 in 1 BOX		
1	NDC:14783-207-29	30 mL in 1 BOTTLE		
2	NDC:14783-207-32	1 in 1 BOX		
2	NDC:14783-207-31	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2013	

## LBEL FILLING EFFECT FOUNDATION SPF 10 (OBSCURE 9) - BROWN

octinoxate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-208
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PC10R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W471Q8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A218C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferrosoferric oxide (UNII: XM0M87F357)	
ferric oxide red (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-208-34	1 in 1 BOX		
1	NDC:14783-208-33	30 mL in 1 BOTTLE		
2	NDC:14783-208-36	1 in 1 BOX		
2	NDC:14783-208-35	3 mL in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2013	

**Labeler** - Ventura International LTD (603192787)

## Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(14783-200, 14783-201, 14783-202, 14783-203, 14783-204, 14783-205, 14783-206, 14783-207, 14783-208)

Revised: 12/2013

Ventura International LTD