

**TEAT-KOTE 10/III AMS- sanitizing teat dip with added emollient liquid
GEA Farm Technologies, Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Teat-Kote 10/III AMS

CONTENTS:

Active Ingredient: 1% titratable iodine

Inactive Ingredients: 99%

Net Content: 15 U.S. GAL (56.7L)

KEEP OUT OF REACH OF CHILDREN

WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child / 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

FOR ASSISTANCE WITH MEDICAL EMERGENCY

CALL 1-877-741-1032

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY- NOT FOR HUMAN USE

Teat-Kote is a Trademark of GEA Farm Technologies, Inc.

Made in U.S.A.

INDICATIONS: This topical liquid product, when used undiluted as a pre or post milking teat dip, effectively aids in reducing the spread of organisms that cause mastitis.

DIRECTIONS FOR USE: Use at full strength. Do not dilute.

POST-DIPPING USING AUTOMATED MILKING SYSTEM (AMS): Immediately after milking, Teat-Kote 10/III AMS is applied to each teat using GEA Automated Milking System

(AMS) post-milking procedure. Refer to the equipment manual as GEA Automated Milking Systems differ.

PRE-DIPPING INSTRUCTION USING DIP CUP STANDARD APPLICATION: Before milking, dip each teat with Teat-Kote 10/III AMS. After 15 to 30 seconds, dry each teat thoroughly with a single service towel. If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of Teat-Kote 10/III AMS.

POST-DIPPING USING DIP CUP STANDARD APPLICATION: Immediately after milking, dip each teat with Teat-Kote 10/III AMS. Allow teats to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before the cow leaves the parlor to prevent freezing. At the end of lactation, apply this product daily for one week after the last milking. In addition, begin application of this product about one week prior to calving.

If a common teat dip cup is used for application, a fresh solution should always be used at each milking. The teat dip cup should be emptied, cleaned and rinsed with potable water after each milking session or when cup becomes contaminated during milking. Do not pour remaining solution from dip cup back into original container.

STORAGE INSTRUCTIONS:

Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing. If frozen separation may occur. Thaw completely and mix thoroughly before use.

NPE FREE

See accompanying label for warnings and first aid information.

7751-1000-116 (Rev. 07-18)

GEA Farm Technologies, Inc. • 1880 Country Farm Drive • Naperville, IL 60563 U.S.A.
• www.gea.com

7751-0041-023

GEA Farm Technologies, Inc.

1880 Country Farm Dr.

Naperville, IL 60563 U.S.A.

www.gea.com

800-323-1667

7751-0592-301 (Rev. 05-18)

Teat-Kote® 10/III AMS

Sanitizing Teat Dip With Added Emollient

Teat-Kote® 10/III AMS

Sanitizing Teat Dip With Added Emollient

Sellador Sanitario de Pezones con Emoliente Adicional



GEA Farm Technologies, Inc. | 1889 Country Farm Drive | Naperville, IL 60563 U.S.A. | www.gea.com

Lot# 2483006R00 Exp. 09-25

KEEP OUT OF REACH OF CHILDREN WARNING

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY- NOT FOR HUMAN USE

Teat-Kote is a registered trademark of GEA Farm Technologies, Inc. Made in U.S.A.

CONTENTS:

Active ingredient: 1% titratable iodine
Inactive ingredients: 99%

INDICATIONS: This topical liquid product, when used undiluted as a pre or post milking teat dip, effectively aids in reducing the spread of organisms that cause mastitis.

DIRECTIONS FOR USE: Use at full strength. Do not dilute.

POST-DIPPING USING AUTOMATED MILKING SYSTEM (AMS): Immediately after milking, Teat-Kote 10/III AMS is applied to each teat using the GEA Automated Milking System (AMS) post-milking procedure. Refer to the equipment manual as GEA Automated Milking Systems differ.

PRE-DIPPING INSTRUCTION USING DIP CUP STANDARD APPLICATION: Before milking, dip each teat with Teat-Kote 10/III AMS. After 15 to 30 seconds, dry each teat thoroughly with a single service towel. If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of Teat-Kote 10/III AMS.

POST-DIPPING USING DIP CUP STANDARD APPLICATION: Immediately after milking, dip each teat with Teat-Kote 10/III AMS. Allow teats to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before the cow leaves the parlor to prevent freezing. At the end of lactation, apply this product daily for one week after the last milking. In addition, begin application of this product about one week prior to calving.

If a common teat dip cup is used for application, a fresh solution should always be used at each milking. The teat dip cup should be emptied, cleaned and rinsed with potable water after each milking session or when cup becomes contaminated during milking. Do not pour remaining solution from dip cup back into original container.

STORAGE INSTRUCTIONS: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing. If frozen, separation may occur. Thaw completely and mix thoroughly before use.

NPE FREE

See accompanying label for warnings and first aid information.

Net Content: 15 U.S. GAL (56.7L)

7751-1000-116 (Rev. 07-18)



MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

PARA USO AGRÍCOLA, COMERCIAL E INDUSTRIAL SOLAMENTE- NO PARA EL USO HUMANO

Teat-Kote es una marca registrada de GEA Farm Technologies, Inc. Fabricado en EE.UU.

CONTENIDO:

Ingrediente activo: 1% de yodo titulable
Ingredientes inactivos: 99%

INDICACIONES: Este producto tóxico líquido ayuda efectivamente a reducir la propagación de mastitis cuando se usa concentrado como sellador de pezones antes y después del ordeño.

INSTRUCCIONES PARA EL USO: Úselo concentrado. No lo diluya.

POSTSELLADO CON UN SISTEMA DE ORDEÑO AUTOMÁTICO: Inmediatamente después del ordeño, Teat-Kote 10/III AMS se aplica a cada teta usando el procedimiento de post-ordeño del Sistema Automatizado de Ordeño GEA (AMS). Consulte el manual del equipo correspondiente, ya que los Sistemas de Ordeño Automático GEA difieren entre sí.

INSTRUCCIONES DE PRESELLADO PARA APLICACIÓN ESTÁNDAR CON COPA DE SELLADO: Previo al ordeño, remoje cada pezón con Teat-Kote 10/III AMS. Después de 15 a 30 segundos, seque completamente cada pezón con una toalla de uso individual. Si la ubra y los pezones están muy sucios, lave con una solución sanitaria y seque antes de la aplicación de Teat-Kote 10/III AMS.

POSTSELLADO PARA APLICACIÓN ESTÁNDAR CON COPA DE SELLADO: Inmediatamente después del ordeño, remoje cada pezón con Teat-Kote 10/III AMS. Deje secar los pezones al aire. No los seque con un trapo. Si la temperatura exterior es menor que la de congelación, permita que se sequen al aire antes que la vaca salga de la sala para evitar el congelamiento. Al final de la lactancia, aplique este producto diariamente durante una semana después del último ordeño. También, comience la aplicación de este producto aproximadamente una semana antes del parto.

Si se utiliza una copa común para la aplicación del sellador de pezones, siempre se debe usar una solución fresca en cada ordeño. La copa para sellar pezones debe ser vaciada, lavada y enjuagada con agua potable después de cada sesión de ordeño o cuando se contamine durante el ordeño. No vierta la solución restante de la copa de vuelta al envase original.

INSTRUCCIONES PARA EL ALMACENAJE: Guarde este producto en un área fresca y seca, lejos de la luz solar directa y del calor para evitar su degradación. Mantenga los envases cerrados para evitar la contaminación de este producto. Evite el congelamiento. Si se congela puede ocurrir separación. Descongela totalmente y mezcle completamente antes de usarlo.

LIBRE DE NPE

Lee la etiqueta adjunta para información sobre medidas de prevención y de primeros auxilios

7751-0041-023



7751-0041-023

Teat-Kote® 10/III AMS

Sanitizing Teat Dip With Added Emollient
Sellador Sanitario de Pezones con Emoliente Adicional

KEEP OUT OF REACH OF CHILDREN WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child/ 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

GEA Farm Technologies, Inc.
1880 Country Farm Drive
Naperville, IL 60563 U.S.A.
www.gea.com
800-323-1667

FOR ASSISTANCE WITH MEDICAL
EMERGENCY CALL 1-877-741-1032

7751-0592-301 (Rev. 05-18)

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

DECLARACIÓN DE PELIGRO: Causa irritación de los ojos.

DECLARACIONES DE PRECAUCIÓN:

PREVENCIÓN: Utilice guantes de protección. Utilice protección para los ojos o para el rostro. Utilice ropa protectora. Lávese las manos cuidadosamente luego de la manipulación del producto. Consulte la Hoja de Información de Seguridad (HIS).

PRIMEROS AUXILIOS:

En contacto con los ojos: Enjuáguese con abundante agua durante al menos 15 minutos. Consulte a un médico de inmediato.

En caso de ingestión: NO provoque el vómito. Enjuáguese la boca inmediatamente e ingiera una pequeña cantidad (o un vaso) de agua: 120-180 ml, niños/300-360 ml, adultos (4-6 oz., niños/10-12 oz., adultos). Evite el alcohol. Consulte a un médico inmediatamente. NO administre nada vía oral a una persona inconsciente o con convulsiones.

En contacto con la piel: Lávese con abundante agua durante al menos 15 minutos mientras se quita la ropa y el calzado contaminados. En caso de irritación y de que esta persista, busque atención médica.

Inhalación de vapores: En caso de respiración dificultosa o irritación, retírese a un ambiente con aire fresco. Si los síntomas persisten, llame a un médico.

PARA ASISTENCIA MÉDICA DE EMERGENCIA
LLAME AL 1-877-741-1032

TEAT-KOTE 10/III AMS

sanitizing teat dip with added emollient liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:51070-8010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	Iodine	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
XANTHAN GUM (UNII: TTV12P4NEE)	

POLOXAMER 335 (UNII: G6DQL26D50)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	
POVIDONE K30 (UNII: U725QWY32X)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

Product Characteristics

Color	brown (dark brown)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51070-8010-3	56700 g in 1 DRUM		
2	NDC:51070-8010-2	18900 g in 1 JUG		
3	NDC:51070-8010-5	208000 g in 1 DRUM		
4	NDC:51070-8010-6	945000 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/01/2018	

Labeler - GEA Farm Technologies, Inc. (018037309)

Registrant - GEA Farm Technologies, Inc (018037309)

Establishment

Name	Address	ID/FEI	Business Operations
GEA Farm Technologies, Inc.		018037309	api manufacture, manufacture

Revised: 9/2024

GEA Farm Technologies, Inc.