

**SLEEP AID- doxylamine succinate tablet**  
**Rite Aid Corporation**

-----  
**Rite Aid Corporation Sleep Aid Drug Facts**

**Active ingredient (in each tablet)**

Doxylamine succinate 25 mg

**Purpose**

Nighttime sleep-aid

**Use**

- helps to reduce difficulty in falling asleep

**Warnings**

**Do not use**

- in children under 12 years of age
- with any other product containing doxylamine
- unless you have time for a full night's sleep

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking

- a sedative or any other sleep-aid
- tranquilizers
- any other antihistamines
- any other drugs

**When using this product**

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery
- take only at bedtime

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
- children under 12 years of age: do not use

**Other information**

- store at 20-25°C (68-77°F)
- keep carton. It contains important information.

**Inactive ingredients**

anhydrous dibasic calcium phosphate, dibasic calcium phosphate dihydrate, FD&C blue no. 1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

**Questions or comments?**

**1-800-719-9260**

**Package/Label Principal Display Panel**

FREE FROM | GLUTEN FREE

Compare to the active ingredient of Vicks<sup>®</sup> ZzzQuil<sup>®</sup> Ultra

SLEEP AID

DOXYLAMINE SUCCINATE TABLETS, 25 mg

nighttime sleep-aid

ACTUAL SIZE

helps to reduce difficulty in falling asleep

24 TABLETS

ONE TABLET PER DOSE

# SLEEP AID

96F62 83 C2

**FREE** | GLUTEN  
F R  M | FREE

NDC 11822-3000-0

Compare to the active ingredient  
of Vicks® ZzzQuil® Ultra\*

# SLEEP AID

**DOXYLAMINE SUCCINATE  
TABLETS, 25 mg**

nighttime sleep-aid  
helps to reduce difficulty  
in falling asleep

ACTUAL SIZE



**24**  
TABLETS  
ONE TABLET PER DOSE



DISTRIBUTED BY: RITE AID  
200 NEWBERRY COMMONS  
ETTERS, PA 17319  
[www.riteaid.com](http://www.riteaid.com)

**SATISFACTION  
GUARANTEE**

If you're not satisfied, we'll  
happily refund your money.

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN. IF DIFFICULT TO OPEN, USE SCISSORS.

**Drug Facts**

**Active ingredient (in each tablet)** **Purpose**  
 Doxylamine succinate 25 mg.....Nighttime sleep-aid

**Use**  
 ■ helps to reduce difficulty in falling asleep

**Warnings**  
 Do not use  
 ■ in children under 12 years of age  
 ■ with any other product containing doxylamine  
 ■ unless you have time for a full night's sleep

**Ask a doctor before use if you have**  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ glaucoma  
 ■ trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking**  
 ■ a sedative or any other sleep-aid  
 ■ tranquilizers  
 ■ any other antihistamines  
 ■ any other drugs

**When using this product**  
 ■ avoid alcoholic beverages  
 ■ do not drive a motor vehicle or operate machinery  
 ■ take only at bedtime

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 ■ sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
 ■ adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor  
 ■ children under 12 years of age: do not use

**Other information**  
 ■ store at 20-25°C (68-77°F)  
 ■ keep carton. It contains important information.

**Inactive ingredients** anhydrous dibasic calcium phosphate, dibasic calcium phosphate dihydrate, FD&C blue no. 1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

**Questions or comments ? 1-800-719-9260**

\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® ZzzQuil® Ultra.

**SLEEP AID**

doxylamine succinate tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-3000
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)	

## Product Characteristics

<b>Color</b>	BLUE	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	L441
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-3000-0	24 in 1 CARTON	07/19/2023	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040167	07/19/2023	

**Labeler** - Rite Aid Corporation (014578892)

Revised: 3/2024

Rite Aid Corporation