

SULWHASOO PERFECTING CUSHION NO.11 PALE PINK- octinoxate, titanium dioxide, and zinc oxide lotion

SULWHASOO PERFECTING CUSHION NO.13 LIGHT PINK- octinoxate, titanium dioxide, and zinc oxide lotion

SULWHASOO PERFECTING CUSHION NO.21 MEDIUM PINK- octinoxate, titanium dioxide, and zinc oxide lotion

SULWHASOO PERFECTING CUSHION NO.23 MEDIUM BEIGE- octinoxate, titanium dioxide, and zinc oxide lotion

SULWHASOO PERFECTING CUSHION NO.25 DEEP BEIGE- octinoxate, titanium dioxide, and zinc oxide lotion

SULWHASOO PERFECTING CUSHION NO.33 DARK BEIGE- octinoxate, titanium dioxide, and zinc oxide lotion

Amorepacific Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sulwhasoo PERFECTING CUSHION

Drug Facts

ACTIVE INGREDIENTS W/W

OCTINOXATE 7%

TITANIUM DIOXIDE 4.15%

ZINC OXIDE 9.8%

PURPOSE

Sunscreen

USES

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure

- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months of age: Ask a doctor

INACTIVE INGREDIENTS

AQUA/WATER/EAU, CYCLOPENTASILOXANE, TITANIUM DIOXIDE (CI 77891), PHENYL TRIMETHICONE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYHYDROXYSTEARIC ACID, IRON OXIDES (CI 77492), SODIUM CHLORIDE, ALUMINUM HYDROXIDE, POLYPROPYLSILSESQUIOXANE, METHYL METHACRYLATE CROSSPOLYMER, PHENOXYETHANOL, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, DISTEARDIMONIUM HECTORITE, FRAGRANCE/PARFUM, GLYCERIN, ISOPROPYL PALMITATE, LECITHIN, ETHYLHEXYL PALMITATE, ISOSTEARIC ACID, IRON OXIDES (CI 77491), POLYSORBATE 80, POLYGLYCERYL-3 POLYRICINOLEATE, NELUMBO NUCIFERA SEED EXTRACT, PAEONIA ALBIFLORA ROOT EXTRACT, POLYGONATUM OFFICINALE RHIZOME/ROOT EXTRACT, LILIUM TIGRINUM FLOWER/LEAF/STEM EXTRACT, REHMANNIA GLUTINOSA ROOT EXTRACT, HYDROGENATED LECITHIN, ETHYLHEXYLGLYCERIN, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, MICA (CI 77019), POLYMETHYLSILSESQUIOXANE, SILICA, ALCOHOL, SQUALANE, DIMETHICONE, IRON OXIDES (CI 77499), DISODIUM EDTA, TRIMETHYLSILOXYSILICATE, ADENOSINE, MEL/HONEY/MIEL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM HYALURONATE, PINUS KORAIENSIS SEED OIL, SESAMUM INDICUM (SESAME) SEED OIL, PRUNUS PERSICA (PEACH) FLOWER EXTRACT, CAMELLIA JAPONICA SEED OIL, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, ALUMINA, PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT, PRUNUS PERSICA (PEACH) KERNEL EXTRACT, PRUNUS MUME FRUIT EXTRACT, MEL/HONEY EXTRACT/EXTRAIT DE MIEL, NELUMBO NUCIFERA GERM EXTRACT

OTHER INFORMATION

- Protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 30 g Container Carton - NO. 11 PALE PINK

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 11

PALE PINK

Net wt. 1.05 oz. / 30 g(15 g x 2)



雪花秀

Sulwhasoo

PERFECTING CUSHION
COUSSIN DE TEINT PERFECTION
BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 11
PALE PINK

Net wt. 1.05 oz. / 30 g(15g x 2)

Drug facts

Active Ingredients w/w

OCTINOXATE 7%
TITANIUM DIOXIDE 4.15%
ZINC OXIDE 9.8%

Purpose / Utilité

Sunscreen

Uses

• Helps prevent sunburn.
• If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Usages

• Aide à prévenir les coups de soleil.
• Contribue à réduire les risques de cancer et de vieillissement prématuré de la peau dans le cadre d'une utilisation respectant les conseils d'utilisation et qui s'accompagne d'autres mesures de protection contre le soleil (voir Mode d'emploi).

Warnings

• For external use only.
• Do not use on damaged or broken skin.
• When using this product keep out of eyes. Rinse with water to remove.
• Stop use and ask a doctor if rash occurs.
• Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Mises en garde

• Pour usage externe uniquement.
• Ne pas utiliser sur une peau abîmée ou infectée.
• Lorsque vous utilisez ce produit évitez tout contact avec les yeux. Rincez à l'eau pour enlever le produit.
• Cessez d'utiliser ce produit et consultez un médecin si vous développez une démangeaison de la peau.
• Garder hors de la portée des enfants. En cas d'ingestion, appelez immédiatement un médecin ou le Centre Antipoison.

Directions

• Apply liberally 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water-resistant sunscreen if swimming or sweating. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: Ask a doctor.

Mode d'emploi

• Appliquez généreusement 15 minutes avant l'exposition au soleil. • Renouvelez l'application toutes les 2 heures au minimum. • Utilisez un écran solaire résistant à l'eau si vous allez nager ou faire une activité qui fait transpirer. • Mesures de protection solaire: S'exposer au soleil augmente le risque de cancer de la peau et le vieillissement cutané prématuré. Pour réduire ce risque, utilisez régulièrement un écran solaire avec un FPS à spectre large de 15 ou plus ainsi que d'autres mesures de protection solaire, comme par exemple: • Limitez le temps d'exposition au soleil, en particulier entre 10h et 14h. • Portez des vêtements à manches longues, un pantalon, un chapeau et des lunettes de soleil. • Nourrissons de moins de 6 mois: demandez l'avis d'un médecin.



Sulwhasoo

PERFECTING CUSHION
COUSSIN DE TEINT PERFECTION
BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 11
PALE PINK

Net wt. 1.05 oz. / 30 g(15g x 2)

AMOREPACIFIC CORPORATION Seoul, Korea 04386
MADE IN KOREA (0131)

AMOREPACIFIC US INC. Dist New York, NY 10018
Imported for/ Importé pour :

AMOREPACIFIC CANADA INC. Kitchener, Ontario N2H 6M2

By / Par :

VDI Healthcare Logistics
Brampton, Ontario L6W 4T5

Drug facts (continued)

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

AQUA/WATER/EAU, CYCLOPENTASILOXANE, TITANIUM DIOXIDE (CI 77891), PHENYL TRIMETHICONE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYHYDROXYSTEARIC ACID, IRON OXIDES (CI 77492), SODIUM CHLORIDE, ALUMINUM HYDROXIDE, POLYPROPYLENESILOXANE, METHYL METHACRYLATE CROSSPOLYMER, PHENOXYETHANOL, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, DISTEARDIMONIUM HECTORITE, FRAGRANCE/PARFUM, GLYCERIN, ISOPROPYL PALMITATE, LECITHIN, ETHYLHEXYL PALMITATE, ISOSTEARIC ACID, IRON OXIDES (CI 77491), POLYSORBATE 80, POLYGLYCERYL-3 POLYRICINOLEATE, NELUMBO NUCIFERA SEED EXTRACT, PAEONIA ALBIFLORA ROOT EXTRACT, POLYGONATUM OFFICINALE RHIZOME/ROOT EXTRACT, LILIUM TIGRINUM FLOWER/LEAF/STEM EXTRACT, REHMANNIA GLUTINOSA ROOT EXTRACT, HYDROGENATED LECITHIN, ETHYLHEXYLGLYCERIN, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, MICA (CI 77019), POLYMETHYLSILOXANE, SILICA, ALCOHOL, SQUALANE, DIMETHICONE, IRON OXIDES (CI 77499), DISODIUM EDTA, TRIMETHYLSILOXYSILICATE, ADENOSINE, MEL/HONEY/MIEL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM HYALURONATE, PINUS KORAIENSIS SEED OIL, SESAMUM INDICUM (SESAME) SEED OIL, PRUNUS PERSICA (PEACH) FLOWER EXTRACT, CAMELLIA JAPONICA SEED OIL, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, ALUMINA, PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT, PRUNUS PERSICA (PEACH) KERNEL EXTRACT, PRUNUS MUME FRUIT EXTRACT, MEL/HONEY EXTRACT/EXTRAIT DE MIEL, NELUMBO NUCIFERA GERM EXTRACT

Questions?

support@us.amorepacific.com



With innovative ideas
and technologies,
cushion is revolutionizing
makeup rules for women
around the world.
Cushion, the new standard
of true beauty.





PRINCIPAL DISPLAY PANEL - 30 g Container Carton - NO. 13 LIGHT PINK

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 13

LIGHT PINK

Net wt. 1.05 oz. / 30 g(15 g x 2)



雪花秀

Sulwhasoo

PERFECTING CUSHION
COUSSIN DE TEINT PERFECTION
BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 13
LIGHT PINK

Net wt. 1.05 oz. / 30 g(15g x 2)

Drug facts

Active ingredients w/w
OCTINOXATE 7%
TITANIUM DIOXIDE 4.15%
ZINC OXIDE 9.8%

Purpose / Utilité
Sunscreen

Uses

·Helps prevent sunburn.
·If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Usages

·Aide à prévenir les coups de soleil.
·Contribue à réduire les risques de cancer et de vieillissement prématuré de la peau dans le cadre d'une utilisation respectant les conseils d'utilisation et qui s'accompagne d'autres mesures de protection contre le soleil (voir Mode d'emploi).

Warnings

·For external use only.
·Do not use on damaged or broken skin.
·When using this product keep out of eyes. Rinse with water to remove.
·Stop use and ask a doctor if rash occurs.
·Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Mises en garde

·Pour usage externe uniquement.
·Ne pas utiliser sur une peau abîmée ou infectée.
·Lorsque vous utilisez ce produit évitez tout contact avec les yeux. Rincez à l'eau pour enlever le produit.
·Cessez d'utiliser ce produit et consultez un médecin si vous développez une démangeaison de la peau.
·Garder hors de la portée des enfants. En cas d'ingestion, appelez immédiatement un médecin ou le Centre Antipoison.

Directions

·Apply liberally 15 minutes before sun exposure. ·Reapply at least every 2 hours. ·Use a water-resistant sunscreen if swimming or sweating. ·Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ·Limit time in the sun, especially from 10 a.m. - 2 p.m. ·Wear long-sleeved shirts, pants, hats, and sunglasses. ·Children under 6 months of age: Ask a doctor.

Mode d'emploi

·Appliquez généreusement 15 minutes avant l'exposition au soleil. ·Renouvelez l'application toutes les 2 heures au minimum. ·Utilisez un écran solaire résistant à l'eau si vous allez nager ou faire une activité qui fait transpirer. ·Mesures de protection solaire. S'exposer au soleil augmente le risque de cancer de la peau et le vieillissement cutané prématuré. Pour réduire ce risque, utilisez régulièrement un écran solaire avec un FPS à spectre large de 15 ou plus ainsi que d'autres mesures de protection solaire, comme par exemple : · Limitez le temps d'exposition au soleil, en particulier entre 10h et 14h. · Portez des vêtements à manches longues, un pantalon, un chapeau et des lunettes de soleil. ·Nourissons de moins de 6 mois : demandez l'avis d'un médecin.



Sulwhasoo

PERFECTING CUSHION

COUSSIN DE TEINT PERFECTION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 13

LIGHT PINK

Net wt. 1.05 oz. / 30 g(15g x 2)

AMOREPACIFIC CORPORATION Seoul, Korea 04386
MADE IN KOREA (0132)

AMOREPACIFIC US INC. Dist New York, NY 10018
Imported for/ Importé pour :

AMOREPACIFIC CANADA INC. Kitchener, Ontario N2H 6M2

By / Par :

VDI Healthcare Logistics
Brampton, Ontario L6W 4T5

Drug facts (continued)

Other information

•Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

AQUA/WATER/EAU, CYCLOPENTASILOXANE, TITANIUM DIOXIDE (CI 77891), PHENYL TRIMETHICONE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/ DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, IRON OXIDES (CI 77492), POLYHYDROXY- STEARIC ACID, SODIUM CHLORIDE, ALUMINUM HYDROXIDE, POLYPROPYLSILSESQUIOXANE, METHYL METHACRYLATE CROSSPOLYMER, PHENOXYETHANOL, STEARIC ACID, TRIETHOXYCAPRYLSILANE, DISTEARDIMONIUM HECTORITE, FRAGRANCE/PARFUM, GLYCERIN, LECITHIN, ISOPROPYL PALMITATE, ISOSTEARIC ACID, ETHYLHEXYL PALMITATE, POLYSORBATE 80, IRON OXIDES (CI 77491), POLYGLY- CERYL-3 POLYRICINOLEATE, NELLUMBO NUCIFERA SEED EXTRACT, PAEONIA ALBIFLORA ROOT EXTRACT, LILIUM TIGRINUM FLOWER/LEAF/STEM EXTRACT, REHMANNIA GLUTINOSA ROOT EXTRACT, POLY- GONATUM OFFICINALE RHIZOME/ROOT EXTRACT, HYDROGENATED LECITHIN, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, ETHYLHEXYLGLYCERIN, MICA (CI 77019), POLYMETHYLSILSESQUIOXANE, SILICA, ALCOHOL, SQUALANE, DIMETHICONE, IRON OXIDES (CI 77499), TRIMETHYLSILOXYSILICATE, DISODIUM EDTA, ADENOSINE, MEL/HONEY/MIEL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM HYALURONATE, PINUS KORAIENSIS SEED OIL, PRUNUS PER- SICA (PEACH) FLOWER EXTRACT, SESAMUM INDICUM (SESAME) SEED OIL, CAMELLIA JAPONICA SEED OIL, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, ALUMINA, PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT, PRUNUS PERSICA (PEACH) KERNEL EXTRACT, PRUNUS MUME FRUIT EXTRACT, MEL/HONEY EXTRACT/EXTRAIT DE MIEL, ZINC OXIDE (CI 77947), NELLUMBO NUCIFERA GERM EXTRACT

Questions?

support@us.amorepacific.com



With innovative ideas
and technologies,
cushion is revolutionizing
makeup rules for women
around the world.
Cushion, the new standard
of true beauty.



7380724



PRINCIPAL DISPLAY PANEL - 30 g Container Carton - NO. 21 MEDIUM PINK

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 21

MEDIUM PINK

Net wt. 1.05 oz. / 30 g(15 g x 2)



雪花秀

Sulwhasoo

PERFECTING CUSHION
COUSSIN DE TEINT PERFECTION
BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 21
MEDIUM PINK

Net wt. 1.05 oz. / 30 g(15g x 2)

Drug facts

Active Ingredients w/w
OCTINOXATE 7%
TITANIUM DIOXIDE 4.15%
ZINC OXIDE 9.8%

Purpose / Utilité
Sunscreen

Uses

• Helps prevent sunburn.
• If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Usages

• Aide à prévenir les coups de soleil.
• Contribue à réduire les risques de cancer et de vieillissement prématuré de la peau dans le cadre d'une utilisation respectant les conseils d'utilisation et qui s'accompagne d'autres mesures de protection contre le soleil (voir Mode d'emploi).

Warnings

• For external use only.
• Do not use on damaged or broken skin.
• When using this product keep out of eyes. Rinse with water to remove.
• Stop use and ask a doctor if rash occurs.

• Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Mises en garde

• Pour usage externe uniquement.
• Ne pas utiliser sur une peau abîmée ou infectée.
• Lorsque vous utilisez ce produit évitez tout contact avec les yeux. Rincez à l'eau pour enlever le produit.
• Cessez d'utiliser ce produit et consultez un médecin si vous développez une démangeaison de la peau.
• Garder hors de la portée des enfants. En cas d'ingestion, appelez immédiatement un médecin ou le Centre Antipoison.

Directions

• Apply liberally 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water-resistant sunscreen if swimming or sweating. • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: Ask a doctor.

Mode d'emploi

• Appliquez généreusement 15 minutes avant l'exposition au soleil. • Renouvelez l'application toutes les 2 heures au minimum. • Utilisez un écran solaire résistant à l'eau si vous allez nager ou faire une activité qui fait transpirer. • Mesures de protection solaire. S'exposer au soleil augmente le risque de cancer de la peau et le vieillissement cutané prématuré. Pour réduire ce risque, utilisez régulièrement un écran solaire avec un FPS à spectre large de 15 ou plus ainsi que d'autres mesures de protection solaire, comme par exemple : • Limitez le temps d'exposition au soleil, en particulier entre 10h et 14h. • Portez des vêtements à manches longues, un pantalon, un chapeau et des lunettes de soleil. • Nourissons de moins de 6 mois : demandez l'avis d'un médecin.



Sulwhasoo

PERFECTING CUSHION

COUSSIN DE TEINT PERFECTION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 21

MEDIUM PINK

Net wt. 1.05 oz. / 30 g(15g x 2)

AMOREPACIFIC CORPORATION Seoul, Korea 04386
MADE IN KOREA (0149)

AMOREPACIFIC US INC. Dist New York, NY 10018
Imported for/ Importé pour :

AMOREPACIFIC CANADA INC. Kitchener, Ontario N2H 6M2

By / Par :

VDI Healthcare Logistics
Brampton, Ontario L6W 4T5

Drug facts (continued)

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

AQUA/WATER/EAU, CYCLOPENTASILOXANE, TITANIUM DIOXIDE (CI 77891), PHENYL TRIMETHICONE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/ DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, IRON OXIDES (CI 77492), POLYHYDROXY- STEARIC ACID, SODIUM CHLORIDE, ALUMINUM HYDROXIDE, POLYPROPYLSILSESQUOXANE, PHENOXY- ETHANOL, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, DISTEARDIMONIUM HECTORITE, FRAGRANCE/ PARFUM, GLYCERIN, IRON OXIDES (CI 77491), ISOPROPYL PALMITATE, LECITHIN, ETHYLHEXYL PAL- MITATE, ISOSTEARIC ACID, METHYL METHACRYLATE CROSSPOLYMER, POLYSORBATE 80, POLYGLY- CERYL-3 POLYRICINOLEATE, NELLUMBO NUCIFERA SEED EXTRACT, PAEONIA ALBIFLORA ROOT EXTRACT, POLYGONATUM OFFICINALE RHIZOME/ROOT EXTRACT, LILIUM TIGRINUM FLOWER/LEAF/STEM EXTRACT, REHMANNIA GLUTINOSA ROOT EXTRACT, HYDROGENATED LECITHIN, IRON OXIDES (CI 77499), ETHYL- HEXYLGLYCERIN, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, MICA (CI 77019), POLYMETHYLSILSESQUOXANE, SILICA, ALCOHOL, SQUALANE, DIMETHICONE, DISODIUM EDTA, TRIMETHYLSILOXYSILICATE, ADENOSINE, MEL/HONEY/MIEL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM HYALURONATE, PINUS KORAIENSIS SEED OIL, SESAMUM INDICUM (SESAME) SEED OIL, PRUNUS PERSICA (PEACH) FLOWER EXTRACT, CAMELLIA JAPONICA SEED OIL, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, ALUMINA, PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT, PRUNUS PERSICA (PEACH) KERNEL EXTRACT, PRUNUS MUME FRUIT EXTRACT, MEL/HONEY EXTRACT/ EXTRAIT DE MIEL, NELLUMBO NUCIFERA GERM EXTRACT

Questions?

support@us.amorepacific.com



With innovative ideas and technologies, cushion is revolutionizing makeup rules for women around the world. Cushion, the new standard of true beauty.

The Truth of Cushion



PRINCIPAL DISPLAY PANEL - 30 g Container Carton - NO. 23 MEDIUM BEIGE

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 23

MEDIUM BEIGE

Net wt. 1.05 oz. / 30 g(15 g x 2)



雪花秀

Sulwhasoo

PERFECTING CUSHION
COUSSIN DE TEINT PERFECTION
BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 23
MEDIUM BEIGE

Net wt. 1.05 oz. / 30 g(15g x 2)

Drug facts

Active Ingredients w/w

OCTINOXATE 7%
TITANIUM DIOXIDE 4.15%
ZINC OXIDE 9.8%

Purpose / Utilité

Sunscreen

Uses

•Helps prevent sunburn.
•If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Usages

•Aide à prévenir les coups de soleil.
•Contribue à réduire les risques de cancer et de vieillissement prématuré de la peau dans le cadre d'une utilisation respectant les conseils d'utilisation et qui s'accompagne d'autres mesures de protection contre le soleil (voir Mode d'emploi).

Warnings

•For external use only.
•Do not use on damaged or broken skin.
•When using this product keep out of eyes. Rinse with water to remove.
•Stop use and ask a doctor if rash occurs.
•Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Mises en garde

•Pour usage externe uniquement.
•Ne pas utiliser sur une peau abîmée ou infectée.
•Lorsque vous utilisez ce produit évitez tout contact avec les yeux. Rincez à l'eau pour enlever le produit.
•Cessez d'utiliser ce produit et consultez un médecin si vous développez une démangeaison de la peau.
•Gardez hors de la portée des enfants. En cas d'ingestion, appelez immédiatement un médecin ou le Centre Antipoison.

Directions

•Apply liberally 15 minutes before sun exposure. •Reapply at least every 2 hours. •Use a water-resistant sunscreen if swimming or sweating. •Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad Spectrum SPF value of 15 or higher and other sun protection measures including: •Limit time in the sun, especially from 10 a.m. - 2 p.m. •Wear long-sleeved shirts, pants, hats, and sunglasses. •Children under 6 months of age: Ask a doctor.

Mode d'emploi

•Appliquez généreusement 15 minutes avant l'exposition au soleil. •Renouvelez l'application toutes les 2 heures au minimum. •Utilisez un écran solaire résistant à l'eau si vous allez nager ou faire une activité qui fait transpirer. •Mesures de protection solaire. S'exposer au soleil augmente le risque de cancer de la peau et le vieillissement cutané prématuré. Pour réduire ce risque, utilisez régulièrement un écran solaire avec un FPS à spectre large de 15 ou plus ainsi que d'autres mesures de protection solaire, comme par exemple : •Limitez le temps d'exposition au soleil, en particulier entre 10h et 14h. •Portez des vêtements à manches longues, un pantalon, un chapeau et des lunettes de soleil. •Nourrissons de moins de 6 mois : demandez l'avis d'un médecin.



Sulwhasoo

PERFECTING CUSHION

COUSSIN DE TEINT PERFECTION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 23

MEDIUM BEIGE

Net wt. 1.05 oz. / 30 g(15 g x 2)

AMOREPACIFIC CORPORATION Seoul, Korea 04386
MADE IN KOREA (0150)

AMOREPACIFIC US INC. Dist New York, NY 10018
Imported for/ Importé pour :

AMOREPACIFIC CANADA INC. Kitchener, Ontario N2H 6M2

By / Par :

VDI Healthcare Logistics
Brampton, Ontario L6W 4T5

Drug facts (continued)

Other information

•Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

AQUA/WATER/EAU, CYCLOPENTASILOXANE, TITANIUM DIOXIDE (CI 77891), PHENYL TRIMETHICONE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/ DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, IRON OXIDES (CI 77492), ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYHYDROXY- STEARIC ACID, SODIUM CHLORIDE, ALUMINUM HYDROXIDE, POLYPROPYLENESILOXANE, PHENOXY- ETHANOL, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, DISTEARDIMONIUM HECTORITE, FRAGRANCE/ PARFUM, GLYCERIN, ISOPROPYL PALMITATE, LECITHIN, ETHYLHEXYL PALMITATE, ISOSTEARIC ACID, POLYSORBATE 80, IRON OXIDES (CI 77491), POLYGLYCERYL-3 POLYRICINOLEATE, REHMANNIA GLUTI- NOSA ROOT EXTRACT, LILIIUM TIGRINUM FLOWER/LEAF/STEM EXTRACT, NELUMBO NUCIFERA SEED EXTRACT, PEAONIA ALBIFLORA ROOT EXTRACT, POLYGONATUM OFFICINALE RHIZOME/ROOT EXTRACT, HYDROGENATED LECITHIN, METHYL METHACRYLATE CROSSPOLYMER, ETHYLHEXYLGLYCERIN, ACRY- LATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, MICA (CI 77019), POLYMETHYL- SILSESQUOXANE, SILICA, IRON OXIDES (CI 77499), ALCOHOL, SQUALANE, DIMETHICONE, DISODIUM EDTA, TRIMETHYLSILOXYSILICATE, ADENOSINE, MEL/HONEY/MIEL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM HYALURONATE, PINUS KORAIENSIS SEED OIL, PRUNUS PERSICA (PEACH) FLOWER EXTRACT, SESAMUM INDICUM (SESAME) SEED OIL, CAMELLIA JAPONICA SEED OIL, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, ALUMINA, PRUNUS PERSICA (PEACH) KERNEL EXTRACT, PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT, PRUNUS MUME FRUIT EXTRACT, MEL/HONEY EXTRACT/ EXTRAIT DE MIEL, NELUMBO NUCIFERA GERM EXTRACT

Questions?

support@us.amorepacific.com



With innovative ideas
and technologies,
cushion is revolutionizing
makeup rules for women
around the world.
Cushion, the new standard
of true beauty.



7380727



PRINCIPAL DISPLAY PANEL - 30 g Container Carton - NO. 25 DEEP BEIGE

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 25

DEEP BEIGE

Net wt. 1.05 oz. / 30 g(15 g x 2)



雪花秀

Sulwhasoo

PERFECTING CUSHION
COUSSIN DE TEINT PERFECTION
BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 25
DEEP BEIGE

Net wt. 1.05 oz. / 30 g(15g x 2)

Drug facts

Active ingredients w/w
OCTINOXATE 7%
TITANIUM DIOXIDE 4.15%
ZINC OXIDE 9.8%

Purpose / Utilité
Sunscreen

Uses

Helps prevent sunburn.
If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Usages

Aide à prévenir les coups de soleil.
Contribue à réduire les risques de cancer et de vieillissement prématuré de la peau dans le cadre d'une utilisation respectant les conseils d'utilisation et qui s'accompagne d'autres mesures de protection contre le soleil (voir Mode d'emploi).

Warnings

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Mises en garde

Pour usage externe uniquement.
Ne pas utiliser sur une peau abîmée ou infectée.
Lorsque vous utilisez ce produit évitez tout contact avec les yeux. Rincez à l'eau pour enlever le produit.
Cessez d'utiliser ce produit et consultez un médecin si vous développez une démangeaison de la peau.
Garder hors de la portée des enfants. En cas d'ingestion, appelez immédiatement un médecin ou le Centre Antipoison.

Directions

Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

Mode d'emploi

Appliquez généreusement 15 minutes avant l'exposition au soleil. Renouvelez l'application toutes les 2 heures au minimum. Utilisez un écran solaire résistant à l'eau si vous allez nager ou faire une activité qui fait transpirer. Mesures de protection solaire: S'exposer au soleil augmente le risque de cancer de la peau et le vieillissement cutané prématuré. Pour réduire ce risque, utilisez régulièrement un écran solaire avec un FPS à spectre large de 15 ou plus ainsi que d'autres mesures de protection solaire, comme par exemple: Limitez le temps d'exposition au soleil, en particulier entre 10h et 14h. Portez des vêtements à manches longues, un pantalon, un chapeau et des lunettes de soleil. Nourissons de moins de 6 mois: demandez l'avis d'un médecin.



Sulwhasoo

PERFECTING CUSHION

COUSSIN DE TEINT PERFECTION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 25

DEEP BEIGE

Net wt. 1.05 oz. / 30 g(15g x 2)

AMOREPACIFIC CORPORATION Seoul, Korea 04386
MADE IN KOREA (0154)

AMOREPACIFIC US INC. Dist New York, NY 10018
Imported for/ Importé pour :

AMOREPACIFIC CANADA INC. Kitchener, Ontario N2H 6M2

By / Par :

VDI Healthcare Logistics
Brampton, Ontario L6W 4T5

Drug facts (continued)

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

AQUA/WATER/EAU, CYCLOPENTASILOXANE, TITANIUM DIOXIDE (CI 77891), PHENYL TRIMETHICONE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, IRON OXIDES (CI 77492), ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYHYDROXY-STEARIC ACID, SODIUM CHLORIDE, ALUMINUM HYDROXIDE, POLYPROPYLSILSESQUOXANE, PHENOXY-ETHANOL, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, DISTEARDIMONIUM HECTORITE, FRAGRANCE/PARFUM, GLYCERIN, IRON OXIDES (CI 77491), ISOPROPYL PALMITATE, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, POLYSORBATE 80, IRON OXIDES (CI 77499), POLYGLYCERYL-3 POLYRICINOLEATE, NELLUMBO NUCIFERA SEED EXTRACT, PAEONIA ALBIFLORA ROOT EXTRACT, LILIUUM TIGRINUM FLOWER/LEAF/STEM EXTRACT, REHMANNIA GLUTINOSA ROOT EXTRACT, POLYGONATUM OFFICINALE RHIZOME/ROOT EXTRACT, HYDROGENATED LECITHIN, METHYL METHACRYLATE CROSSPOLYMER, ETHYLHEXYLGLYCERIN, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYMETHYLSILSESQUOXANE, MICA (CI 77019), SILICA, ALCOHOL, SQUALANE, DIMETHICONE, DISODIUM EDTA, TRIMETHYLSILOXYSILICATE, ADENOSINE, MEL/HONEY/MIEL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM HYALURONATE, PINUS KORAIENSIS SEED OIL, PRUNUS PERSICA (PEACH) FLOWER EXTRACT, SESAMUM INDICUM (SESAME) SEED OIL, CAMELLIA JAPONICA SEED OIL, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, ALUMINA, PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT, PRUNUS PERSICA (PEACH) KERNEL EXTRACT, PRUNUS MUME FRUIT EXTRACT, MEL/HONEY EXTRACT/EXTRAIT DE MIEL, ZINC OXIDE (CI 77947), NELLUMBO NUCIFERA GERM EXTRACT

Questions?

support@us.amorepacific.com



With innovative ideas and technologies, cushion is revolutionizing makeup rules for women around the world. Cushion, the new standard of true beauty.

The Truth of Cushion

7380728

PRINCIPAL DISPLAY PANEL - 30 g Container Carton - NO. 33 DARK BEIGE

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 33

DARK BEIGE

Net wt. 1.05 oz. / 30 g(15 g x 2)



雪花秀

Sulwhasoo

PERFECTING CUSHION
COUSSIN DE TEINT PERFECTION
BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 33
DARK BEIGE

Net wt. 1.05 oz. / 30 g(15g x 2)

Drug facts

Active Ingredients w/w

OCTINOXATE 7%
TITANIUM DIOXIDE 4.15%
ZINC OXIDE 9.8%

Purpose / Utilité
Sunscreen

Uses

• Helps prevent sunburn.
• If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Usages

• Aide à prévenir les coups de soleil.
• Contribue à réduire les risques de cancer et de vieillissement prématuré de la peau dans le cadre d'une utilisation respectant les conseils d'utilisation et qui s'accompagne d'autres mesures de protection contre le soleil (voir Mode d'emploi).

Warnings

• For external use only.
• Do not use on damaged or broken skin.
• When using this product keep out of eyes. Rinse with water to remove.
• Stop use and ask a doctor if rash occurs.

Mises en garde

• Pour usage externe uniquement.
• Ne pas utiliser sur une peau abîmée ou infectée.
• Lorsque vous utilisez ce produit évitez tout contact avec les yeux. Rincez à l'eau pour enlever le produit.
• Cessez d'utiliser ce produit et consultez un médecin si vous développez une démangeaison de la peau.
• Garder hors de la portée des enfants. En cas d'ingestion, appelez immédiatement un médecin ou le Centre Antipoison.

Directions

• Apply liberally 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water-resistant sunscreen if swimming or sweating. • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: Ask a doctor.

Mode d'emploi

• Appliquez généreusement 15 minutes avant l'exposition au soleil. • Renouvelez l'application toutes les 2 heures au minimum. • Utilisez un écran solaire résistant à l'eau si vous allez nager ou faire une activité qui fait transpirer. • Mesures de protection solaire. S'exposer au soleil augmente le risque de cancer de la peau et le vieillissement cutané prématuré. Pour réduire ce risque, utilisez régulièrement un écran solaire avec un FPS à spectre large de 15 ou plus ainsi que d'autres mesures de protection solaire, comme par exemple : • Limitez le temps d'exposition au soleil, en particulier entre 10h et 14h. • Portez des vêtements à manches longues, un pantalon, un chapeau et des lunettes de soleil. • Nourissons de moins de 6 mois : demandez l'avis d'un médecin.



Sulwhasoo

PERFECTING CUSHION

COUSSIN DE TEINT PERFECTION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 25

DEEP BEIGE

Net wt. 1.05 oz. / 30 g(15g x 2)

AMOREPACIFIC CORPORATION Seoul, Korea 04386
MADE IN KOREA (0154)

AMOREPACIFIC US INC. Dist New York, NY 10018
Imported for/ Importé pour :

AMOREPACIFIC CANADA INC. Kitchener, Ontario N2H 6M2

By / Par :

VDI Healthcare Logistics
Brampton, Ontario L6W 4T5

Drug facts (continued)

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

AQUA/WATER/EAU, CYCLOPENTASILOXANE, TITANIUM DIOXIDE (CI 77891), PHENYL TRIMETHICONE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/ DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, IRON OXIDES (CI 77492), ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYHYDROXY- STEARIC ACID, SODIUM CHLORIDE, ALUMINIUM HYDROXIDE, POLYPROPYLSILSESQUIOXANE, PHENOXY- ETHANOL, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, DISTEARDIMONIUM HECTORITE, FRAGRANCE/ PARFUM, GLYCERIN, IRON OXIDES (CI 77491), ISOPROPYL PALMITATE, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, POLYSORBATE 80, IRON OXIDES (CI 77499), POLYGLYCERYL-3 POLYRICI- NOLEATE, NELUMBO NUCIFERA SEED EXTRACT, PAEONIA ALBIFLORA ROOT EXTRACT, LILIJUM TIGRINUM FLOWER/LEAF/STEM EXTRACT, REHMANNIA GLUTINOSA ROOT EXTRACT, POLYGONATUM OFFICINALE RHIZOME/ROOT EXTRACT, HYDROGENATED LECITHIN, METHYL METHACRYLATE CROSSPOLYMER, ETHYLHEXYLGLYCERIN, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYMETHYLSILSESQUIOXANE, MICA (CI 77019), SILICA, ALCOHOL, SQUALANE, DIMETHICONE, DISO- DIUM EDTA, TRIMETHYLSILOXYSILICATE, ADENOSINE, MEL/HONEY/MIEL, DIMETHICONE/VINYL DIME- THICONE CROSSPOLYMER, SODIUM HYALURONATE, PINUS KORAIENSIS SEED OIL, PRUNUS PERSICA (PEACH) FLOWER EXTRACT, SESAMUM INDICUM (SESAME) SEED OIL, CAMELLIA JAPONICA SEED OIL, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, ALUMINA, PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT, PRUNUS PERSICA (PEACH) KERNEL EXTRACT, PRUNUS MUUME FRUIT EXTRACT, MEL/HONEY EXTRACT/EXTRAIT DE MIEL, ZINC OXIDE (CI 77947), NELUMBO NUCIFERA GERM EXTRACT

Questions?

support@us.amorepacific.com



With innovative ideas
and technologies,
cushion is revolutionizing
makeup rules for women
around the world.
Cushion, the new standard
of true beauty.



7380728

SULWHASOO PERFECTING CUSHION NO.11 PALE PINK

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-061
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISO STEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
LILIUM LANCIFOLIUM FLOWERING TOP (UNII: 6268MFA917)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
NELUMBO NUCIFERA SEED (UNII: YCT65RT6AE)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALCOHOL (UNII: 3K9958V90M)	

SQUALANE (UNII: GW89575KF9)
DIMETHICONE (UNII: 92RU3N3Y1O)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
PINUS KORAIENSIS SEED OIL (UNII: 08F703RHY3)
PRUNUS PERSICA FLOWER (UNII: 19GWB0JENH)
SESAME OIL (UNII: QX10HYY4QV)
CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T)
APRICOT KERNEL OIL (UNII: 54JB35T06A)
ALUMINUM OXIDE (UNII: LM26O6933)
PRUNUS ARMENIACA SEED (UNII: 75356789IW)
PRUNUS PERSICA SEED (UNII: V9C81470RR)
PRUNUS MUME FRUIT (UNII: 63919018CU)
NELUMBO NUCIFERA GERM (UNII: 3KNW4B421S)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-061-31	2 in 1 CARTON	05/26/2016	05/31/2021
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/26/2016	05/31/2021

SULWHASOO PERFECTING CUSHION NO.13 LIGHT PINK
 octinoxate, titanium dioxide, and zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-062
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
LILIUM LANCIFOLIUM FLOWERING TOP (UNII: 6268MFA917)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
NELUMBO NUCIFERA SEED (UNII: YCT65RT6AE)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALCOHOL (UNII: 3K9958V90M)	
SQUALANE (UNII: GW89575KF9)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ADENOSINE (UNII: K72T3FS567)	
HONEY (UNII: Y9H1V576FH)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PINUS KORAIENSIS SEED OIL (UNII: 08F703RHY3)	
PRUNUS PERSICA FLOWER (UNII: 19GWB0JENH)	
SESAME OIL (UNII: QX10HY4QV)	
CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T)	
APRICOT KERNEL OIL (UNII: 54JB35T06A)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PRUNUS ARMENIACA SEED (UNII: 75356789IW)	
PRUNUS PERSICA SEED (UNII: V9C81470RR)	
PRUNUS MUME FRUIT (UNII: 639190I8CU)	
NELUMBO NUCIFERA GERM (UNII: 3KNW4B421S)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISO STEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-062-31	2 in 1 CARTON	05/26/2016	05/31/2021
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		
2	NDC:43419-062-36	2 in 1 CARTON	07/23/2018	08/31/2021
2		2 in 1 CARTON		
2		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/26/2016	08/31/2021

SULWHASOO PERFECTING CUSHION NO.21 MEDIUM PINK			
octinoxate, titanium dioxide, and zinc oxide lotion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-063
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: 0THF5PC10R)			
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)			
CYCLOMETHICONE 6 (UNII: XHK3U310BA)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)			
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
PHENOXYETHANOL (UNII: HE492ZZ3T)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)			

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GLYCERIN (UNII: PDC6A3C0OX)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)
LILIUM LANCIFOLIUM FLOWERING TOP (UNII: 6268MFA917)
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)
NELUMBO NUCIFERA SEED (UNII: YCT65RT6AE)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ALCOHOL (UNII: 3K9958V90M)
SQUALANE (UNII: GW89575KF9)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
PINUS KORAIENSIS SEED OIL (UNII: 08F703RHY3)
PRUNUS PERSICA FLOWER (UNII: 19GWB0JENH)
SESAME OIL (UNII: QX10HYY4QV)
CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T)
APRICOT KERNEL OIL (UNII: 54JB35T06A)
ALUMINUM OXIDE (UNII: LM26O6933)
PRUNUS ARMENIACA SEED (UNII: 75356789IW)
PRUNUS PERSICA SEED (UNII: V9C81470RR)
PRUNUS MUME FRUIT (UNII: 63919018CU)
NELUMBO NUCIFERA GERM (UNII: 3KNW4B421S)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-063-31	2 in 1 CARTON	05/26/2016	05/31/2021
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		
2	NDC:43419-063-36	2 in 1 CARTON	08/01/2018	07/22/2021
2		2 in 1 CARTON		
2		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

SULWHASOO PERFECTING CUSHION NO.23 MEDIUM BEIGE

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-064
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1P1)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
LILIUM LANCIFOLIUM FLOWERING TOP (UNII: 6268MFA917)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
NELUMBO NUCIFERA SEED (UNII: YCT65RT6AE)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

FERROSO FERRIC OXIDE (UNII: XM0M87F357)
ALCOHOL (UNII: 3K9958V90M)
SQUALANE (UNII: GW89575KF9)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
PINUS KORAIENSIS SEED OIL (UNII: 08F703RHY3)
PRUNUS PERSICA FLOWER (UNII: 19GWB0JENH)
SESAME OIL (UNII: QX10HYY4QV)
CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T)
APRICOT KERNEL OIL (UNII: 54JB35T06A)
ALUMINUM OXIDE (UNII: LM26O6933)
PRUNUS ARMENIACA SEED (UNII: 75356789IW)
PRUNUS PERSICA SEED (UNII: V9C81470RR)
PRUNUS MUME FRUIT (UNII: 63919018CU)
NELUMBO NUCIFERA GERM (UNII: 3KNW4B421S)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-064-31	2 in 1 CARTON	05/26/2016	05/31/2021
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/26/2016	05/31/2021

SULWHASOO PERFECTING CUSHION NO.25 DEEP BEIGE

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-065
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
LILIUM LANCIFOLIUM FLOWERING TOP (UNII: 6268MFA917)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
NELUMBO NUCIFERA SEED (UNII: YCT65RT6AE)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALCOHOL (UNII: 3K9958V90M)	
SQUALANE (UNII: GW89575KF9)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ADENOSINE (UNII: K72T3FS567)	
HONEY (UNII: Y9H1V576FH)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PINUS KORAIENSIS SEED OIL (UNII: 08F703RHY3)	
PRUNUS PERSICA FLOWER (UNII: 19GWB0JENH)	
SESAME OIL (UNII: QX10HYY4QV)	
CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T)	
APRICOT KERNEL OIL (UNII: 54JB35T06A)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PRUNUS ARMENIACA SEED (UNII: 75356789IW)	
PRUNUS PERSICA SEED (UNII: V9C81470RR)	
PRUNUS MUME FRUIT (UNII: 63919018CU)	
NELUMBO NUCIFERA GERM (UNII: 3KNW4B421S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-065-31	2 in 1 CARTON	05/26/2016	05/31/2021
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/26/2016	05/31/2021

SULWHASOO PERFECTING CUSHION NO.33 DARK BEIGE

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-066
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
PRUNUS PERSICA FLOWER (UNII: 19GWB0JENH)	
SESAME OIL (UNII: QX10HYY4QV)	
CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T)	
APRICOT KERNEL OIL (UNII: 54JB35T06A)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PRUNUS ARMENIACA SEED (UNII: 75356789IW)	
PRUNUS PERSICA SEED (UNII: V9C81470RR)	
PRUNUS MUME FRUIT (UNII: 639190I8CU)	
NELUMBO NUCIFERA GERM (UNII: 3KNW4B421S)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
FERRIC OXIDE RED (UNII: 1K09F3G675)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
STEARIC ACID (UNII: 4ELV7Z65AP)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GLYCERIN (UNII: PDC6A3C0OX)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)
LILIUM LANCIFOLIUM FLOWERING TOP (UNII: 6268MFA917)
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)
NELUMBO NUCIFERA SEED (UNII: YCT65RT6AE)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ALCOHOL (UNII: 3K9958V90M)
SQUALANE (UNII: GW89575KF9)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
PINUS KORAIENSIS SEED OIL (UNII: 08F703RHY3)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-066-31	2 in 1 CARTON	05/26/2016	05/31/2021
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/26/2016	05/31/2021

Labeler - Amorepacific Corporation (631035289)

Establishment

Name	Address	ID/FEI	Business Operations
Amorepacific Corporation		694894112	manufacture(43419-061, 43419-062, 43419-063, 43419-064, 43419-065, 43419-066)

Revised: 12/2019

Amorepacific Corporation