

**VICKS DAYQUIL KIDS HONEY AND VICKS NYQUIL KIDS HONEY COLD AND COUGH PLUS- doxylamine succinate, phenylephrine hydrochloride, dextromethorphan hydrobromide**  
**The Procter & Gamble Manufacturing Company**

-----

**Vicks DayQuil Kids HONEY COLD & COUGH / Vicks NyQuil Kids HONEY COLD & COUGH plus**  
**Liquid Convenience Pack**  
**NyQuil Kids HONEY COLD & COUGH + CONGESTION**

***Drug Facts***

**Active ingredients (in each 15 mL)**

Dextromethorphan HBr 10 mg  
Doxylamine succinate 6.25 mg  
Phenylephrine HCl 5 mg

**Purpose**

Cough suppressant  
Antihistamine  
Nasal decongestant

**Uses**

temporarily relieves common cold symptoms:

- nasal congestion • sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- cough to help you sleep • runny nose & sneezing
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

**Ask a doctor before use if you have**

- heart disease

- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- **do not use more than directed.**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

**In case of overdose,**

get medical help or contact a Poison Control Center right away.

**Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

---

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

---

### **Other information**

- **each 15 mL contains:** sodium 14 mg
- store at no greater than 25°C

### **Inactive ingredients**

citric acid, D&C Yellow No. 10, FD&C Green No. 3, FD&C Red No. 40, FD&C Yellow No. 6, flavor (with honey), glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

### **Questions?**

1-800-362-1683

### **DayQuil Kids HONEY COLD & COUGH + MUCUS**

### **Drug Facts**

#### **Active ingredients (in each 15 mL)**

Dextromethorphan HBr 10 mg  
Guaifenesin 100 mg  
Phenylephrine HCl 5 mg

### **Purpose**

Cough suppressant  
Expectorant  
Nasal decongestant

### **Uses**

- temporarily relieves common cold symptoms:
- nasal congestion
- sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

## **Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## **Ask a doctor before use if you have**

- heart disease • high blood pressure
- thyroid disease • diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

## **When using this product,**

**do not use more than directed.**

## **Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

---

adults & children 12 yrs & over  
children 6 to under 12 yrs

30 mL every 4 hrs  
15 mL every 4 hrs

children 4 to under 6 yrs  
children under 4 yrs

ask a doctor  
do not use

---

### **Other information**

- **each 15 mL contains:** sodium 14 mg
- store at no greater than 25°C

### **Inactive ingredients**

citric acid, D&C Yellow No. 10, FD&C Green No. 3, FD&C Red No. 40, FD&C Yellow No. 6, flavor (with honey), glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

### **Questions?**

**1-800-362-1683**

**TAMPER EVIDENT: Do not use if printed shrinkband seal around the neck is broken or missing.**

### **PRINCIPAL DISPLAY PANEL - Convenience Pack**

VALUE COMBO PACK

1 DAY + 1 NIGHT

VICKS®

DayQuil™ Kids HONEY

COLD & COUGH + MUCUS

Guaifenesin, Phenylephrine HCl, Dextromethorphan HBr

Chest Congestion

Nasal Congestion

Cough

*Non-Drowsy*

FREE OF ALCOHOL  
& ACETAMINOPHEN

NyQuil™ Kids HONEY

COLD & COUGH + CONGESTION

Doxylamine Succinate, Phenylephrine HCl, Dextromethorphan HBr

Sneezing, Runny Nose

Nasal Congestion

Cough

*Nighttime Relief*

2 BOTTLES - 1 DAYQUIL/1 NYQUIL 8 FL OZ (236 mL) EACH; TOTAL 16 FL OZ (473 mL)

**DayQuil Kids Honey COLD & COUGH + CONGESTION**

**Drug Facts**  
**Active ingredients (in each 15 mL)**  
 Doxylamine HBr 10 mg Cough suppressant  
 Dextromethorphan HBr 10 mg Cough suppressant  
 Phenylephrine HCl 5 mg Nasal decongestant

**Uses** Temporarily relieves common cold symptoms:  
 • nasal congestion • sinus congestion & pressure  
 • cough due to minor throat & bronchial irritation  
 • cough to help you sleep • runny nose & sneezing  
 • reduces swelling of nasal passages  
 • temporarily restores freer breathing through the nose  
 • provides nasal and/or sinus drainage

**Warnings**  
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (antidepressants for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product to make a child sleepy.

**Ask a doctor before use if you have**  
 • heart disease • high blood pressure • diabetes • glaucoma  
 • thyroid disease • trouble urinating due to enlarged prostate gland  
 • cough that occurs with too much phlegm (mucus)  
 • a breathing problem or chronic cough that lasts or occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers**

**When using this product** • do not use more than directed.  
 • excitability may occur, especially in children  
 • masked drowsiness may occur  
 • alcohol, sedatives, and tranquilizers may increase drowsiness  
 • avoid alcoholic drinks  
 • be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**  
 • you get nervous, dizzy or sleeping  
 • symptoms do not improve within 7 days or occur with a fever  
 • cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache  
 • these could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.**

**Directions**  
 • take only as directed  
 • only use the dose cup provided  
 • do not exceed 4 doses per 24 hrs  
 adults & children 12 yrs & over 30 mL every 4 hrs  
 children 6 to under 12 yrs 15 mL every 4 hrs  
 children 4 to under 6 yrs ask a doctor  
 children under 4 yrs do not use

**Other information**  
 • each 15 mL contains sodium 14 mg  
 • store at or greater than 20°C

**Inactive ingredients** citric acid, D&C Yellow No. 10, FD&C Green No. 3, FD&C Red No. 40, FD&C Yellow No. 6, flavor (with honey), glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

**Questions? 1-800-362-1883**

**DayQuil Kids Honey COLD & COUGH + MUCUS**

**Drug Facts**  
**Active ingredients (in each 15 mL)**  
 Doxylamine HBr 10 mg Cough suppressant  
 Dextromethorphan HBr 10 mg Cough suppressant  
 Phenylephrine HCl 5 mg Nasal decongestant

**Uses** Temporarily relieves common cold symptoms:  
 • nasal congestion • sinus congestion & pressure  
 • cough due to minor throat & bronchial irritation  
 • cough to help you sleep • runny nose & sneezing  
 • temporarily restores freer breathing through the nose  
 • provides nasal and/or sinus drainage  
 • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

**Warnings**  
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (antidepressants for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
 • heart disease • high blood pressure  
 • thyroid disease • diabetes  
 • trouble urinating due to enlarged prostate gland  
 • cough that occurs with too much phlegm (mucus)  
 • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if**  
 • you get nervous, dizzy or sleeping  
 • symptoms do not improve within 7 days or occur with a fever  
 • cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache  
 • these could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.**

**Directions**  
 • take only as directed  
 • only use the dose cup provided  
 • do not exceed 4 doses per 24 hrs  
 adults & children 12 yrs & over 30 mL every 4 hrs  
 children 6 to under 12 yrs 15 mL every 4 hrs  
 children 4 to under 6 yrs ask a doctor  
 children under 4 yrs do not use

**Other information**  
 • each 15 mL contains sodium 14 mg  
 • store at or greater than 20°C

**Inactive ingredients** citric acid, D&C Yellow No. 10, FD&C Green No. 3, FD&C Red No. 40, FD&C Yellow No. 6, flavor (with honey), glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

**Questions? 1-800-362-1883**

**Safe, fast and effective cough & cold relief for your little one.**

**Specially formulated for kids and flavored with real honey to coat and soothe their throat.**

**From VICKS® the world's #1 selling cough & cold brand.**

**Chest Congestion**  
**Nasal Congestion**  
**Cough**

**Sneezing, Runny Nose**  
**Nasal Congestion**  
**Cough**

**2 BOTTLES - 1 DAYQUIL / 1 NYQUIL**  
**8 FL OZ (236 mL) EACH; TOTAL 16 FL OZ (473 mL)**

**PARENTS:**  
 Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**P&G**  
[www.pg.com](http://www.pg.com)  
 Patents: www.pg.com/patents

**TAMPER EVIDENT:** Do not use if printed shrinkband seal around the neck is broken or missing

90460755

9 06770 00627 4

## VICKS DAYQUIL KIDS HONEY AND VICKS NYQUIL KIDS HONEY COLD AND COUGH PLUS

doxylamine succinate, phenylephrine hydrochloride, dextromethorphan hydrobromide kit

### Product Information

**Product Type** HUMAN OTC DRUG **Item Code (Source)** NDC:69423-993

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-993-16	1 in 1 PACKAGE; Type 0: Not a Combination Product	07/12/2022	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	236 mL
Part 2	1 BOTTLE, PLASTIC	236 mL

## Part 1 of 2

### VICKS DAYQUIL KIDS COLD COUGH PLUS MUCUS

guaifenesin, phenylephrine hydrochloride and dextromethorphan hydrobromide liquid

#### Product Information

Item Code (Source)	NDC:69423-946
Route of Administration	ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 15 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>FD&amp;C GREEN NO. 3</b> (UNII: 3P3ONR6O1S)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

#### Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor	HONEY	Imprint Code	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-946-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/08/2021	

**Part 2 of 2****VICKS NYQUIL KIDS HONEY COLD COUGH CONGESTION**

doxylamine succinate, phenylephrine hydrochloride and dextromethorphan hydrobromide liquid

**Product Information**

Item Code (Source)	NDC:69423-983
Route of Administration	ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg in 15 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C GREEN NO. 3</b> (UNII: 3P3ONR6O1S)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	HONEY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-983-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/07/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/12/2021	

**Labeler** - The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2025

The Procter & Gamble Manufacturing Company