

STYE EYE RELIEF- conium maculatum flowering top, graphite and sulfur solution/ drops
Similasan AG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Stye Eye Relief

Active Ingredient

Conium maculatum 6X

Purpose

redness

Active Ingredient

Graphites 12X

Purpose

eyelid redness

Active Ingredient

Sulphur 12X

Purpose

tearing, burning

Uses:

According to homeopathic principles, the active ingredients in this medication temporarily relieve minor symptoms such as:

- redness
- burning
- eyelid redness
- tearing

Warnings:

- The purpose of this product is to provide temporary relief of stye symptoms, and is

not a cure for styes.

- **For external use only.**
- According to homeopathic principles, symptoms may temporarily worsen before improving (Initial exacerbation of symptoms).
- To avoid contamination do not touch the tip of the container to any surface.
- To avoid contamination use within 30 days of opening. Expiration date only refers to **unopened** bottle.
- †Our drops will not harm contact lenses, however we recommend not wearing contacts while experiencing eye irritation.

If pregnant, trying to get pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Do not use:

- if the solution changes color or becomes cloudy
- if condition is accompanied by fever

Stop use and ask a doctor if:

- you experience eye pain or changes in vision
- symptoms worsen or persist for more than 72 hours
- the stye enlarges
- the style opens, draining discharge or pus into the eye

Directions:

For adults and children age 2 and over:

- remove tamper evident seal from neck of bottle
- twist cap off bottle
- **DON'T** squeeze bottle, squeeze plastic tip to release 1 to 2 drops into eye
- apply 3-4 times per day
- replace cap after use
- if desired, use with a warm, moistened washcloth placed directly on eyelid

Other Information:

Active ingredients are manufactured according to homeopathic principles.

Inactive ingredients:

Borate buffer, Purified water, Silver sulphate (as preservative), Sodium nitrate

Questions?

Reach our representatives at **1-800-240-9780** or getinfo@similasanusa.com.
www.SimilasanUSA.com

PRINCIPAL DISPLAY PANEL

Similasan
Stye Eye Relief
STERILE EYE DROPS
10 ml / 0.33 fl oz

<p>unpainted/uncoated area Farb/Lackausparung</p>		<p><i>Similasan.</i> Stye Eye Relief <small>STERILE DROPS</small> NATURAL ACTIVE INGREDIENTS</p>	
<p>Drug Facts Active Ingredients Purpose Conium maculatum 6X redness Graphites 12X eyelid redness Sulphur 12X tearing, burning</p> <p>Uses* According to homeopathic principles, the active ingredients in this product temporarily relieve minor symptoms such as: • redness • burning • eyelid redness • tearing</p> <p>Warnings • The purpose of this product is to provide temporary relief of stye symptoms, and is not a cure for styes. • For external use only. • According to homeopathic principles, symptoms may temporarily worsen before improving (initial exacerbation of symptoms). • To avoid contamination do not touch the tip of the bottle to any surface. • To avoid contamination use within 30 days of opening. Expiration date only refers to unopened bottle. • *Our drops will not harm contact lenses, however we recommend not wearing contacts while experiencing eye irritation.</p> <p>If pregnant, trying to get pregnant or breast feeding, ask a health professional before use.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Do not use: • if the solution changes color or becomes cloudy • if condition is accompanied by fever</p>	<p>Drug Facts (continued) Stop use and ask a doctor if: • you experience eye pain or changes in vision • symptoms worsen or persist for more than 72 hours • the stye enlarges • the stye opens, draining discharge or pus into the eye</p> <p>Directions For adults and children age 2 and over: • remove tamper evident seal from neck of bottle • twist cap off bottle • DON'T squeeze bottle, squeeze plastic tip to release 1 to 2 drops into eye • apply 3-4 times per day • replace cap after use • if desired, use with a warm, moistened washcloth placed directly on eyelid</p> <p>Other Information Active ingredients are manufactured according to homeopathic principles.</p> <p>Inactive Ingredients Borate buffer, Purified water, Silver sulfate (as preservative), Sodium nitrate</p> <p>Questions? Reach our representatives at 1-800-240-9780 or getinfo@similasanusa.com, www.SimilasanUSA.com</p>	<p> Stye Eye Relief <small>STERILE EYE DROPS</small></p> <p>MULTI-SYMPOM RELIEF • Redness • Burning • Tearing</p> 	<p>ES Español</p> <p>Alivio para los Orzuelos de los Ojos <small>Gotas Oftálmicas Estériles</small> INGREDIENTES ACTIVOS NATURALES ALIVIO DE LOS SÍNTOMAS MÚLTIPLES • Enrojecimiento • Ardor • Lagrimeo <i>Instrucciones en español adentro</i></p> <p>Similasan, trusted for over 40 years in Switzerland, No Harsh Chemicals SAFE FOR USE WITH CONTACT LENSES!</p> <p></p> <p><small>Similasan and Similasan Stye Eye Relief are trademarks of TAS Eye Care Management AG, Switzerland, and the Similasan logo is a registered trademark of TAS Eye Care Management AG, Switzerland. Manufactured by Similasan AG, 8916 Jurens, Switzerland. Imported and Distributed by Similasan Corporation, Highlands Ranch, CO 80129. Made in Switzerland.</small></p>
<p>*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</p>	<p>For your protection do not use if tamper evident seal around neck of bottle is missing or broken.</p>	<p>NATURAL ACTIVE INGREDIENTS</p> <p>HOMEOPATHIC Original Swiss Formula 10 ml / 0.33 fl oz</p>	<p>www.SimilasanUSA.com</p> <p>Feel Good About Feeling Better™</p>
<p>unpainted/uncoated area Farb/Lackausparung</p>	<p>V10.0 PUS2090</p>	<p> 0 9484 1 30054 2</p> <p>unpainted/uncoated area Farb/Lackausparung</p>	<p>← Space (at minimum EXP. and batch</p>

V10.0 PUS2090

*Informaciones basadas en la evidencia homeopática tradicional, no se aceptan pruebas médicas. No evaluado por la FDA.

Especificaciones del medicamento

Ingredientes activos ... Propósito
 Conium maculatum 6Xenrojecimiento
 Graphites 12X enrojecimiento del párpado
 Sulphur 12X.....lagrimeo, ardor

Aplicaciones*
 Según los principios homeopáticos, los ingredientes activos de este producto alivian en forma temporal los síntomas menores, como:
 • enrojecimiento • ardor
 • enrojecimiento del párpado • lagrimeo

Advertencias
 • El objetivo de este producto es brindar un alivio temporal de los síntomas de ojo seco, y no constituye una cura de los mismos.
 • **Sólo para uso externo.**
 • Según los principios homeopáticos, los síntomas pueden empeorar de manera temporal, antes de mejorar (exacerbación inicial de los síntomas).
 • Para evitar la contaminación, no permita el contacto de la punta del botella con ninguna superficie.
 • Para evitar la contaminación, utilícelo dentro de los 30 días una vez abierto. La fecha de caducidad alude a la botella sin abrir.
 • Para su protección, no lo uses si el sello de garantía evidente alrededor del cuello de la botella está roto o desaparecido.
 • ¡Nuestras gotas no dañarán los lentes de contacto, sin embargo, recomendamos no usar lentes de contacto mientras experimente irritación en los ojos.

Si está embarazada, está intentando quedar embarazada o está amamantando, consulte a un profesional médico, antes de utilizar el producto.

Manténgalo fuera del alcance de los niños. Si se lo ingiere, obtenga asistencia médica o póngase en contacto con un Centro de Toxicología de inmediato.

Especificaciones del medicamento (cont.)

No utilizarlo:
 • si la solución cambia de color o se pone turbia
 • si la situación viene acompañada de fiebre, dejar de usar

Preguntar a un médico si:
 • los síntomas se agravan o persisten durante más de 72 horas
 • experimenta dolor ocular o cambios en la visión
 • si el orzuelo se agranda
 • el orzuelo se abre, drenando descarga o pus hacia el ojo

Instrucciones
 Para adultos y niños de 2 años y más:
 • quitar el sello-traba del cuello del frasco
 • desenroscar la tapa del frasco
 • **NO** apriete la botella, presione la punta plástica para colocar de 1 a 2 gotas en el ojo
 • aplicar 3 a 4 veces por día
 • vuelva a colocar la tapa después de usarlo
 • si se desea, emplear un trapo húmedo caliente, colocándolo directamente sobre el párpado



Información adicional
 Los ingredientes activos se fabrican de acuerdo con los principios homeopáticos.

Ingredientes inactivos
 Butiro borato, agua purificada, sulfato de plata (como conservante), nitrato de sodio

¿Dudas?
 Póngase en contacto con nuestros representantes en 1-800-240-9780 o getinfo@similasanusa.com.
 www.SimilasanUSA.com

Manufacturer's Coupon Expires 12/31/2015

Similasan.

SAVE \$100

...on any Similasan product with this valuable coupon!

Ahorra \$1 en cualquier producto Similasan con este cupón valioso!

Consumer: Limit one coupon per purchase specified. Any other use constitutes fraud. Void if copied, transferred or expired. Retailer: Your redemption signifies compliance with the Similasan Corporation Coupon Redemption Policy, available upon request. We will reimburse you the face value of this coupon plus \$K handling provided it is redeemed by a consumer at the time of purchase. Void where prohibited, taxed, or restricted. Mail to Similasan, Inmar Dept. 54841, 1 Fawcett Dr., Del Rio, TX 78840, Cash Value .00X.



STYE EYE RELIEF

conium maculatum flowering top, graphite and sulfur solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53799-305
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CONIUM MACULATUM FLOWERING TOP (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371)	CONIUM MACULATUM FLOWERING TOP	6 [hp_X] in 10 mL
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	12 [hp_X] in 10 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X] in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
WATER (UNII: 059QF0KO0R)	
SILVER SULFATE (UNII: 8QG6HV4ZPO)	
SODIUM NITRATE (UNII: 8M4L3H2ZVZ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53799-305-11	10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	01/02/2005	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/02/2005	

Labeler - Similasan AG (481545754)

Revised: 10/2021

Similasan AG