VICKS DAYQUIL VAPOCOOL SEVERE COLD AND FLU PLUS CONGESTIONacetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet The Procter & Gamble Manufacturing Company

Vicks ® DayQuil™ VapoCool™ SEVERE COLD & FLU + CONGESTION

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Guaifenesin 200 mg
Phenylephrine HCl 5mg

Purpose

Pain reliever/Fever reducer Cough suppressant Expectorant Nasal decongestant

Uses

- temporarily relieves common cold/flu symptoms:
 - nasal congestion
 - sinus congestion & pressure
 - cough due to minor throat & bronchial irritation
 - minor aches & pains
 - headache
 - fever
 - sore throat
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- · trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 8 caplets per 24 hrs

| adults & children 12 yrs & over | 2 caplets with water every 4 hrs |
|---------------------------------|----------------------------------|
| children 4 to under 12 yrs | ask a doctor |
| children under 4 yrs | do not use |

Other information

- each caplet contains:sodium 4 mg
- store at no greater than 25°C

Inactive ingredients

croscarmellose sodium, crospovidone, FD&C Yellow No. 6 Aluminum Lake, flavor, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

Questions?

1-800-362-1683

TAMPER EVIDENT: This package is safety-sealed & child resistant. Use only if blisters are intact. If difficult to open, use scissors.

DIST. BY PROCTER & GAMBLE, CINCINNATI OH 45202

PRINCIPAL DISPLAY PANEL - 24 Caplet Carton

VICKS ® DayQuil™ VapoCOOL™ SEVERE COLD & FLU + CONGESTION

Acetaminophen, Guaifenesin, Phenylephrine HCl, Dextromethorphan HBr

- Headache, Fever, Sore Throat, Minor Aches & Pains
- Chest Congestion, Thins & Loosens Mucus
- Nasal Congestion, Sinus Pressure
- Cough

24 COATED CAPLETS



VICKS DAYQUIL VAPOCOOL SEVERE COLD AND FLU PLUS CONGESTION

acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69423-987 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | |
|--|----------------------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) | ACETAMINOPHEN | 325 mg | |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg | |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 200 mg | |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg | |
| | | | |

| Inactive Ingredients | | |
|---|----------|--|
| Ingredient Name | Strength | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | |
| STARCH, CORN (UNII: O8232NY3SJ) | | |
| CROSCARMELLOSE SODIUM (UNII: M280L1HH48) | | |
| CROSPOVIDONE (UNII: 2S7830E561) | | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | | |
| POLYVINYL ALCOHOL (UNII: 532B59J990) | | |
| POVIDONE (UNII: FZ 989GH94E) | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | |
| TALC (UNII: 7SEV7J4R1U) | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | |

| Product Characteristics | | | | |
|-------------------------|--------|--------------|----------|--|
| Color | orange | Score | no score | |
| Shape | OVAL | Size | 19mm | |
| Flavor | | Imprint Code | DQ | |
| Contains | | | | |

| ı | Packaging | | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|--|
| 7 | # Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| : | NDC:69423- 987-24 | 1 in 1 CARTON | 03/22/2021 | | | |
| : | L | 24 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M012 | 08/01/2018 | |
| | | | |

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2025 The Procter & Gamble Manufacturing Company