ALLERGY RELIEF- fexofenadine hcl tablet P and L Development of New York Corporation

DRUG FACTS

Active ingredient (in each tablet)

Fexofenadine HCl 180 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

| 5 | take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours |
|--------------------------------|--|
| children under 12 years of age | do not use |

| adults 65 years of age and older | ask a doctor |
|----------------------------------|--------------|
| consumers with kidney disease | ask a doctor |

Other information

- store at 20°-25°C (68°-77°F)
- protect from excessive moisture

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, iron oxide yellow, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone k-30, talc, titanium dioxide.

Questions or comments?

call toll free 1-877-753-3935 Monday- Friday 9AM- 5PM EST

Package/Label Principal Display Panel

[†]Compare to the active ingredient in Allegra® Allergy 24 hour

ORIGINAL PRESCRIPTION STRENGTH

NON-DROWSY

ALLERGY RELIEF

Fexofenadine HCl 180 mg

Antihistamine

ALLERGY

Indoor and outdoor Allergies

24 Hour Relief of:

- sneezing
- runny nose
- itchy, watery eyes
- itchy nose or throat

†This product is not manufactured or distributed by Chattem Inc., distributor of Allegra® Allergy 24 hour

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION. DO NOT USE IF CARTON IS OPEN OR IF INDIVIDUAL BLISTER UNIT IS TORN OR OPEN.

Distributed by: PL Developments

200 hicks street

westbury NY 11590

PRODUCT OF INDIA

Product Label

| | L | | |
|---------------------------------|---|--|--|
| | T23 M92-MA9 ysbir3-ysbnoM 2595-537-178-1 991 llot | Questions or comments? Call | |
| | licon dioxide, croscarmellose sodium, hypromellose, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone K-30, talc, titanium dioxide | inactive ingreate, magnesium steate, i lactose monohydrate, magnesium steatae, | |
| | ° to 25°C (66° to 77°F) ■ protect from excessive moisture | | Z |
| | ask a doctor ask a doctor | adults 65 years of age and older consumers with kidney disease | |
| | bo not take more than 1 tablet in 24 hours bo not use | children under 12 years of age | < <u> </u> |
| ≲ō | et take one 180 mg tablet with water once a day; | Directions birections Directions Directions Directions Directions Directions Directions | ≥ 2 |
| | aith professional before use. of overdose, get medical help or contact a Poison Control Center right away. | It pregnant or breast-feeding, ask a her Keep out of reach of children. In case o | NO INK NO VARNISH |
| lấ≨∣ | | do not take with fruit juices (see Direction | 즟ㅈ |
| \vec{v} | c reaction to this product or any of its ingredients. dney disease. Your doctor should determine if you need a different dose. Is more than directed do not take at the same time as aluminum or magnesium antacids | Ask a doctor before use if you have ki | i Ψ |
| NO INK NO VARNISH | | spninseW | ÷ |
| | ms due to hay fever or other upper respiratory allergies: hroat | cuesting curring noise <licurring li="" noise<=""> <licurring <="" noise<="" td=""><td></td></licurring></licurring> | |
| | enimsteinitnA. | Fexofenadine HCI 180 mg. | |
| | əsoqru ^q (təldr | Drug Facts Active ingredient (in each ta | |
| | | | |
| | Allergy Relief | 24 | |
| | Allergy Heller | HOUR | |
| | | | |
| | 5 TABLETS 180 mg each | | |
| | | Alleren Aduleren | |
| | †Compare to the active ingredient in Allegra | NDC 59726-189-05 | ION. |
| | ORIGINAL PRESCRIPTION STRENGTH NON-DROWSY | ~ | IRN OR |
| | Allergy Relief | (24) | CT INF |
| | Allergy Heller | HOUR | GS AND PRODUCT INFORMATION. Al Blister Unit is torn or open. |
| | | | S AND |
| | | | |
| Fexofenadine HCI 180 mg | | | |
| Antihistamine | Fexofenadine HCI 180 mg | | PEN OR |
| Allergy | Antihistamine | 24 Hour Relief of: | N FOR |
| Indoor and Outdoor Allergies | Allergy | Sneezing | KEEP OUTER CARTON FOR COMPLETE WARNII do not use if carton is open or if individi Lat No.: Exp. Date: |
| Outdoor Allergies | Indoor and Outdoor Allergies | Runny Nose Itabu Wataru Fuga | outer ate: 10SE II |
| 5 TABLETS 180 mg each | 5 TABLETS 180 mg each | Itchy, Watery Eyes Itchy Nose or Throat | KEEP OUT DO NOT US Lat No.: Exp. Date: |
| | | | |
| | †This product is not manufactured or distributed by Chattern, Inc., distributor of Allegra® All | lergy 24 Hour. | |
| | Distributed by: PL Developments Westbury, NY 11590, USA | | |
| | PRODUCT OF INDIA | | |
| | PLD-A FC000476 | 3 59726 18905 7 | |
| | | | / |
| | Fexofenadine HCl 180 mg | | |

ALLERGY RELIEF

| Product Information | on | | | | | | | | |
|--|---|---|-------|-----------|-----------------------|------------------------------|-------------|----------|--|
| Product T ype | | HUMAN OTC DRUG Item Code (Source) NDC:59726-1 | | | 9726-189(| 189(NDC:55648-987) | | | |
| Route of Administrat | ion | ORAL | | | | | | | |
| | | | | | | | | | |
| Active Ingredient/ | Active Mo | iety | | | | | | | |
| | | redient Name | | | Basi | s of Strei | ngth Streng | | |
| FEXOFENADINE HYDR UNII:E6582LOH6V) | XOFENADINE HYDRO CHLO RIDE (UNII: 2S068B75ZU) (FEXOFENADINE - | | | | | EXOFENADINE IYDROCHLORIDE | | | |
| Inactive Ingredier | its | | | | | | | | |
| Ingredient Name | | | | | | | Strength | | |
| SILICON DIO XIDE (UNII: ETJ7Z6 XBU4) | | | | | | | | | |
| CROSCARMELLOSE S | ODIUM (UNII | :M28OL1HH48) | | | | | | | |
| HYPROMELLOSES (U | NII: 3NXW29V | 3WO) | | | | | | | |
| FERRIC OXIDE RED (U | NII: 1K09F3G6 | 575) | | | | | | | |
| FERRIC OXIDE YELLO | | | | | | | | | |
| LACTOSE MONOHYD | | | | | | | | | |
| MAGNESIUM STEARA | | | | | | | | | |
| CELLULOSE, MICROO | | | | | | | | | |
| POLYETHYLENE GLY | | | | | | | | | |
| POVIDONE K30 (UNII: | | .) | | | | | | | |
| TALC (UNII: 7SEV7J4R | | ID) | | | | | | | |
| TITANIUM DIO XIDE (U | INII. IJFIAJ V 2 | Jr) | | | | | | | |
| | • .• | | | | | | | | |
| Product Characte | | | | | | | | | |
| Color | WHITE (light | peach) | | | | | no scor | | |
| Shape | CAPSULE | | Size | | | | 17mm | | |
| Flavor | | Imprint Code | | | 2 | | W987 | | |
| Contains | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Packaging | | | | | | | | | |
| 00 | Pac | kage Description | Marke | ting Star | t Date | Marl | keting E | and Date | |
| # Item Code | Pac 1 in 1 C/ | | Marke | ting Star | t Date | Marl | keting E | and Date | |
| Packaging # Item Code NDC:59726-189-05 1 | 1 in 1 CA | | Marke | ting Star | t Date | Marl | keting E | and Date | |
| Item Code NDC:59726-189-05 1 | 1 in 1 C A 5 in 1 BI | ARTON | Marke | ting Star | t Date | Marl | keting E | and Date | |
| # Item Code 1 NDC:59726-189-05 | 1 in 1 C A 5 in 1 BI rmation | ARTON | | | t Date eting Start | | | nd Date | |

Registrant - P and L Development of New York Corporation (800014821)

Revised: 12/2012

P and L Development of New York Corporation