COUGH DROPS- menthol pastille Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cough Drops

Active ingredient 7.5 mg Cough Suppressant

Oral anesthetic





Cough Drops

MENTHOL COUGH SUPPRESSANT/ORAL ANESTHETIC

COMPARE TO HALLS[®] ACTIVE INGREDIENT[‡]

Soothes Sore Throat Pain & Temporarily Relieves Cough

- No Artificial Flavors, Preservatives or Sweeteners
- No Synthetic Colors



HONEY-LEMON FLAVOR

Uses temporarily relieves:

- cough as may occur with a cold
- ocassional minor irritation and sore throat

Uses temporarily relieves:

- cough as may occur with a cold
- ocassional minor irritation and sore throat

Warnings

Sore throat warning: severe or persistence sore throat accompanied by high fever, headache, nausea and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

Ask a doctor before use if you have

- a severe throat accompanied by difficulty in breathing or that last more than 2 days
- a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting

Stop use and consult a doctor if

• sore mouth symptons do not improve in 7 days or if irritation, pains or redness persists or worsens.

If pregnant or breast-feeding, ask a health professional before use.

Keep this and all drugs out of the reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years and over: dissolve 1 drop slowly in mouth. Repeated every 2 hours as needed or as directed by a doctor.
- Children under 12 years and under do not use
- Store in a cool and dry place
- 10 calories per drop

citric acid, honey, flavors, glucose syrup, sucrose, turmeric

Questions? or to report and adverse event call: 1-800-423-0139

enection of the second second

Drug Facts

Active ingredient (in each drop) Menthol 75 pm and **in each drop)** Menthol 75 pm and and a second condh suppressant, oral anesthetic səs odın d

condy as may occur with a cold. Uses temporarily relieves:

accessional minorinitation and sore threat

sbuju.reM

accompanied by high fever, headache, nausea, and vomiting imay be serious. Consult doctor promptly, Do not use more Sore throat warning: Severe or persistent sore throat

Ask a doctor before use if you have than 2 days or administer to children under 12 years of age.

a sore throat accompanied by fever, headache, rash, that lasts more than 2 days. a severe cough accompanied by diffculty in breathing or

🔳 don cá exceed recommended dosage. When using this product swelling, nausea or vomiting.

🔳 sore mouth symptoms do not improve in 7 days, or if Stop and consult a doctor if

If pregnant or breast-feeding, ask a health professional initation, pain, or redness persists or worsens.

Center right away. overdose, get medical help or contact a Poison Control before use. Keep out of the reach of children. In case of

tested to guarantee its highest quality. Your total satisfaction is guaranteed.

This TopCare® product is laboratory

Directions

Aests and over: dissolve 1 drop slowly in St ne blido bna stub A 🔳

directed by a doctor. 2 hours as needed or as the mouth. Repeat every

82750<u>00892</u>11 0

Scan here for more information or call 1-888-423-0139

33O

DISTRIBUTED BYTOPCOSSOCIATES OUESTIONS7 + 568-423-0139 GUESTIONS7 + 568-423-0139 Tecseffore.com www.kbpcstebrand.com Storats - 2000 Constructions - 2000 Storats - 2000 Constructions - 2000 Construct

this productis not manufactured or distributed by Mondelez Global, LLC, own er of the registered trademark Halls®.

HONEY-LEMON FLAVOR

No Synthetic Colors

No Artificial Flavors,

& Temporarily Relieves

So othes Sore Throat Pain

MENTHOL COUGH SUPPRESSANT/

or Sweeteners Preservatives

46noc

ORAL ANESTHETIC

Other information 🔳 10 calones per drop. 🔳 Children under 12 years: | do notuse.

E Store in a cool and dry place.

Inactive in gredients Citricacid, tavors, glucose symp,

honey, sucrose, turmeric (for coloring).

1-888-423-0139. Questions? Or to report an adverse event cal

Product Type							
founce type		HUMAN OTC DRUGItem Code (Source)NDC:76162-01				5162-017	
Route of Adminis	stration	ORAL					
Active Ingredie	ent/Active	Moietv					
		ent Name		Basis of Stre	nath	Strength	
MENTHOL (UNII: L7T	-	THOL - UNII:L7T10EIP3A)		MENTHOL		5.8 mg	
						J	
nactive Ingred	dients						
Ingredient Name						Strength	
CORN SYRUP (UNII: 9G5L16BK6N)							
SUCROSE (UNII: C151H8M554)							
		III: 2968PHW8QP)					
HONEY (UNII: Y9H1V576FH) TURMERIC (UNII: 856Y01Z64F)							
Product Chara Color	cteristics yellow	Score	sc	ore with uneven pieces			
Shape	OVAL	Size		mm			
-	HONEY	Imprint Codo	N				
Flavor		Imprint Code	NO	ne			
		imprint Code	NO	ne			
Flavor Contains		Imprint Code	NO	ne			
Contains		Imprint Code	No	ne			
Contains Packaging		kage Description		ne Iarketing Start Date		eting End Date	
Contains Packaging # Item Code	Pac		M	larketing Start			
Contains Packaging # Item Code 1 NDC:76162-017-	Pac 80 in 1 BAG; 1	kage Description	M	larketing Start Date		-	
Contains Packaging # Item Code 1 NDC:76162-017- 01	Pac 80 in 1 BAG; 1 Product	kage Description	M	larketing Start Date			
Contains Packaging # Item Code 1 NDC:76162-017-	Pac 80 in 1 BAG; 7 Product nformat	kage Description	M 12/1	larketing Start Date			

Labeler - Topco Associates LLC (006935977)

Registrant - Boston Nutraceutical Science SL (466061824)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boston Nutraceutical Production		468121064	label(76162-017) , pack(76162-017) , manufacture(76162- 017)				

Revised: 12/2022