# SATOS CORN AND CALLUS REMOVER- salicylic acid liquid Sato Pharmaceutical Co., Ltd.

-----

## Satos Corn and Callus Remover

## **Active ingredient**

Salicylic acid 12%

## **Purpose**

Salicylic acid...Corn and callus remover

## Uses

- for the removal of corns and callus
- relieves pain by removing corns

## For external use only

#### **Flammable**

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat.

## Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic
- if you have poor blood circulation

## When using this product

■ avoid inhaling vapors

**Stop use and ask a doctor if** discomfort persists.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- wash affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Inactive ingredients collodion, lactic acid

satoliqcorncart.jpg

SATO'S Liquid Corn and Callus Remover

# (Salicylic Acid)

## sato

4

801

00 0 4

MANUFACTURED BY

can be sent to:

CA 90503 製造元

EXP.DATE

使用期限

製造記号

LOT

SATO PHARMACEUTICAL

MINATO-KU TOKYO, JAPAN

Reports of serious side effects associated with use of this product

SATO PHARMACEUTICAL, INC

20501 Earl Street, Suite 3, Torrance,

佐藤製薬株式会社

日本国東京都港区元赤坂1丁目5番27号

NOV.2009

US-P

TXWN

CO., LTD. 1-5-27 MOTOAKASAKA

SATO'S Liquid Corn and Callus

(Salicylic Acid)

こ・うおのめ取り

(9.85mL)

Drug Facts(continued)

When using this product a avoid inhaling vapors Stop use and ask a doctor if

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. discomfort persists

Active lagredient Salicylic acid 12% Drug Facts

Warnings For external use only

# for the removal of corns and callus relieves pain by removing corns

Corn and callus remover

wash affected area and dry thoroughly
 wash affected area and dry thoroughly
 apply one drop at a time with applicator to sufficiently
 cover each corn/callus
 let dry
 repeat this procedure once or twice daily as needed
 for up to 14 days (until corn/callus is removed)
 may soak corn/callus in warm water for 5 minutes
 to assist in removal

Inactive ingredients collodion, lactic acid

Do not use

mon irritated skin

no irritated skin

no not area that is infected or reddened

no nany area diabetic

if you are a diabetic

if you have poor blood circulation Flammable

\* keep away from fire or flame

\* cap bottle tightly and store at room temperature

\* away from heat.



0.33 FL.OZ.

# 使用しないでください。 ■ 炎症をおこしている部位 ■ 結束病の場合 ■ 大気に近し子ないでください。■ 大気に近し子ないでください。■ フタをきじへ踏め報道で保存し結過を通りてください。 使用上の注意 外用にのみご使用ください。 医薬品表示 有物成分・分量 サリチル酸 12%・・・・・・・・たこ 劝熊·効果 おのめの際法に の記録 1保もしくは発表のある紹介 1行容差のある場合 目的うちのめ除去剤 V 使用の際、ご注意へださい。 ■気化した製品を吸い込まない様にしてください。 ■気化した製品を吸い込まない様にしてください。 使用を中止すること。 もし不快感が緩然した場合は医師にご相談へださい。 小児の手の届かないところに保管してください。 誤って飲込んでしまった場合には、重ちに専門家又はポイズンコントローセンターへ運搬してください。 その他成分 医凝品表示(統合 活動機が出来の手の手の手の手の手の手の手の手を 田華(からから、田田)の一番のから、田田)の一番のから、一名ののから、一名のののでは、14日日の一名ののでは、14日日の一番ののかられるまで、13回では、14日日のでは、14日日の一番ののかられるまで、13回では、14日のでは、14日 機をせてください。 他へなります で飲み

## SATOS CORN AND CALLUS REMOVER

salicylic acid liquid

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49873-078

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID 12 g in 100 mL

## **Inactive Ingredients**

Ingredient Name	Strength

PYROXYLIN (UNII: KYR8BR2X6O)

LACTIC ACID (UNII: 33X04XA5AT)

## **Packaging**

# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:49873- 078-01	1 in 1 CARTON	09/19/1987		
1	9.85 mL in 1 BOTTLE; Type 0: Not a Combination Product			

## **Marketing Information**

That Recting into inaction					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M030	09/19/1987			

## Labeler - Sato Pharmaceutical Co., Ltd. (690575642)

## **Establishment**

Establishment				
Name	Address	ID/FEI	Business Operations	
Sato Pharmaceutical Co., Ltd.		715699133	manufacture(49873-078) , label(49873-078) , pack(49873-078)	

Revised: 12/2023 Sato Pharmaceutical Co., Ltd.