

**MAGNESIUM CITRATE- magnesium citrate liquid
WALGREEN COMPANY**

Walgreens Magnesium Citrate Oral Solution - Grape

Active Ingredient

Magnesium citrate 1.745 g (in each fl oz)

Purpose

Saline laxative

Uses

- For relief of occasional constipation (irregularity)
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- Kidney disease
- a magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- Taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30° C)

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other Information

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

Inactive Ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions?

1-888-235-2466

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 1005
SATISFACTION GUARANTEED

walgreens.com © Walgreen Co.

L0000687 R0922

ITEM 946706 W00000-0000-0 W3ORG1222-F

NDC 0363-0427-98

Walgreens

Dye-Free

Magnesium Citrate

SALINE LAXATIVE/ ORAL SOLUTION

Sugar Free Low Sodium

Alcohol content 0.0125%

(from flavouring)

Grape flavor

10 FL OZ (296 mL)

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Drug Facts

Active ingredient (in each fl oz) Purpose
Magnesium citrate 1.745 g Saline laxative

Uses: ■ For relief of occasional constipation (irregularity)
■ Generally produces bowel movement in ½ to 6 hours

Warnings:
Ask a doctor before use if you have
■ Kidney disease ■ a magnesium restricted diet
■ Abdominal pain, nausea, or vomiting
■ Noticed a sudden change in bowel habits that persists over a period of 2 weeks
■ Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are
■ Taking any other drug.
■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures 46° and 86°F (8° and 30°C)

Continued ▶

ITEM 946706 W00000-0000-0 W30RG1222-F

NDC 0363-0427-98



Dye-Free

Magnesium Citrate

SALINE LAXATIVE / ORAL SOLUTION

Sugar Free **Low Sodium**

• Alcohol content 0.0125% (from flavoring)



Grape flavor

10 FL OZ (296 mL)

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Drug Facts (continued)

Directions: ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other Information:
■ each fl oz contains: magnesium 290 mg
■ each fl oz contains: sodium 1 mg

Inactive ingredients: benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions? 1-888-235-2466

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED
walgreens.com ©2022 Walgreen Co.

L0000687 R0922



3 11917 00579 9

MAGNESIUM CITRATE				
magnesium citrate liquid				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0427	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)		MAGNESIUM CITRATE	1.745 g in 29.6 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
BENZOIC ACID (UNII: 8SKN0B0MIM)				
WATER (UNII: 059QF0KO0R)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:0363-0427-98	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007		01/31/2023	

Labeler - WALGREEN COMPANY (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0363-0427)

Revised: 12/2024

WALGREEN COMPANY