

**MAGNESIUM CITRATE- magnesium citrate liquid**  
**WALGREEN COMPANY**

-----  
**Walgreens Magnesium Citrate Oral Solution - Cherry**

**Active Ingredient**

Magnesium citrate 1.745 g (in each fl oz)

**Purpose**

Saline laxative

**Uses**

- For relief of occasional constipation (irregularity)
- Generally produces bowel movement in 1/2 to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- Kidney disease
- a magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

**Ask a doctor or pharmacist before use if you are**

- Taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30° C)

**Directions**

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

|  |  |
|--|--|
| adults and children 12 years of age and over | 6.5 to 10 fl oz maximum 10 fl oz in 24 hours         |
| children 6 to under 12 years of age          | 3 to 7 fl oz maximum 7 fl oz in 24 hours             |
| children 2 to under 6 years of age           | 2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours |
| children under 2 years of age                | ask a doctor   |

**Other Information**

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

**Inactive Ingredients**

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**Questions?**

1-888-235-2466

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 1005  
SATISFACTION GUARANTEED

walgreens.com © Walgreen Co.

L0000686 R0922

ITEM 946720 W00000-0000-0 W3ORG1222-F

NDC 0363-0416-98

Walgreens

Dye-Free

Magnesium Citrate

SALINE LAXATIVE/ ORAL SOLUTION

Sugar Free Low Sodium

Alcohol content 0.005%

(from flavouring)

Cherry flavor

10 FL OZ (296 mL)

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

### Drug Facts

**Active ingredient (in each fl oz) Purpose**  
 Magnesium citrate 1.745 g ..... Saline laxative

**Uses:** ■ For relief of occasional constipation (irregularity)  
 ■ Generally produces bowel movement in ½ to 6 hours

**Warnings:**  
**Ask a doctor before use if you have**  
 ■ Kidney disease ■ a magnesium restricted diet  
 ■ Abdominal pain, nausea, or vomiting  
 ■ Noticed a sudden change in bowel habits that persists over a period of 2 weeks  
 ■ Already used a laxative for a period longer than 1 week

**Ask a doctor or pharmacist before use if you are**  
 ■ Taking any other drug.  
 ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor** if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures 46° and 86°F (8° and 30°C)

**Continued ►**

NDC 0363-0416-98



**Dye-Free**

## Magnesium Citrate

**SALINE LAXATIVE / ORAL SOLUTION**

**Sugar Free**
**Low Sodium**

• Alcohol content 0.005%  
(from flavoring)



Cherry flavor

# 10 FL OZ (296 mL)

**DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING**

### Drug Facts (continued)

**Directions:** ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

|  |   |
|--|---|
| adults and children 12 years of age and over | 6.5 to 10 fl oz maximum<br>10 fl oz in 24 hours |
| children 6 to under 12 years of age          | 3 to 7 fl oz maximum<br>7 fl oz in 24 hours     |
| children 2 to under 6 years of age           | 2 to 3 fl oz maximum<br>3 fl oz in 24 hours     |
| children under 2 years of age                | ask a doctor                                    |

**Other Information:**  
 ■ each fl oz contains: magnesium 290 mg  
 ■ each fl oz contains: sodium 1 mg

**Inactive ingredients:** benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**Questions?** 1-888-235-2466

DISTRIBUTED BY: WALGREENS CO., 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED  
 walgreens.com ©2022 Walgreen Co.  
 L0000686  R0922  
 3 11917 00578 2

ITEM 946720 W00000-0000-0
W3ORG1222-F

# MAGNESIUM CITRATE

magnesium citrate liquid

## Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-0416 |
| Route of Administration | ORAL           |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength              |
|--|-------------------|-----------------------|
| <b>MAGNESIUM CITRATE</b> (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM CITRATE | 1.745 g<br>in 29.6 mL |

## Inactive Ingredients

| Ingredient Name                                      | Strength |
|--|----------|
| <b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)               |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                      |          |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)    |          |
| <b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)                  |          |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM) |          |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

|                       |                  |  |                      |                    |
|-----------------------|------------------|--|----------------------|--------------------|
| 1                     | NDC:0363-0416-98 | 296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 01/31/2023           |                    |
|                       |                  |  |                      |                    |
| Marketing Information |                  |  |                      |                    |
| Marketing Category    |                  | Application Number or Monograph Citation                       | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug    |                  | M007   | 01/31/2023           |                    |
|                       |                  |  |                      |                    |

Labeler - WALGREEN COMPANY (008965063)

|                   |         |           |                        |
|-------------------|---------|-----------|------------------------|
| Establishment     |         |           |                        |
| Name              | Address | ID/FEI    | Business Operations    |
| Pharma Nobis, LLC |         | 118564114 | manufacture(0363-0416) |