ARNICARE PROCEDURE RECOVERY- arnica montana Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Procedure Recovery Kit

Active ingredient** (in each pellet)

Arnica montana 12C (0.443 mg)

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses*

temporarily relieves muscle pain and stiffness due to:

- minor injuries
- overexertion
- falls
- minor procedures

reduces symptoms of bruising such as:

- pain
- swelling
- discoloration

Stop use and ask a doctor if symptoms persist for more than 3 days or get worse, new symptoms occur, or redness or swelling is present. These could be signs of a serious condition.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

Before procedure: Dissolve 5 pellets under the tongue 3 times a day for 2 days.

After procedure: Dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved.

lactose, sucrose

Questions, Comments?

www.boironusa.com info@boironusa.com

1-800-BOIRON-1

(1-800-264-7661)

Newtown Square, PA 19073-3267

do not use if pellet dispenser seal is broken

3 tubes of Boiron Arnica montana 12C** HPUS

Provides approximately 15 days of treatment

Made in France

Boiron Arnica montana pellets reduce bruising, swelling, and pain used before and after your procedure.

Non-habit forming

Non-drowsy

No known drug interactions

post-operative care*


Dissolve 5 pellets under the tongue 3 times a day for 2 days.

Dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved.

Turn tube upside down. Twist until 5 pellets are dispensed. Remove cap and pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C, K, CK and X are homeopathic dilutions: see BoironUSA.com/info for details.





Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: . Do not use if pellet dispenser seal is broken.



Questions or comments?

BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073












Turn tube upside

Twist until 5 pellets Carefully remove cap are dispensed and use it to pour pellets into cap. under the tongue.







GUSE GODAN

ADD-XXX

N OF FOR AN UNTED "C, I, CI, and a vibrange the districts old outsidently o to a site. "C IA NG SKEED ONTH AD TROUN." HI ON BENCHE PRACTICE, NOT AC GEPTED MED CALEN DINCE.

Cathorine one a million of the Control of the Contr

Transfer Minter Market for component nitre protect sellahit. Provides approximately 15 days of treatment 5 tubes of Boiron Arnica montana 12C** HPUS KIT CONTAINS:



Before Procedure

Dissolve 5 pellets under the tonous 3 times a day for 2 days.

After Procedure

Dissolve 5 pellets under the tongue 3 times a day until

Easy Dispensing Tub



Also Available

Arnicare[®] is available in cream and gel for external use. These can be used with pellets to reduce bruising, swelling, and pain.



If you want to know more about Boiron medicines, please visit BoironUSA.com or contact us at 1-800-BOIRON-1.



Arnica



Arnica montana, the active ingredient in Arnicare. has been used for centuries to relieve pain

Boiron Arnica montana pellets reduce bruising, swelling, and pain when used before and after

- Non-habit forming
- Non-drowsy
- No known drug interactions

Drug Facts

Active ingredient" (n coch polat)

Anice mention 120 Fallows muscle pain 5 at threes, swelling HPUS (0.443 mg) declaration from injuries, declaration from busies The latter "PRIS" horizota that the component into product in drickly recognizated in the Hamangathia Pharmacaposita of the United States.

in temporarily solicines muscle path and defineds due for in mind injuries in one searche in table in minor procedures in reduces symptoms of braising such as: in path in severing in disoplaration

Stop ease and ask a dector if symptoms persist for more than 3 days or get worse new symptoms occur, or redness or swelling is present. These could be signs of a

If prognant or breastfeeding, ask a health prolessional below use.

Drug Facts (continued)

Keep out of result of children. In case of actidental overdose, get medical help or contact a Poisce Control Center right away.

m Before procedure: Dissolve 5 pellets under the longue 3 times a day for 2 days. m After procedure: Dissolve 5 pollets under the longue 3 times a day until symptom are relieved.

Other information to not use it polist dispenser seel is broken


Inactive ingredients actors, sucross

Questions or comments?

Bolros USA, com | Into@Bolron.com | 1-800-BOIRON-1 (1-800-264-7661)

"CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED." "C, K, CK, and X are homeopathic distinct: see Betrool/SA convints for details.





ARNICARE PROCEDURE RECOVERY

arnica montana kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-9050

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9050-75	1 in 1 PACKAGE	11/01/2007	

Oua	ntity	οf	Parts
Yua	ILILILY	OI	raits

3

Part 1 0 TUBE

Part 1 of 1

ARNICA

arnica montana pellet

Product Information

Item Code (Source) NDC:0220-0508

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength Strength

ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII: O80TY208ZW) ARNICA MONTANA 30 [hp_C]

Inactive Ingredients

mactive ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					
LACTOSE (UNII: J2B2A4N98G)					

Product Characteristics Color white Score no score Shape ROUND (Pellet) Size 4mm Flavor Imprint Code ; Contains

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0508- 41	80 in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		11/01/2007		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		11/01/2007		

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment					
Name	Address	ID/FEI	Business Operations		
Boiron		282560473	manufacture(0220-9050)		

Revised: 1/2023 Laboratoires Boiron