

**PEDIA-LAX- sodium phosphate, dibasic and sodium phosphate,
monobasic enema
C.B. Fleet Company, Inc.**

Pedia-Lax Enema Saline Laxative 0132-0202

**PEDIA-LAX sodium phosphates Saline Enema
C.B. Fleet Company, Inc.**

Drug Facts

Active Ingredients

(in each 59-mL delivered dose)

Monobasic Sodium Phosphate 9.5 g.....

Dibasic Sodium Phosphate 3.5 g.....

Purpose

Saline laxative

Saline laxative

Use

for relief of occasional constipation.

Warnings

For rectal use only.

Dosage Warning:

Using more than one enema in 24 hours can be harmful.

Do not use without asking a doctor:

- for more than 3 days
- if your child has a kidney disease
- if your child has heart problems
- if your child is dehydrated

Ask a doctor before using this product if the child

- is on a sodium-restricted diet

Ask a doctor before using any laxative if your child has

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and ask a doctor if your child has

- rectal bleeding
- no bowel movement or no liquid comes out of the child's rectum after 30 minutes
- symptoms of dehydration [feeling thirsty, dizziness, vomiting, urinating less often than normal]

These symptoms may indicate a serious condition.

Keep out of reach of children to prevent accidental ingestion.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single Daily Dosage (per 24 hours)

Do not use more per day unless directed by a doctor. See Warnings.

Do not use if child is taking another sodium phosphates product.

Age	Dose
children 5 to 11 years	1 bottle per day or as directed by doctor
children 2 to under 5 years	one-half bottle per day (see below)
children under 2 years	DO NOT USE

One-half bottle preparation:

Unscrew cap and remove 2 tablespoons of liquid with a measuring spoon. Replace cap and follow "How to use this enema" directions.

Other information

- **each 59-mL delivered dose contains:** sodium 2.2g
- **additional liquids by mouth are recommended while taking this product**
- this product usually produces a bowel movement in 1-5 minutes
- **BOTTLE SEALED FOR SAFETY. IF BOTTLE WRAPPER WITH FLEET® EMBLEM IS TORN, DAMAGED, OR MISSING, DO NOT USE**
- **for complete professional use, warnings and precautions, consult the Reference Safety Information on our website**

Inactive Ingredients

benzalkonium chloride, disodium EDTA, purified water

Questions?

1-866-255-6960

www.pedia-lax.com

Fleet® Enemas are LATEX-FREE

PRINCIPAL DISPLAY PANEL

Pedia-Lax
Sodium Phosphates
Saline Enema
2.25 fl oz (66 mL)



PEDIA-LAX

sodium phosphate, dibasic and sodium phosphate, monobasic enema

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0132-0202
Route of Administration	RECTAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE (UNII: 70WT22SF4B) (PHOSPHATE ION - UNII:NK08V8K8HR, SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE	3.5 g in 66 mL
sodium phosphate, monobasic (UNII: 3980JH2SW) (SODIUM CATION - UNII:LYR4M0NH37, PHOSPHATE ION - UNII:NK08V8K8HR)	sodium phosphate, monobasic	9.5 g in 66 mL

Inactive Ingredients	
Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0132-0202-20	66 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	05/10/2002	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/10/2002	

Labeler - C.B. Fleet Company, Inc. (003119054)