

**UP AND UP MAXIMUM STRENGTH FAST MUCUS RELIEF SEVERE CONGESTION AND COUGH- dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride liquid**  
**Target Corporation**  
**Reference Label Set Id: 7f4ccd7c-9b17-428b-8cdf-42237728f9b2**

-----  
**Up and Up maximum strength fast mucus relief severe congestion and cough**  
**Drug Facts**

<b>Active ingredients (in each 20 mL)</b>	<b>Purposes</b>
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

**Warnings**

**Do not use**

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic

bronchitis or emphysema

- cough that occurs with too much phlegm (mucus)

### **When using this product**

- **do not use more than directed**

### **Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough comes back, or occurs with rash or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter
- **Adults and children 12 years of age and older:** 20 mL in dosing cup provided every 4 hours.
- **Children under 12 years of age:** Do not use.

### **Other information**

- each 20 mL contains: **sodium 8 mg**
- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

### **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C Red #40, flavors, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

### **Questions or comments?**

**(1-800-910-6874)**

### **PRINCIPAL DISPLAY PANEL**

NDC 11673-738-06

# Compare to active ingredients in Mucinex® Fast- Max® Severe Congestion & Cough\*

maximum strength‡

fast mucus relief severe congestion and cough

dextromethorphan HBr 20 mg (cough suppressant)  
guaifenesin 400 mg (expectorant)  
phenylephrine HCl 10 mg (nasal decongestant)

**controls cough**  
**relieves nasal and chest congestion**  
**thins and loosens mucus**

6 FL OZ (177 mL)

Ages 12+ Years

**TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING.**

094 14 0290 R00 ID305418

Dist.by Target Corp., Mpls., MN 55403

©2015 Target Brands, Inc. Shop Target.com

**Questions? Call 1-800-910-6874**

‡Maximum Strength per 4 hour dose.

\*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Mucinex® Fast -Max® Maximum Strength Severe Congestion & Cough.



# UP AND UP MAXIMUM STRENGTH FAST MUCUS RELIEF SEVERE CONGESTION AND COUGH

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-738
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>dextromethorphan hydrobromide</b> (UNII: 9D2RTI9KYH) (dextromethorphan - UNII:7355X3ROTS)	dextromethorphan hydrobromide	20 mg in 20 mL
<b>guaifenesin</b> (UNII: 495W7451VQ) (guaifenesin - UNII:495W7451VQ)	guaifenesin	400 mg in 20 mL
<b>phenylephrine hydrochloride</b> (UNII: 04JA59TNSJ) (phenylephrine - UNII:1WS297W6MV)	phenylephrine hydrochloride	10 mg in 20 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>anhydrous citric acid</b> (UNII: XF417D3PSL)	
<b>edetate disodium</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C Blue NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C Red NO. 40</b> (UNII: WZB9127XOA)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>propylene glycol</b> (UNII: 6DC9Q167V3)	
<b>propyl gallate</b> (UNII: 8D4SNN7V92)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>sodium benzoate</b> (UNII: OJ245FE5EU)	
<b>sorbitol</b> (UNII: 506T60A25R)	
<b>sucralose</b> (UNII: 96K6UQ3ZD4)	
<b>xanthan gum</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	BLUE (viscous liquid)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	FRUIT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-738-06	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/10/2015	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/10/2015	

**Labeler** - Target Corporation (006961700)

Revised: 11/2024

Target Corporation