

**UP AND UP MAXIMUM STRENGTH FAST MUCUS RELIEF SEVERE CONGESTION AND COUGH- dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride liquid**  
**Target Corporation**

-----

**Up and Up maximum strength fast mucus relief severe congestion and cough**

**Drug Facts**

<b>Active ingredients (in each 20 mL)</b>	<b>Purposes</b>
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

**Warnings**

**Do not use**

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

**When using this product**

- **do not use more than directed**

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough comes back, or occurs with rash or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.**In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter
- **Adults and children 12 years of age and older:**20 mL in dosing cup provided every 4 hours.
- **Children under 12 years of age:**Do not use.

**Other information**

- each 20 mL contains: **sodium 8 mg**
- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

**Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C Red #40, flavors, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

**Questions or comments?**

**(1-800-910-6874)**

**PRINCIPAL DISPLAY PANEL**

NDC 11673-738-06

**Compare to** active ingredients in **Mucinex® Fast- Max® Severe Congestion &Cough\***

**maximum strength†**

**fast mucus relief severe congestion and cough**

dextromethorphan HBr 20 mg (cough suppressant)  
 guaifenesin 400 mg (expectorant)  
 phenylephrine HCl 10 mg (nasal decongestant)

**controls cough**  
**relieves nasal and chest congestion**  
**thins and loosens mucus**

6 FL OZ (177 mL)

Ages 12+ Years

**TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING.**

094 14 0290 R00 ID305418

Dist.by Target Corp., Mpls., MN 55403

©2015 Target Brands, Inc. Shop Target.com

**Questions? Call 1-800-910-6874**

‡Maximum Strength per 4 hour dose.

\*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Mucinex® Fast -Max® Maximum Strength Severe Congestion & Cough.



## UP AND UP MAXIMUM STRENGTH FAST MUCUS RELIEF SEVERE CONGESTION AND COUGH

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride liquid

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:11673-738

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	blue (viscous liquid)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	FRUIT	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-738-06	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/10/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/10/2015	

