#### PAIN RELIEF GEL-ROLL ON- lidocaine and menthol gel Shanghai Chuangshi Medical Technology (Group) Co., Ltd.

-----

# CSI, Lidocaine and Menthol, PAIN RELIEF Gel-Roll On, 2.5 fl. oz / 73 mL, Gel, Bottle

## **Active Ingredient**

Lidocaine 4.0% (w/w ..... Purpose: Topical Anesthetic) Menthol 1.0% (w/w ..... Purpose: Topical Analgesic)

## Purpose

(Lidocaine) Topical Anesthetic (Menthol) Topical Analgesic

## Use

temporary relief of pain

#### Warnings

For external use only

#### Do not use

 on large areas of the body or on cut, irritated or swollen skin not apply to wounds or damaged skin
 on puncture wounds
 for more than one week without consulting a doctor

## When using this product

use only as directed. Read and follow all directions and warnings on this label
 do not allow contact with eyes and mucous membranes
 do not bandage or apply local heat (such as heating patches) or a medicated patch to the area of use
 do not use at the same time as other topical analgesics

## Stop use if

• condition worsens • redness is present • irritation develops • symptoms persist for more than 7 days or clear up and occur within a few days

Ask a doctor if

• condition worsens • redness is present • irritation develops • symptoms persist for more than 7 days or clear up and occur within a few days

## Flammable

• keep away from fire or flame

## If pregnant or breast-feeding

Ask a health professional before use

## Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

## Directions

## Adults and children 12 over years:

• apply a thin layer to affected area 6 to 8 hours, not to exceed 3 application in a 24 hour period

## Children under 12 years of age: Consult a doctor

## Inactive Ingredients

Aloe Vera Extract, Carbopol, Isopropyl myristate, Lavender Oil, Phenoxyethanol, Polysorbate 80, Propylene Glycol, Tartaric acid, Vitamin E, Water

## **Questions or Comments**

#### 86-21-31166566

Child-resistant packaging. Close cap tightly after use.

	115mi	m	
70mm	<section-header>ConstructionAgain<t< th=""><th><ul> <li>Active ingredient: Lidocaine 496, Menthol 1% Purpose: Topical anesthetic, Topical analgesic Use: temporarily relieves pain Warning: For external use only Do not use on lange areas of the body or on cut, irritated or swollen skin - on puncture wounds - for more than one week without consulting a doctor When using this product - use only as directed. Read and follow all directions and warnings on this label - do not allow contact with eyes and mucus membranes - do not use at the same time as other topical heat (such as heating patches) or and cut with eyes and mucus membranes - do not use at the same time as other topical analgesits Stop use and ask a doctor if - condition worsens - Redness is present - initiation develops - symptoms persist for more than 7 days or dear up and occur again within a few days Flammable - keep away from fire or fhame. If <i>pregnent</i> or Defense to affect anglin worsens to the condisten and children over 12 years: - apply a thin layer to affect and to a funct ingredients Aloe Vetea Stapilications in a 24 hour period. Phenoxyethanol, Polysorbate 80, Propylene Glycol, Tartaric acid, Vitamin E, Water.</li> </ul></th><th>Child-resistant packaging. Close cap tightly after use. Produced by: SHANGHAI CHUANGSHI MEDICAL TECHNOLOGY (GROUP) CO. LTD No. 388, Zhang liantang Rd, Qingpu District, Shanghai, China, 201716 Tel: 86-21-31166566 Fax: 86-21-31166568 Tel: webmaster@csigroup.com.cn www.csigroup.com.cn Made in China</th></t<></section-header>	<ul> <li>Active ingredient: Lidocaine 496, Menthol 1% Purpose: Topical anesthetic, Topical analgesic Use: temporarily relieves pain Warning: For external use only Do not use on lange areas of the body or on cut, irritated or swollen skin - on puncture wounds - for more than one week without consulting a doctor When using this product - use only as directed. Read and follow all directions and warnings on this label - do not allow contact with eyes and mucus membranes - do not use at the same time as other topical heat (such as heating patches) or and cut with eyes and mucus membranes - do not use at the same time as other topical analgesits Stop use and ask a doctor if - condition worsens - Redness is present - initiation develops - symptoms persist for more than 7 days or dear up and occur again within a few days Flammable - keep away from fire or fhame. If <i>pregnent</i> or Defense to affect anglin worsens to the condisten and children over 12 years: - apply a thin layer to affect and to a funct ingredients Aloe Vetea Stapilications in a 24 hour period. Phenoxyethanol, Polysorbate 80, Propylene Glycol, Tartaric acid, Vitamin E, Water.</li> </ul>	Child-resistant packaging. Close cap tightly after use. Produced by: SHANGHAI CHUANGSHI MEDICAL TECHNOLOGY (GROUP) CO. LTD No. 388, Zhang liantang Rd, Qingpu District, Shanghai, China, 201716 Tel: 86-21-31166566 Fax: 86-21-31166568 Tel: webmaster@csigroup.com.cn www.csigroup.com.cn Made in China



Active Ingredient/ LIDOCAINE (UNII: 98PI20 MENTHOL (UNII: L7T10EI Inactive Ingredien POLYACRYLIC ACID (25 MATER (UNII: 059QF0KOU AVENDER OIL (UNII: Z B PHENOXYETHANOL (UNI SOPROPYL MYRISTATE ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: 2 PROPYLENE GLYCOL (U FARTARIC ACID (UNII: W	Active Moiety         Ingredient Name         0987) (LIDOCAINE - UNII:98PI200987)         P3A) (MENTHOL - UNII:L7T10EIP3A)         hts         Ingredient Name         0000 MW) (UNII: 9G2MAD7J6W)         0R)         P1YXW0H8)         II: HIE492ZZ3T)         : (UNII: 0RE8K4LNJS)         D- (UNII: N9PR3490H9)         ZY81Z 83H0X)	Item Code (Source)	ength Strength 0.04 g in 1 mL 0.01 g in 1 mL 0.01 g in 1 mL
LIDOCAINE (UNII: 98PI20 MENTHOL (UNII: L7T10EI Inactive Ingredien POLYACRYLIC ACID (25 WATER (UNII: 059QF0KO LAVENDER OIL (UNII: Z B PHENOXYETHANOL (UNII: Z B PHENOXYETHANOL (UNII: Z SOPROPYL MYRISTATE ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U FARTARIC ACID (UNII: W	Active Moiety         Ingredient Name         0987) (LIDOCAINE - UNII:98PI200987)         P3A) (MENTHOL - UNII:L7T10EIP3A)         hts         Ingredient Name         0000 MW) (UNII: 9G2MAD7J6W)         0R)         P1YXW0H8)         II: HIE492ZZ3T)         : (UNII: 0RE8K4LNJS)         D- (UNII: N9PR3490H9)         ZY81Z 83H0X)	) LIDOCAINE	0.04 g in 1 mL 0.01 g in 1 mL
LIDOCAINE (UNII: 98PI20 MENTHOL (UNII: L7T10EI Inactive Ingredier POLYACRYLIC ACID (25 WATER (UNII: 059QF0KO) LAVENDER OIL (UNII: Z B PHENOXYETHANOL (UN ISOPROPYL MYRISTATE ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	Ingredient Name 0987) (LIDOCAINE - UNII:98PI200987) P3A) (MENTHOL - UNII:L7T10EIP3A) Ingredient Name 0000 MW) (UNII: 9G2MAD7J6W) 0R) P1YXW0H8) II: HIE492ZZ3T) E (UNII: 0RE8K4LNJS) D- (UNII: N9PR3490H9) ZY81Z83H0X)	) LIDOCAINE	0.04 g in 1 mL 0.01 g in 1 mL
LIDOCAINE (UNII: 98PI20 MENTHOL (UNII: L7T10EI Inactive Ingredier POLYACRYLIC ACID (25 WATER (UNII: 059QF0KO) LAVENDER OIL (UNII: Z B PHENOXYETHANOL (UN ISOPROPYL MYRISTATE .ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	0987) (LIDOCAINE - UNII:98PI200987) P3A) (MENTHOL - UNII:L7T10EIP3A) <b>Ingredient Name</b> 0000 MW) (UNII: 9G2MAD7J6W) 0R) P1YXW0H8) II: HIE492ZZ3T) E (UNII: 0RE8K4LNJS) D- (UNII: N9PR3490H9) ZY81Z83H0X)	) LIDOCAINE	0.04 g in 1 mL 0.01 g in 1 mL
MENTHOL (UNII: L7T10EI Inactive Ingredier POLYACRYLIC ACID (25 WATER (UNII: 059QF0KO) LAVENDER OIL (UNII: Z B PHENOXYETHANOL (UNI ISOPROPYL MYRISTATE .ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	P3A) (MENTHOL - UNII:L7T10EIP3A) <b>Ingredient Name</b> <b>Ingredient Name</b> <b>0000 MW)</b> (UNII: 9G2MAD7J6W) OR) P1YXW0H8) II: HIE492ZZ3T) II: HIE492ZZ3T) II: ORE8K4LNJS) <b>D-</b> (UNII: N9PR3490H9) ZY81Z 83H0X)		0.01 g in 1 mL
Inactive Ingredier POLYACRYLIC ACID (25 WATER (UNII: 059QF0K00 LAVENDER OIL (UNII: ZB PHENOXYETHANOL (UN ISOPROPYL MYRISTATE ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	Ingredient Name           0000 MW) (UNII: 9G2MAD7J6W)           0R)           0P1YXW0H8)           II: HIE492ZZ3T)           : (UNII: 0RE8K4LNJS)           D- (UNII: N9PR3490H9)           ZY81Z83H0X)	MENTHOL	
WATER (UNII: 059QF0K0) LAVENDER OIL (UNII: Z B PHENOXYETHANOL (UN ISOPROPYL MYRISTATE .ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	Ingredient Name           0000 MW) (UNII: 9G2MAD7J6W)           0R)           P1YXW0H8)           II: HIE492ZZ3T)           : (UNII: 0RE8K4LNJS)           D- (UNII: N9PR3490H9)           ZY81Z 83H0X)		Strength
POLYACRYLIC ACID (25 WATER (UNII: 059QF0KO) LAVENDER OIL (UNII: Z B PHENOXYETHANOL (UN ISOPROPYL MYRISTATE .ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W POLYSORBATE 80 (UNII:	0000 MW) (UNII: 9G2MAD7J6W) OR) P1YXW0H8) II: HIE492ZZ3T) E (UNII: 0RE8K4LNJS) D- (UNII: N9PR3490H9) ZY81Z83H0X)		Strength
WATER (UNII: 059QF0K0) LAVENDER OIL (UNII: Z B PHENOXYETHANOL (UN ISOPROPYL MYRISTATE .ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	DR) P1YXW0H8) II: HIE492ZZ3T) E (UNII: 0RE8K4LNJS) D- (UNII: N9PR3490H9) ZY81Z83H0X)		
LAVENDER OIL (UNII: ZB PHENOXYETHANOL (UN ISOPROPYL MYRISTATE .ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: Z PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	P1YXW0H8) II: HIE492ZZ3T) E (UNII: 0RE8K4LNJS) D- (UNII: N9PR3490H9) ZY81Z83H0X)		
PHENOXYETHANOL (UN ISOPROPYL MYRISTATE .ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: 2 PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	II: HIE492ZZ3T) : (UNII: 0RE8K4LNJS) D- (UNII: N9PR3490H9) ZY81Z83H0X)		
ISOPROPYL MYRISTATE .ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: 2 PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	: (UNII: 0RE8K4LNJS) D- (UNII: N9PR3490H9) ZY81Z83H0X)		
.ALPHATOCOPHEROL, ALOE VERA LEAF (UNII: 2 PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	<b>D-</b> (UNII: N9PR3490H9) ZY81Z83H0X)		
ALOE VERA LEAF (UNII: 3 PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W	ZY81Z83H0X)		
PROPYLENE GLYCOL (U TARTARIC ACID (UNII: W			
TARTARIC ACID (UNII: W			
· · · · ·			
POLYSORBATE 80 (UNII:			
	: 602P392G8H)		
Packaging			
# Item Code	Package Description	Marketing Star Date	rt Marketing End Date
1 NDC:73557-373- 25 73 m Produ	L in 1 BOTTLE; Type 0: Not a Combinut uct	nation 12/22/2022	
Markating Inf			
Marketing Info	Application Number or Monog	aranh Markating Sta	rt Marketing En
Category	Citation	graph Marketing Sta Date	Date

Labeler - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Registrant - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

## Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(73557-373) , label(73557- 373)

Revised: 4/2024

Shanghai Chuangshi Medical Technology (Group) Co., Ltd.