COM-PARE2 NIGHTTIME EYE- mineral oil and white petrolatum ointment TRP Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Com-Pare2 Nighttime Eye Ointment (Systane Nighttime)

Active Ingredients

Mineral oil 3%

White petrolatum 94%

Mineral oilEye lubricant

White petrolatum.....Eye lubricant

Uses

- For temporary relief of irritation or dryness in the eye.
- May be used as a protectant against further irritation.

Warnings

- For use in eyes only.
- Retain outer carton for full product drug facts.
- For external use only.
- To avoid contamination, do not touch
- tip of container to any surface.
- Keep tube tightly closed.

Stop use and ask a doctor

Stop use and ask a doctor if:

- You experience eye pain, changes invision, continued redness or irritation of the eye.
- The condition worsens or persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

If pregnant or breast feeding

If pregnant or breast feeding, ask a health professional before use.

Directions

- Wash your hands.
- Pull down the lower lid of the affected eye and gently apply a small amount (1/4") of

ointment to the inside of the eyelid, every 3-4 hours or as directed by a doctor.

Other information

- Do not use if bottom ridge of tube is exposed, or if cap or tube is damaged.
- See crimp of tube or box for lot number and expiration date.
- Store away from heat. Protect from freezing. Use before expiration date on the tube.
- Store at 59°-86° F (15°- 30°C).

Inactive ingredient

Lanolin alcohol.

Questions? In the U.S. call 1-800-757-9195 alcon.medinfo@alcon.com www.systane.com

PRINCIPAL DISPLAY PANEL



Com-Pare2	NDC 17312-403-32	
Nighttime Eye C Compare to active ingredients in S Lubricant Eye Ointment.		Code
STERILE PRESERVATIVE FREE	NET WT 0.125 0Z (3.5 g)	
Do not use if bottom ridge of tube is exposed	d, or cap or tube is damaged.	
Drug Facts Active ingredients Mineral oil 3% White petr	olatum 94%	
Inactive ingredients Lanolin alcohol		
 Directions • Refer to outer carton for compl • Pull down the lower lid of the affected eye and ointment to the inside of the eyelid, every 3-4 ho 	d gently apply a small amount (1/4") of	
© 2022 All rights reserved to TRP Company, Inc. for: TRP Company, Inc. 1575 Delucchi Lane, Suite Comments? 888-969-6855 www.compare2us	208, Reno, NV 89502 Questions or	
07020957 E Rev. 03/2022 Ini 0822 R0822	1	

mineral oil and w	hite petrolatu					
Product Infor	mation					
Product Type		HUMAN OTC DRUG	ltem Code	(Source)	NDC:17312-403	
Route of Admini	istration	OPHTHALMIC				
Active Ingredi	ent/Active	Moiety				
Ingredient Name				Basis of Strength		Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)			FGP)	MINERAL OIL		30 mg in 1 g
PETROLATUM (UNI	I: 4T6H12BN9U) (PETROLATUM - UNII:4T6H1)	2BN9U)	PETROLATUM		940 mg in 1 g
	Ing	redient Name			Stre	ngth
LANOLIN (UNII: 7EV	Ing	redient Name			Stre	ngth
LANOLIN (UNII: 7EV	ing (65EAW6H)	redient Name	Mar	keting Start Date		ngth rketing End Date
Packaging # Item Code	ing (65EAW6H)	ckage Description	Mar 12/19/2	Date		rketing End
Packaging # Item Code 1 NDC:17312-403- 32	ing 765EAW6H) Pac 1 in 1 CARTON	ckage Description	12/19/2	Date		rketing End
Packaging # Item Code 1 NDC:17312-403- 1	Ing (65EAW6H) Pac 1 in 1 CARTON 3.5 g in 1 TUB Product	ckage Description I IE; Type 0: Not a Combinatio	12/19/2	Date		rketing End
Packaging # Item Code 1 NDC:17312-403- 32 Marketing	Ing (65EAW6H) Pac 1 in 1 CARTON 3.5 g in 1 TUB Product	ckage Description I IE; Type 0: Not a Combinatio	12/19/2	Date 2022	Mai	rketing End Date
NDC:17312-403-	Ing (65EAW6H) Pac 1 in 1 CARTON 3.5 g in 1 TUB Product	ckage Description I IE; Type 0: Not a Combinatio	12/19/2	Date	Mai	rketing End

Labeler - TRP Company (105185719)

Revised: 12/2022

TRP Company