COM-PARE2 NIGHTTIME EYE- mineral oil, white petrolatum ointment TRP Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Com-Pare 2 Nighttime Eye Ointment (Retaine PM)

Active ingredients

Mineral oil (20%)

White petrolatum (80%)

Purpose

Mineral oil - Eye lubricant

White petrolatum - .Eye lubricant

Uses

• May be used as a protectant against further Irritation or to relieve dryness of the eye.

Warnings

- For use in eyes only.
- Retain outer carton for full product drug facts.
- For external use only.
- To avoid contamination, do not touch
- tip of container to any surface.
- Keep tube tightly closed.

If pregnant or breast feeding

• If pregnant or breast feeding, ask a health professional before use.

Stop use and ask a doctor if

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens or persists for more than 72 hours.

Keep out of reach of children.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Wash your hands.
- Pull down the lower lid of the affected eye and gently apply a small amount (1/4") of ointment to the inside of the eyelid, every 3-4 hours or as directed by a doctor.

Other information

- Do not use if bottom ridge of tube is exposed, or if cap or tube is damaged.
- See crimp of tube or box for lot number and expiration date.
- Store away from heat. Protect from freezing.
- Use before expirationdate on the tube.
- Store at 59°-86° F (15°- 30°C).

Questions or comments?

Questions or comments?

1-888-969-6855

8 am to 4 pm; Monday - Friday.

Package label. Principal Display Panel

Com-Pare2

Nighttime Eye Ointment

NDC 17312-404-32

Com-Pare2

Compare to active ingredients in Retaine® PM Eye Ointment*.

Com-Pare2

Nighttime Eye Ointment

Nighttime Eye Ointment

DO NOT USE IF BOTTOM RIDGE OF TUBE IS EXPOSED, OR IF CAP OR TUBE IS DAMAGED.

Drug Facts (continued)

· See crimp of tube or box

for lot number and

Store away from heat.

Protect from freezing.

Use before expiration

Store at 59°-86° F (15°-

date on the tube.

Questions or

8 am to 4 pm; Monday

comments?

1-888-969-6855

30°C).

Friday.

expiration date.

© 2023 All rights reserved to TRP Company, Inc. Manufactured in Jordan exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite 208, Reno, NV 89502 www.compare2usa.com

*This product is not manufactured or distributed by OCuSOFT® Inc.; owner of the registered trademark Retaine® PM™ ointment.

Temporarily Relieves:

Severe dry eyes

Preservative Free Sterile

NET WT 0.176 OZ (5 g)

Save carton for complete drug facts.



Drug Facts

Active ingredients Purpose
Mineral oil 20%......Eye lubricant
White petrolatum 80%....Eye lubricant

Uses

 May be used as a protectant against further Irritation or to relieve dryness of the eye.

Warnings

· For use in eyes only.

- Retain outer carton for full product drug facts.
- For external use only.
- To avoid contamination, do not touch tip of container to any surface.
- Keep tube tightly closed.

Stop use and ask a doctor if:

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens or persists for more than 72 hours.
- If pregnant or breast feeding, ask a health professional before use.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- · Wash your hands.
- Pull down the lower lid of the affected eye and gently apply a small amount (1/4") of ointment to the inside of the eyelid, every 3-4 hours or as directed by a doctor.

Other information

 Do not use if bottom ridge of tube is exposed, or if cap or tube is damaged.

TUBE IMAGE IS ACTUAL SIZE



COM-PARE2 NIGHTTIME EYE

mineral oil, white petrolatum ointment

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-404		
Route of Administration	OPHTHALMIC				

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP, MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	200 mg in 1 g			
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U, PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	800 mg in 1 g			

ı	Packaging			
4	# Item Code	Package Description	Marketing Start Date	Marketing End Date
]	NDC:17312-404- 32	5 g in 1 TUBE; Type 0: Not a Combination Product	12/20/2022	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part347	12/20/2022			

Revised: 12/2022 TRP Company